



BKT

GROWING TOGETHER



2022 EDITION



**JOHN
DEERE**
XPRESS

AGRICULTURE



INDEX

AGRICULTURE EQUIPMENTS

AGCO	MASSEY FERGUSON EUROPE	5	SUNDOVA	GREAT PLAINS MANUFACTURING USA	55	CLAAS INDIA	71	
	SUNFLOWER USA	7		LANDOLL USA	56		CAPTAIN TRACTORS INDIA	72
	VALTRA EUROPE	9		MEYER MANUFACTURING CORPORATION USA	57		ESCORTS LTD. INDIA	74
ARBO TRACTORS	LANDINI EUROPE	12	SUNDOVA	ROME PLOW USA	58	SONALIKA INTERNATIONAL INDIA	81	
	MCCORMICK EUROPE	16		STAHOLI WEST USA	58		JBM INDUSTRIES INDIA	89
	VALPADANA EUROPE	18		JAN VEENHUIS CANADA	60		JOHN DEERE INDIA	90
CARRARO	CARRARO AGRITALIA EUROPE	21	SUNDOVA	CADMAN POWER EQUIPEMENT CANADA	61	KARTAR INDIA	96	
	CASE IH CANADA	23		DEGELMAN INDUSTRIES CANADA	62		KUBOTA INDIA	98
CNH INDUSTRIAL	NEW HOLLAND EUROPE	24	SUNDOVA	DWAYNE ENTERPRISES CANADA	62	MAHINDRA TRACTORS INDIA	99	
	DEUTZ-FAHR EUROPE	26		HELM WELDING - LUCKNOW CANADA	63		NEW HOLLAND INDIA	100
SAME DEUTZ-FAHR	LAMBORGHINI EUROPE	29	SUNDOVA	JAYLOR FABRICATING CANADA	63	PREET INDIA	105	
	SAME EUROPE	31		MARCREST MANUFACTURING CANADA	64		REDLAND INDIA	107
SUNDOVA	ANTONIO CARRARO EUROPE	33	SUNDOVA	PATTISON LIQUID SYSTEMS CANADA	64	SAME DEUTZ-FAHR INDIA	108	
	BCS EUROPE	35		PENTA EQUIPMENT CANADA	65		SHAKTIMAN INDIA	115
	CLAAS EUROPE	38		SMYTH WELDING CANADA	66		TAFE INDIA	116
	GOLDONI KEESTRACK EUROPE	42		TUBELINE MANUFACTURING LTD CANADA	66		VST TILLERS TRACTOR INDIA	117
	JCB EUROPE	44		WEBERLANE MANUFACTURING CANADA	68		ANDERSON GROUP CANADA	118
	JOHN DEERE EUROPE/USA	46		BERI UDYOG INDIA	70		CANAG FARM TECHNOLOGIES CANADA	120
	MERLO EUROPE	50					ÉQUIPEMENTS DE FERME MIRO INC. CANADA	121
	KUHN	KUHN KRAUSE USA		53				
		DALTON AG PRODUCTS USA		54				


LACASSE MACHINERIE INC. CANADA	122	TYM KOREA	140	GERVASIO RIMORCHI ITALY	174
MACHINERIE LÉPINE INC. CANADA	122	AL KHORAYEF INDUSTRIES SAUDI ARABIA	141	GRAZIOLI REMAC ITALY	175
MACHINERY FM CANADA	123	BREDAL A/S DENMARK	142	I.ME.CA ITALY	176
MAXIMUM EQUIPMENT CANADA	125	FJ AGRO APS DENMARK	143	MASCAR ITALY	176
METAVIC CANADA	125	HE-VA DENMARK	145	MASCHIO GASPARDO ITALY	177
NORMAND CANADA	127	NOC AGRO DENMARK	146	MITTERER ITALY	182
PRONOVOST CANADA	128	FRIULI SPRAYERS ITALY	148	REN MARK ITALY	184
ROVIBEC AGRSOLUTIONS CANADA	128	NARDI HARVESTING ITALY	150	RICOSMA ITALY	186
SHOULE CANADA	128	AGRICOLA ITALIANA ITALY	151	VF VENIERI ITALY	186
TEAMCO CANADA	130	AGRIMEC CROSETTO ITALY	152	AGRO-MASZ POLAND	188
VALMETAL CANADA	130	ALBERTI MACCHINE ITALY	166	AGRO-MAX POLAND	189
WOODY EQUIPMENT CANADA	131	BALLIANA SNC ITALY	166	METAL-FACH POLAND	190
RMH LACHISH INDUSTRIES LTD ISRAEL	136	CAPORICCI RIMORCHI ITALY	166	POMOT-CHOJNA POLAND	192
NICHINOUKI SEIKO JAPAN	136	CELLI SPA ITALY	168	WIELTON POLAND	193
TAKAKITA JAPAN	137	CLAUT ITALY	168	ZASŁAW POLAND	195
YAMABIKO CORPORATION JAPAN	138	DAL DEGAN ITALY	169	MASCHIO GASPARDO ROMANIA	196
DAEHO CO. KOREA	138	FB BOSSINI ITALY	170	CREINA D.D. KRANJ SLOVENIA	200
HYEOKSIN AGRICULTURAL MACHINERY CO. KOREA	138	F.LLI ANNOVI ITALY	171	VITLI KRPAN SLOVENIA	201
KUBOTA KOREA	139	FERRARI COSTRUZIONI MECCANICHE ITALY	173	GASON AUSTRALIA	202



MASSEY FERGUSON

SUNFLOWER

VALTRA





MODEL

FITMENT



TRACTOR



SERIE 5

Rear

Front

540/65 R 38
153 D/156 A8

AGRIMAX RT 657

440/65 R 28
138 D/141 A8

AGRIMAX RT 657

420/85 R 34
142 A8/B

AGRIMAX RT 855

340/85 R 24
125 A8/B

AGRIMAX RT 855

420/85 R 38
144 A8/B

AGRIMAX RT 855

340/85 R 28
127 A8/B

AGRIMAX RT 855



SERIE 6

Rear

Front

600/65 R 38
159 D/162 A8

AGRIMAX RT 657

480/65 R 28
142 D/145 A8

AGRIMAX RT 657

580/70 R 38
155 D





AGRIMAX RT 765




480/70 R 28
140 D


AGRIMAX RT 765

HOW TO READ DATA

MODEL	TIRE POSITION	
	TIRE SIZE (Version) L/USS PR	BKT Pattern




 MASSEY FERGUSON		MODEL	FITMENT 			
			Rear		Front	
				SERIE 7	650/65 R 38 163 D/166 A8	AGRIMAX RT 657
		650/65 R 42 165 D/168 A8	AGRIMAX RT 657	540/65 R 30 150 D/153 A8	AGRIMAX RT 657	
		650/65 R 42 165 D/168 A8	AGRIMAX RT 657	600/65 R 28 154 D/157 A8	AGRIMAX RT 657	
		620/70 R 42 173 D	AGRIMAX RT 765	480/70 R 30 141 D	AGRIMAX RT 765	
	SERIE 8	650/65 R 42 165 D/168 A8	AGRIMAX RT 657	540/65 R 30 150 D/153 A8	AGRIMAX RT 657	
		710/70 R 42 176 D/179 A8	AGRIMAX RT 765	600/70 R 28 157 D	AGRIMAX RT 765	


DISC HARROW		MODEL	FITMENT 	
			Mainframe	
		1212	11L - 15 8 PR	I-1
		1710	12.5L - 15 12 PR	I-1


GRAIN DRILL		MODEL	Mainframe		Wing	
			Tire Size (Version)	BKT Pattern	Tire Size (Version)	BKT Pattern
		9312	9.5L - 15 12 PR	I-1	9.5L - 15 8 PR	I-1
		9413	9.5L - 15 12 PR	I-1	9.5L - 15 8 PR	I-1
		9421	11L - 15 12 PR	I-1	-	-
		9435	380/55 R 16.5 150 A8/B	AW711	-	-
		9510	9.5L - 15 8 PR	I-1	9.5L - 15 8 PR	I-1

HOW TO READ DATA

MODEL	TIRE POSITION	
	TIRE SIZE (Version) L/U/S/S PR	BKT Pattern

LAND FINISHER		MODEL	FITMENT 			
			Mainframe		Wing	
		6221	11L - 15 12 PR	I-1	11L - 15 8 PR	I-1
		6333	12.5L - 15 FI 12 PR "F"	FARM HIGHWAY TOUGH	11L - 15 8 PR	I-1
		6433	380/55 R 16.5 150 A8/B	AW 711	11L - 15 8 PR	I-1

ROTARY FINISHER		MODEL	Mainframe		Wing	
			6830	12.5L - 15 FI 12 PR "F"	FARM HIGHWAY TOUGH	11L - 15 FI 12 PR "F"
6830	380/55 R 16.5 150 A8/B	AW 711	11L - 15 FI 12 PR "F"	FARM HIGHWAY TOUGH		

VERTICAL TILLAGE		MODEL	Mainframe		Wing	
			6631	12.5L - 15 FI 12 PR "F"	FARM HIGHWAY TOUGH	11L - 15 FI 12 PR "F"
6650	380/55 R 16.5 150 A8/B	AW 711	11L - 15 FI 12 PR "F"	FARM HIGHWAY TOUGH		

VALTRA

MODEL

FITMENT



TRACTOR



FRUTTETO

Rear

Front

420/70 R 24
134 D

AGRIMAX RT 765

280/70 R 18
114 A8/B

AGRIMAX RT 765

420/70 R 28
133 D

AGRIMAX RT 765

320/70 R 20
123 A8/B

AGRIMAX RT 765

380/70 R 28
127 D

AGRIMAX RT 765

280/70 R 20
116 A8/B

AGRIMAX RT 765

480/65 R 28
142 D/145 A8

AGRIMAX RT 657

320/70 R 20
123 A8/B

AGRIMAX RT 765

380/70 R 24
125 D

AGRIMAX RT 765

260/70 R 16
109 A8/B

AGRIMAX RT 765

380/85 R 28
133 A8/B

AGRIMAX RT 855

280/70 R 18
114 A8/B

AGRIMAX RT 765

380/70 R 28
127 D

AGRIMAX RT 765

280/70 R 18
114 A8/B

AGRIMAX RT 765

420/70 R 28
133 D

AGRIMAX RT 765

280/70 R 18
114 A8/B

AGRIMAX RT 765



SERIE A

Rear

Front

540/65 R 38
153 D/156 A8

AGRIMAX RT 657

440/65 R 28
138 D/141 A8

AGRIMAX RT 657

420/85 R 34
142 A8/B

AGRIMAX RT 855

340/85 R 24
125 A8/B

AGRIMAX RT 855

420/85 R 38
144 A8/B





AGRIMAX RT 855

340/85 R 28
127 A8/B

AGRIMAX RT 855

HOW TO READ DATA

MODEL	TIRE POSITION	
	TIRE SIZE (Version) L/USS PR	BKT Pattern

VALTRA	MODEL	FITMENT 			
	SERIE N	Rear		Front	
		600/65 R 38 159 D/162 A8	AGRIMAX RT 657	480/65 R 28 142 D/145 A8	AGRIMAX RT 657
		580/70 R 38 155 D	AGRIMAX RT 765	480/70 R 28 140 D	AGRIMAX RT 765
650/65 R 38 163 D/166 A8	AGRIMAX RT 657	540/65 R 28 149 D/152 A8	AGRIMAX RT 657		
	SERIE T	Rear		Front	
		650/65 R 38 163 D/166 A8	AGRIMAX RT 657	540/65 R 28 149 D/152 A8	AGRIMAX RT 657
		650/65 R 42 165 D/168 A8	AGRIMAX RT 657	540/65 R 30 150 D/153 A8	AGRIMAX RT 657
		650/65 R 42 165 D/168 A8	AGRIMAX RT 657	600/65 R 28 154 D/157 A8	AGRIMAX RT 657
620/70 R 42 173 D	AGRIMAX RT 765	480/70 R 30 141 D	AGRIMAX RT 765		
	SERIE Q	Rear		Front	
		VF 710/70 R 42 185 D	AGRIMAX V-FLECTO	VF 600/70 R 30 168 D	AGRIMAX V-FLECTO
VF 710/70 R 38 181 D	AGRIMAX V-FLECTO	VF 600/65 R 28 163 D	AGRIMAX V-FLECTO		



ARGO TRACTORS

LANDINI

MC CORMICK

VALPADANA



HOW TO READ DATA

MODEL	TIRE POSITION	
	TIRE SIZE (Version) L/USS PR	BKT Pattern

	MODEL	FITMENT 			
		Rear		Front	
		375/75 R 20 119 A8/B	RT 851	260/70 R 16 109 A8/B	AGRIMAX RT 765
		360/70 R 24 122 D	AGRIMAX RT 765	260/70 R 16 109 A8/B	AGRIMAX RT 765
		380/70 R 24 125 D	AGRIMAX RT 765	280/70 R 16 112 A8/B	AGRIMAX RT 765
		420/70 R 24 130 D	AGRIMAX RT 765	280/70 R 16 112 A8/B	AGRIMAX RT 765
		420/70 R 24 130 D	AGRIMAX RT 765	320/65 R 16 117 D/120 A8	AGRIMAX RT 657
		340/85 R 28 127 A8/B	AGRIMAX RT 855	250/80 - 18 127 A8/115 A8	FARM 2000
		380/70 R 28 127 D	AGRIMAX RT 765	280/70 R 18 114 A8/B	AGRIMAX RT 765
		420/70 R 28 133 D	AGRIMAX RT 765	300/70 R 20 120 A8/B	AGRIMAX RT 765
	REX ELECTRA	Rear		Front	
380/85 R 28 133 A8/B	AGRIMAX RT 855	280/70 R 20 116 A8/B	AGRIMAX RT 765		

Landini

MODEL

FITMENT



TRACTOR



SERIE 2
MISTRAL

Rear

Front

320/70 R 20
123 A8/B

AGRIMAX RT 765

200/70 R 16
94 A8/B

AGRIMAX RT 765

360/70 R 20
129 A8/B

AGRIMAX RT 765

240/70 R 16
104 A8/B

AGRIMAX RT 765

360/70 R 24
122 D

AGRIMAX RT 765

280/70 R 16
112 A8/B

AGRIMAX RT 765

320/70 R 24
116 D

AGRIMAX RT 765

260/70 R 16
109 A8/B

AGRIMAX RT 765



SERIE 4

Rear

Front

420/70 R 30
130 D

AGRIMAX RT 765

360/70 R 20
129 A8/B

AGRIMAX RT 765

480/70 R 30
141 D

AGRIMAX RT 765

380/70 R 20
132 A8/B

AGRIMAX RT 765

480/70 R 30
141 D

AGRIMAX RT 765

320/70 R 24
116 A8/B

AGRIMAX RT 765

420/85 R 30
140 A8/B

AGRIMAX RT 855

280/85 R 24
109 A8/B

AGRIMAX RT 855



SERIE 5
POWER FARM

Rear

Front

230/95 R 48
136 A8/B

AGRIMAX RT 955

230/95 R 48
136 A8/B

AGRIMAX RT 955

460/85 R 30
145 A8/B

AGRIMAX RT 855

320/85 R 24
122 A8/B

AGRIMAX RT 855

420/85 R 30
140 A8/B

AGRIMAX RT 855

280/85 R 24
109 A8/B

AGRIMAX RT 855

18.4 - 30 (HD)
12 PR

TR 136

12.4 - 24 (HD)
8 PR

TR 135

340/85 R 38
133 A8/B

AGRIMAX RT 855

320/85 R 24
122 A8/B

AGRIMAX RT 855

420/85 R 34
142 A8/B

AGRIMAX RT 855

340/85 R 24
125 A8/B

AGRIMAX RT 855

480/70 R 34
149 A8/B

AGRIMAX RT 765

380/70 R 24
138 A8/B

AGRIMAX RT 765

HOW TO READ DATA

MODEL	TIRE POSITION	
	TIRE SIZE (Version) L/USS PR	BKT Pattern


HD: Heavy Duty



MODEL

FITMENT



		Rear		Front	
	SERIE 6	600/65 R 34 157 D/160 A8	AGRIMAX RT 657	480/65 R 24 142 D/145 A8	AGRIMAX RT 657
		540/65 R 38 153 D/156 A8	AGRIMAX RT 657	480/65 R 24 142 D/145 A8	AGRIMAX RT 657
		600/65 R 38 159 D/162 A8	AGRIMAX RT 657	480/65 R 28 142 D/145 A8	AGRIMAX RT 657
		650/65 R 38 163 D/166 A8	AGRIMAX RT 657	540/65 R 28 149 D/152 A8	AGRIMAX RT 657
		480/70 R 38 145 D	AGRIMAX RT 765	380/70 R 28 127 D	AGRIMAX RT 765
		520/70 R 38 150 D	AGRIMAX RT 765	420/70 R 28 133 D	AGRIMAX RT 765
		580/70 R 38 155 D	AGRIMAX RT 765	480/70 R 28 140 D	AGRIMAX RT 765
		420/85 R 38 144 A8/B	AGRIMAX RT 855	380/70 R 28 127 D	AGRIMAX RT 765
		420/85 R 38 144 A8/B	AGRIMAX RT 855	340/85 R 28 127 A8/B	AGRIMAX RT 855
		520/85 R 38 155 A8/B	AGRIMAX RT 855	420/85 R 28 139 A8/B	AGRIMAX RT 855



MODEL

FITMENT



TRACTOR



SERIE 7

Rear

Front

600/65 R 38
159 D/162 A8

AGRIMAX RT 657

480/65 R 28
142 D/145 A8

AGRIMAX RT 657

650/65 R 38
163 D/166 A8

AGRIMAX RT 657

540/65 R 28
149 D/152 A8

AGRIMAX RT 657

650/65 R 42
165 D/168 A8

AGRIMAX RT 657

540/65 R 30
150 D/153 A8

AGRIMAX RT 657

480/70 R 38
145 D

AGRIMAX RT 765

340/85 R 28
127 A8/B

AGRIMAX RT 855

480/70 R 38
145 D

AGRIMAX RT 765

380/70 R 28
127 D

AGRIMAX RT 765

520/70 R 38
150 D

AGRIMAX RT 765

420/70 R 28
133 D

AGRIMAX RT 765

580/70 R 38
155 D

AGRIMAX RT 765

480/70 R 28
140 D

AGRIMAX RT 765

710/70 R 38
166 D

AGRIMAX RT 765

600/65 R 28
154 D/157 A8

AGRIMAX RT 657

420/85 R 38
144 A8/B

AGRIMAX RT 855

340/85 R 28
127 A8/B

AGRIMAX RT 855

520/85 R 38
155 A8/B

AGRIMAX RT 855

420/85 R 28
139 A8/B

AGRIMAX RT 855

HOW TO READ DATA

MODEL	TIRE POSITION	
	TIRE SIZE (Version) L/USS PR	BKT Pattern

		MODEL	FITMENT			
	SERIES X4	Rear		Front		
		420/70 R 30 130 D	AGRIMAX RT 765	360/70 R 20 129 A8/B	AGRIMAX RT 765	
		420/85 R 30 140 A8/B	AGRIMAX RT 855	280/85 R 24 109 A8/B	AGRIMAX RT 855	
		480/70 R 30 141 D	AGRIMAX RT 765	380/70 R 20 132 A8/B	AGRIMAX RT 765	
		480/70 R 30 141 D	AGRIMAX RT 765	320/70 R 24 116 A8/B	AGRIMAX RT 765	
	SERIES X4 F-N-XL	Rear		Front		
		360/70 R 24 122 D	AGRIMAX RT 765	260/70 R 16 109 A8/B	AGRIMAX RT 765	
		380/70 R 24 125 D	AGRIMAX RT 765	280/70 R 16 112 A8/B	AGRIMAX RT 765	
		420/70 R 24 130 D	AGRIMAX RT 765	280/70 R 16 112 A8/B	AGRIMAX RT 765	
		340/85 R 28 127 A8/B	AGRIMAX RT 855	250/80 - 18 127 A8/115 A8	FARM 2000	
		380/70 R 28 127 D	AGRIMAX RT 765	280/70 R 18 114 A8/B	AGRIMAX RT 765	
420/70 R 28 133 D	AGRIMAX RT 765	300/70 R 20 120 A8/B	AGRIMAX RT 765			
	SERIES X5	Rear		Front		
		480/70 R 34 149 A8/B	AGRIMAX RT 765	380/70 R 24 138 A8/B	AGRIMAX RT 765	
		460/85 R 30 145 A8/B	AGRIMAX RT 855	320/85 R 24 122 A8/B	AGRIMAX RT 855	
		340/85 R 38 133 A8/B	AGRIMAX RT 855	320/85 R 24 122 A8/B	AGRIMAX RT 855	
		420/85 R 34 142 A8/B	AGRIMAX RT 855	340/85 R 24 125 A8/B	AGRIMAX RT 855	
420/85 R 30 140 A8/B	AGRIMAX RT 855	280/85 R 24 109 A8/B	AGRIMAX RT 855			

TRACTOR

		MODEL	FITMENT			
	SERIES X6	Rear		Front		
		460/85 R 38 149 A8/B	AGRIMAX RT 855	380/85 R 28 133 A8/B	AGRIMAX RT 855	
		480/70 R 38 145 D	AGRIMAX RT 765	380/70 R 28 127 D	AGRIMAX RT 765	
		520/70 R 38 150 D	AGRIMAX RT 765	420/70 R 28 133 D	AGRIMAX RT 765	
		540/65 R 38 153 D/156 A8	AGRIMAX RT 657	480/65 R 24 142 D/145 A8	AGRIMAX RT 657	
		600/65 R 38 159 D/162 A8	AGRIMAX RT 657	480/65 R 28 142 D/145 A8	AGRIMAX RT 657	
		650/65 R 38 163 D/166 A8	AGRIMAX RT 657	540/65 R 28 149 D/152 A8	AGRIMAX RT 657	
	SERIES X7	Rear		Front		
		VF 710/70 R 38 181 D	AGRIMAX V-FLECTO	VF 600/60 R 28 157 D	AGRIMAX V-FLECTO	
		650/65 R 38 163 D/166 A8	AGRIMAX RT 657	540/65 R 28 149 D/152 A8	AGRIMAX RT 657	
		600/65 R 38 159 D/162 A8	AGRIMAX RT 657	480/65 R 28 142 D/145 A8	AGRIMAX RT 657	
		650/65 R 42 165 D/168 A8	AGRIMAX RT 657	540/65 R 30 150 D/153 A8	AGRIMAX RT 657	
		710/70 R 38 166 D	AGRIMAX RT 765	600/65 R 28 154 D/157 A8	AGRIMAX RT 657	
520/70 R 38 150 D	AGRIMAX RT 765	420/70 R 28 133 D	AGRIMAX RT 765			
	SERIES X8	Rear		Front		
		VF 710/60 R 42 173 D	AGRIMAX V-FLECTO	VF 600/60 R 30 158 D	AGRIMAX V-FLECTO	
		IF 900/60 R 42 186 D	AGRIMAX FORCE	IF 650/65 R 34 161 D	AGRIMAX FORCE	
		IF 800/70 R 42 186 D	AGRIMAX FORCE	IF 650/65 R 34 161 D	AGRIMAX FORCE	
		IF 710/70 R 42 179 D	AGRIMAX FORCE	IF 650/60 R 34 165 D	AGRIMAX FORCE	
		IF 710/75 R 42 181 D	AGRIMAX FORCE	IF 650/65 R 34 161 D	AGRIMAX FORCE	
IF 650/85 R 42 180 D	AGRIMAX FORCE	IF 600/70 R 34 167 D	AGRIMAX FORCE			

HOW TO READ DATA

MODEL	TIRE POSITION	
	TIRE SIZE (Version) L/USS PR	BKT Pattern

		MODEL	FITMENT			
	VP 7000 VP 9000	Rear		Front		
		320/65 R 18 109 A8/B	AGRIMAX RT 657	320/65 R 18 109 A8/B	AGRIMAX RT 657	
		280/70 R 18 114 A8/B	AGRIMAX RT 765	280/70 R 18 114 A8/B	AGRIMAX RT 765	
		300/70 R 20 120 A8/B	AGRIMAX RT 765	300/70 R 20 120 A8/B	AGRIMAX RT 765	
		320/70 R 20 123 A8/B	AGRIMAX RT 765	320/70 R 20 123 A8/B	AGRIMAX RT 765	
		280/85 R 20 112 A8/B	AGRIMAX RT 855	280/85 R 20 112 A8/B	AGRIMAX RT 855	
		440/50 R 17 135 D	TRAC SUPER	440/50 R 17 135 D	TRAC SUPER	
		31 X 15.5 - 15 8 PR	TRAC MASTER	31 X 15.5 - 15 8 PR	TRAC MASTER	
33 X 15.5 - 15 6 PR	TRAC MASTER	33 X 15.5 - 15 6 PR	TRAC MASTER			
	VP 1500	Rear		Front		
		320/70 R 24 116 D	AGRIMAX RT 765	240/70 R 16 104 A8/B	AGRIMAX RT 765	
		320/70 R 24 116 D	AGRIMAX RT 765	260/70 R 16 109 A8/B	AGRIMAX RT 765	
		360/70 R 24 122 D	AGRIMAX RT 765	260/70 R 16 109 A8/B	AGRIMAX RT 765	
		360/70 R 24 122 D	AGRIMAX RT 765	280/70 R 16 112 A8/B	AGRIMAX RT 765	
		360/70 R 20 129 A8/B	AGRIMAX RT 765	240/70 R 16 104 A8/B	AGRIMAX RT 765	
		360/70 R 20 129 A8/B	AGRIMAX RT 765	200/70 R 16 94 A8/B	AGRIMAX RT 765	
320/70 R 20 123 A8/B	AGRIMAX RT 765	200/70 R 16 94 A8/B	AGRIMAX RT 765			

TRACTOR

		MODEL	FITMENT			
	VP 3600	Rear		Front		
		380/85 R 24 131 A8/B	AGRIMAX RT 855	280/70 R 16 112 A8/B	AGRIMAX RT 765	
		380/85 R 24 131 A8/B	AGRIMAX RT 855	280/70 R 18 114 A8/B	AGRIMAX RT 765	
		380/70 R 20 132 A8/B	AGRIMAX RT 765	260/70 R 16 109 A8/B	AGRIMAX RT 765	
		Rear		Front		
		320/65 R 16 117 D/120 A8	AGRIMAX RT 657	320/65 R 16 117 D/120 A8	AGRIMAX RT 657	
	VP 4600	260/70 R 16 109 A8/B	AGRIMAX RT 765	260/70 R 16 109 A8/B	AGRIMAX RT 765	
		300/70 R 20 120 A8/B	AGRIMAX RT 765	260/70 R 16 109 A8/B	AGRIMAX RT 765	

HOW TO READ DATA

MODEL	TIRE POSITION	
	TIRE SIZE (Version) L/USS PR	BKT Pattern



CARRARO - AGRITALIA




TRACTOR

**FRUTTETO /
FRUTTETO
BASSO /
FRUTTETO
LARGO**
Rear
Front
380/70 R 24
125 D

AGRIMAX RT 765

280/70 R 18
114 A8/B

AGRIMAX RT 765

380/70 R 28
127 D

AGRIMAX RT 765

280/70 R 20
116 A8/B

AGRIMAX RT 765

420/70 R 28
133 D

AGRIMAX RT 765

300/70 R 20
120 A8/B

AGRIMAX RT 765

420/70 R 28
133 D

AGRIMAX RT 765

320/70 R 20
123 A8/B

AGRIMAX RT 765

380/70 R 20
123 A8/B

AGRIMAX RT 765

260/70 R 16
109 A8/B

AGRIMAX RT 765


**VIGNETO
LARGO**
Rear
Front
380/70 R 24
125 D

AGRIMAX RT 765

260/70 R 16
109 A8/B

AGRIMAX RT 765

380/70 R 24
125 D

AGRIMAX RT 765

280/70 R 16
112 A8/B

AGRIMAX RT 765

380/85 R 28
133 A8/B

AGRIMAX RT 855

280/70 R 18
114 A8/B

AGRIMAX RT 765

380/70 R 20
123 A8/B

AGRIMAX RT 765

260/70 R 16
109 A8/B

AGRIMAX RT 765

380/70 R 28
127 D

AGRIMAX RT 765

280/70 R 18
114 A8/B

AGRIMAX RT 765

420/70 R 28
133 D

AGRIMAX RT 765

280/70 R 18
114 A8/B

AGRIMAX RT 765

HOW TO READ DATA

MODEL	TIRE POSITION	
	TIRE SIZE (Version) L/USS PR	BKT Pattern

CNHⁱ

INDUSTRIAL

CASE IH

NEW HOLLAND





MODEL

FITMENT



SPEED TILLER



475 - 21'
475 - 31'
475 - 41'

Rear

560/45 R 22.5
152 D/163 A8

FL 630 ULTRA

600/50 R 22.5
159 D/170 A8

FL 630 ULTRA

600/50 R 22.5
159 D/170 A8

FL 630 ULTRA

HOW TO READ DATA

MODEL	TIRE POSITION	
	TIRE SIZE (Version) L/USS PR	BKT Pattern



MODEL

FITMENT



T3 SERIES
TD3 SERIES

Rear

Front

340/85 R 28
127 A8/B

AGRIMAX RT 855

280/70 R 16
112 A8/B

AGRIMAX RT 765

360/70 R 24
122 D

AGRIMAX RT 765

280/70 R 16
112 A8/B

AGRIMAX RT 765



T4 SERIES
TD4 SERIES

Rear

Front

380/70 R 28
127 A8/B

AGRIMAX RT 765

280/70 R 16
112 A8/B

AGRIMAX RT 765

420/70 R 28
133 D

AGRIMAX RT 765

320/70 R 20
123 A8/B

AGRIMAX RT 765

420/85 R 30
140 A8/B

AGRIMAX RT 857

14.9L R 20
119 A8/B

RT 851

420/85 R 30
140 A8/B

AGRIMAX RT 855

280/85 R 24
115 A8/B

AGRIMAX RT 855

420/70 R 30
134 D

AGRIMAX RT 765

360/70 R 20
129 A8/B

AGRIMAX RT 765

480/70 R 30
141 D

AGRIMAX RT 765

380/70 R 20
132 A8/B

AGRIMAX RT 765

360/70 R 24
122 A8/B

AGRIMAX RT 765

240/70 R 16
104 A8/B

AGRIMAX RT 765

380/70 R 24
125 A8/B

AGRIMAX RT 765

260/70 R 16
109 A8/B

AGRIMAX RT 765



T5 SERIES
TD5 SERIES

Rear

Front

340/85 R 38
133 A8/B

AGRIMAX RT 855

280/85 R 28
118 A8/B

AGRIMAX RT 855

420/85 R 38
144 A8/B

AGRIMAX RT 855

340/85 R 28
127 A8/B

AGRIMAX RT 855

420/85 R 34
142 A8/B

AGRIMAX RT 855

280/85 R 24
115 A8/B

AGRIMAX RT 855

420/85 R 30
140 A8/B

AGRIMAX RT 855

280/85 R 24
115 A8/B

AGRIMAX RT 855

460/85 R 30
145 A8/B

AGRIMAX RT 855

320/85 R 24
122 A8/B

AGRIMAX RT 855

420/85 R 34
142 A8/B

AGRIMAX RT 855

340/85 R 24
125 A8/B

AGRIMAX RT 855

480/70 R 34
149 A8/B

AGRIMAX RT 765

7.50 - 16
8 PR

TF 9090

480/70 R 34
149 A8/B

AGRIMAX RT 765

380/70 R 24
125 A8/B

AGRIMAX RT 765

540/65 R 34
152 D/ 155 A8

AGRIMAX RT 657

440/65 R 24
135 D/138 A8

AGRIMAX RT 657



T6 SERIES

Rear

Front

420/85 R 38
144 A8/B

AGRIMAX RT 855

340/85 R 28
127 A8/B

AGRIMAX RT 855

SAME DEUTZ-FAHR

DEUTZ-FAHR

LAMBORGHINI

SAME



HOW TO READ DATA

MODEL	TIRE POSITION	
	TIRE SIZE (Version) L/USS PR	BKT Pattern

		MODEL	FITMENT			
	5 SERIES DS/DV/DF/ DF ECOLINE	Rear		Front		
		360/70 R 24 122 A8/B	AGRIMAX RT 765	240/70 R 16 104 A8/B	AGRIMAX RT 765	
		380/70 R 24 125 A8/B	AGRIMAX RT 765	260/70 R 16 109 A8/B	AGRIMAX RT 765	
		420/70 R 24 130 A8/B	AGRIMAX RT 765	280/70 R 18 114 A8/B	AGRIMAX RT 765	
	5 SERIES	Rear		Front		
		420/85 R 34 142 A8/B	AGRIMAX RT 855	380/85 R 24 131 A8/B	AGRIMAX RT 855	
		480/70 R 34 149 D	AGRIMAX RT 765	420/70 R 24 130 A8/B	AGRIMAX RT 765	
		480/70 R 30 141 A8/B	AGRIMAX RT 765	380/70 R 20 132 A8/B	AGRIMAX RT 765	
		480/70 R 30 141 A8/B	AGRIMAX RT 765	320/70 R 24 116 D	AGRIMAX RT 765	
		460/85 R 34 147 A8/B	AGRIMAX RT 855	420/85 R 24 137 A8/B	AGRIMAX RT 855	
	6 SERIES	Rear		Front		
		420/85 R 34 131 A8/B	AGRIMAX RT 855	380/85 R 24 142 A8/B	AGRIMAX RT 855	
		420/85 R 34 131 A8/B	AGRIMAX RT 855	340/85 R 28 127 A8/B	AGRIMAX RT 855	
		460/85 R 34 147 A8/B	AGRIMAX RT 855	340/85 R 28 127 A8/B	AGRIMAX RT 855	
		460/85 R 34 147 A8/B	AGRIMAX RT 855	420/85 R 24 137 A8/B	AGRIMAX RT 855	
		420/85 R 38 144 A8/B	AGRIMAX RT 855	380/85 R 28 133 A8/B	AGRIMAX RT 855	
		520/85 R 38 155 A8/B	AGRIMAX RT 855	420/85 R 28 139 A8	AGRIMAX RT 855	
		480/70 R 34 149 A8/B	AGRIMAX RT 765	420/70 R 24 130 A8/B	AGRIMAX RT 765	
		480/70 R 38 145 A8/B	AGRIMAX RT 765	380/70 R 28 127 A8/B	AGRIMAX RT 765	
		580/70 R 38 155 D	AGRIMAX RT 765	480/70 R 28 140 D	AGRIMAX RT 765	
		540/65 R 38 153 D/156 A8	AGRIMAX RT 657	440/65 R 28 138 D/141 A8	AGRIMAX RT 657	
		600/65 R 38 159 D/162 A8	AGRIMAX RT 657	540/65 R 24 146 D/149 A8	AGRIMAX RT 657	
		650/65 R 38 163 D/166 A8	AGRIMAX RT 657	540/65 R 28 149 D/152 A8	AGRIMAX RT 657	
		650/65 R 42 165 D/168 A8	AGRIMAX RT 657	540/65 R 30 150 D/153 A8	AGRIMAX RT 657	
		VF 650/60 R 38 166 D	AGRIMAX V-FLECTO	VF 520/60 R 28 149 D	AGRIMAX V-FLECTO	
VF 710/60 R 42 173 D	AGRIMAX V-FLECTO	VF 600/60 R 30 158 D	AGRIMAX V-FLECTO			



MODEL

FITMENT



TRACTOR



7 SERIES

Rear

Front

650/65 R 42
165 D/168 A8

AGRIMAX RT 657

540/65 R 34
152 D/155 A8

AGRIMAX RT 657

650/65 R 42
165 D/168 A8

AGRIMAX RT 657

600/70 R 30
152 A8/B

AGRIMAX RT 765

650/65 R 42
165 D/168 A8

AGRIMAX RT 657

540/65 R 30
150 D/153 A8

AGRIMAX RT 765

710/70 R 38
166 D

AGRIMAX RT 765

540/65 R 34
152 D/155 A8

AGRIMAX RT 657

710/70 R 38
166 D

AGRIMAX RT 765

600/70 R 30
152 A8/B

AGRIMAX RT 765

VF 710/60 R 42
173 D

AGRIMAX V-FLECTO

VF 600/60 R 30
158 D

AGRIMAX V-FLECTO

VF 710/60 R 42
173 D

AGRIMAX V-FLECTO

IF 600/70 R 30
165 D

AGRIMAX FORCE



8 SERIES

Rear

Front

710/70 R 42
173 D/176 A8

AGRIMAX RT 765

600/65 R 30
155 D/158 A8

AGRIMAX RT 657



9 SERIES

Rear

Front

IF 650/85 R 42
180 D

AGRIMAX FORCE

IF 600/70 R 34
167 D

AGRIMAX FORCE

IF 710/75 R 42
181 D

AGRIMAX FORCE

IF 650/65 R 34
161 D

AGRIMAX FORCE

IF 800/70 R 42
186 D

AGRIMAX FORCE

IF 650/65 R 34
161 D

AGRIMAX FORCE

IF 900/60 R 42
186 D

AGRIMAX FORCE

IF 650/65 R 34
161 D

AGRIMAX FORCE

HOW TO READ DATA

MODEL	TIRE POSITION	
	TIRE SIZE (Version) L/USS PR	BKT Pattern

TRACTOR

		MODEL	FITMENT			
	AGROKID	Rear		Front		
		360/70 R 24 122 A8/B	AGRIMAX RT 765	280/70 R 16 112 A8/B	AGRIMAX RT 765	
		320/70 R 20 123 A8/B	AGRIMAX RT 765	200/70 R 16 94 A8/B	AGRIMAX RT 765	
	AGROPLUS	Rear		Front		
		360/70 R 24 122 A8/B	AGRIMAX RT 765	260/70 R 16 109 A8/B	AGRIMAX RT 765	
	G 5 TB SERIES	Rear		Front		
		420/70 R 24 130 A8/B	AGRIMAX RT 765	280/70 R 18 114 A8/B	AGRIMAX RT 765	
	C 5000 SERIES	Rear		Front		
		23.1 - 26 12 PR	TR 135	12.5/80 - 18 12 PR	AW 702	
	C 6200 SERIES	Rear		Front		
		18.4 - 30 18 PR	COMMANDER (R)	11.5/80 - 15.3 14 PR	AW 702	
	C 6200 SERIES	Rear		Front		
		12.5/80 - 18 18 PR	AS 504	620/75 R 26 166 A8/B	AGRIMAX RT 765	





TRACTOR



MODEL

FITMENT



	MODEL	FITMENT			
		Rear		Front	
	CRONO	420/70 R 30 134 D	AGRIMAX RT 765	360/70 R 20 129 A8/B	AGRIMAX RT 765
		420/85 R 28 139 A8/B	AGRIMAX RT 855	320/85 R 20 119 A8/B	AGRIMAX RT 855
		380/85 R 28 133 A8/B	AGRIMAX RT 855	280/85 R 20 112 A8/B	AGRIMAX RT 855
		480/70 R 30 141 D	AGRIMAX RT 765	320/70 R 24 116 D	AGRIMAX RT 765
	EGO	360/70 R 24 122 D	AGRIMAX RT 765	280/70 R 16 112 A8/B	AGRIMAX RT 765
	SPARK	650/65 R 38 163 D/166 A8	AGRIMAX RT 657	540/65 R 28 149 D/152 A8	AGRIMAX RT 657
		650/65 R 42 165 D/168 A8	AGRIMAX RT 657	540/65 R 30 150 D/153 A8	AGRIMAX RT 657
	SPIRE	420/70 R 30 134 D	AGRIMAX RT 765	360/70 R 20 129 A8/B	AGRIMAX RT 765
		480/70 R 30 141 A8/B	AGRIMAX RT 765	380/70 R 20 132 A8/B	AGRIMAX RT 765
		320/85 R 36 128 A8/B	AGRIMAX RT 855	280/85 R 20 112 A8/B	AGRIMAX RT 855

HOW TO READ DATA


MODEL	TIRE POSITION	
	TIRE SIZE (Version) L/USS PR	BKT Pattern




MODEL

FITMENT



		Rear		Front	
	STRIKE	420/70 R 30 134 D	AGRIMAX RT 765	380/70 R 20 132 A8/B	AGRIMAX RT 765
		420/85 R 34 142 A8/B	AGRIMAX RT 855	380/85 R 24 131 A8/B	AGRIMAX RT 855
		480/70 R 34 149 D	AGRIMAX RT 765	420/70 R 24 130 D	AGRIMAX RT 765

		Rear		Front	
	VIRTUS	710/70 R 38 178 A8/B	AGRIMAX RT 765	600/70 R 30 152 A8/B	AGRIMAX RT 765



MODEL

FITMENT



TRACTOR



ARGON

Rear

Front

420/70 R 30
134 D

AGRIMAX RT 765

360/70 R 20
129 A8/B

AGRIMAX RT 765

420/85 R 28
139 A8/B

AGRIMAX RT 855

320/85 R 20
119 A8/B

AGRIMAX RT 855

380/85 R 28
133 A8/B

AGRIMAX RT 855

280/85 R 20
112 A8/B

AGRIMAX RT 855

480/70 R 30
141 D

AGRIMAX RT 765

360/70 R 24
122 D

AGRIMAX RT 765



DORADO /
DORADO
CLASSIC

Rear

Front

340/85 R 36
132 A8/B

AGRIMAX RT 855

320/70 R 24
116 A8/B

AGRIMAX RT 657

420/70 R 30
134 D

AGRIMAX RT 765

360/70 R 20
129 A8/B

AGRIMAX RT 765

480/70 R 30
141 A8/B

AGRIMAX RT 765

380/70 R 20
132 A8/B

AGRIMAX RT 765

380/85 R 30
135 A8/B

AGRIMAX RT 855

320/85 R 20
119 A8/B

AGRIMAX RT 855

420/70 R 28
133 A8/B

AGRIMAX RT 765

320/70 R 20
123 A8/B

AGRIMAX RT 765



EXPLORER

Rear

Front

480/65 R 28
142 D/145 A8

AGRIMAX RT 657

420/65 R 20
135 D/138 A8

AGRIMAX RT 657

420/70 R 24
130 D

AGRIMAX RT 765

300/70 R 20
120 A8/B

AGRIMAX RT 765

420/70 R 28
133 D

AGRIMAX RT 765

360/70 R 20
129 A8/B

AGRIMAX RT 765

420/70 R 30
134 D

AGRIMAX RT 765

380/70 R 20
132 A8/B

AGRIMAX RT 765

480/70 R 34
149 D

AGRIMAX RT 765

420/70 R 24
130 D

AGRIMAX RT 765

420/85 R 34
142 A8/B

AGRIMAX RT 855

380/85 R 24
131 A8/B

AGRIMAX RT 855

HOW TO READ DATA

MODEL	TIRE POSITION	
	TIRE SIZE (Version) L/USS PR	BKT Pattern



MODEL

FITMENT



TRACTOR



FRUTTETO

Rear

Front

360/70 R 24
122 D

AGRIMAX RT 765

240/70 R 16
104 A8/B

AGRIMAX RT 765

380/70 R 20
132 A8/B

AGRIMAX RT 765

240/70 R 16
104 A8/B

AGRIMAX RT 765

380/70 R 24
125 D

AGRIMAX RT 765

260/70 R 16
109 A8/B

AGRIMAX RT 765

360/70 R 24
122 D

AGRIMAX RT 765

280/70 R 16
112 A8/B

AGRIMAX RT 765

380/70 R 24
132 A8/B

AGRIMAX RT 765

280/70 R 16
112 A8/B

AGRIMAX RT 765

420/70 R 24
130 D

AGRIMAX RT 765

280/70 R 16
112 A8/B

AGRIMAX RT 765

420/70 R 24
130 D

AGRIMAX RT 765

280/70 R 18
114 A8/B

AGRIMAX RT 765



VIRTUS

Rear

Front

540/65 R 38
153 D/156 A8

AGRIMAX RT 657

440/65 R 28
138 D/141 A8

AGRIMAX RT 657

TRACTOR



MODEL





FITMENT



Image	MODEL	Rear		Front	
		Tire Size	Pattern	Tire Size	Pattern
	SN 5800	250/80 - 18 127 A8/115 A8	FARM 2000	250/80 - 18 127 A8/115 A8	FARM 2000
		280/70 R 18 114 A8/B	AGRIMAX RT 765	280/70 R 18 114 A8/B	AGRIMAX RT 765
	SRX 7800 / 9900	320/70 R 20 123 A8/B	AGRIMAX RT 765	320/70 R 20 123 A8/B	AGRIMAX RT 765
	SRX 10900	300/70 R 20 120 A8/B	AGRIMAX RT 765	300/70 R 20 120 A8/B	AGRIMAX RT 765
		250/85 R 20 116 A8/B	AGRIMAX RT 855	250/85 R 20 116 A8/B	AGRIMAX RT 855
		320/70 R 20 123 A8/B	AGRIMAX RT 765	320/70 R 20 123 A8/B	AGRIMAX RT 765
	SUPERTIGRE 5800	250/80 - 18 127 A8/115 A8	FARM 2000	250/80 - 18 127 A8/115 A8	FARM 2000
		280/70 R 18 114 A8/B	AGRIMAX RT 765	280/70 R 18 114 A8/B	AGRIMAX RT 765
	TGF 10900	360/70 R 20 129 A8/B	AGRIMAX RT 765	280/70 R 18 114 A8/B	AGRIMAX RT 765

HOW TO READ DATA

MODEL	TIRE POSITION	
	TIRE SIZE (Version) L/USS PR	BKT Pattern

	MODEL	FITMENT 			
	TIGRE 4000	Rear		Front	
		260/70 R 16 109 A8/B	AGRIMAX RT 765	260/70 R 16 109 A8/B	AGRIMAX RT 765
	TIGRE 4400 F	Rear		Front	
		300/70 R 20 120 A8/B	AGRIMAX RT 765	260/70 R 16 109 A8/B	AGRIMAX RT 765
	TIGRECAR	Rear		Front	
		10.0/75 - 15.3 10 PR	AS 504	10.0/75 - 15.3 10 PR	AS 504
	TIGRONE	Rear		Front	
		250/80 - 18 127 A8/115 A8	FARM 2000	250/80 - 18 127 A8/115 A8	FARM 2000
	TRX 10900	Rear		Front	
		250/80 - 18 127 A8/115 A8	FARM 2000	250/80 - 18 127 A8/115 A8	FARM 2000
		280/70 R 18 114 A8/B	AGRIMAX RT 765	280/70 R 18 114 A8/B	AGRIMAX RT 765
		300/70 R 20 120 A8/B	AGRIMAX RT 765	300/70 R 20 120 A8/B	AGRIMAX RT 765
		320/70 R 20 123 A8/B	AGRIMAX RT 765	320/70 R 20 123 A8/B	AGRIMAX RT 765

		MODEL	FITMENT			
			Rear		Front	
		EAGLE 85	420/65 R 24 138 D/141 A8	AGRIMAX RT 657	340/65 R 18 113 A8/B	AGRIMAX RT 657
			Rear		Front	
		INVICTUS 300AR / 400AR INVICTUS 300RS / 400RS INVICTUS 600	210/95 R 16 106 A8/B	AGRIMAX RT 765	210/95 R 16 106 A8/B	AGRIMAX RT 765
			Rear		Front	
			260/70 R 16 109 A8/B	AGRIMAX RT 765	260/70 R 16 109 A8/B	AGRIMAX RT 765
			280/70 R 18 114 A8/B	AGRIMAX RT 765	280/70 R 18 114 A8/B	AGRIMAX RT 765
			260/70 R 20 113 A8/B	AGRIMAX RT 765	260/70 R 20 113 A8/B	AGRIMAX RT 765
			320/65 R 18 109 A8/B	AGRIMAX RT 657	320/65 R 18 109 A8/B	AGRIMAX RT 657
			33 X 15.50 - 15 6 PR	TRAC MASTER	33 X 15.50 - 15 6 PR	TRAC MASTER
		VALIANT 600 AR / 600 RS VALIANT 650 AR / 650 RS	250/80 - 18 127 A8/115 A8	FARM 2000	250/80 - 18 127 A8/115 A8	FARM 2000
			Rear		Front	
			280/70 R 18 114 A8/B	AGRIMAX RT 765	280/70 R 18 114 A8/B	AGRIMAX RT 765
			320/65 R 18 109 A8/B	AGRIMAX RT 657	320/65 R 18 109 A8/B	AGRIMAX RT 657
			260/70 R 20 113 A8/B	AGRIMAX RT 765	260/70 R 20 113 A8/B	AGRIMAX RT 765
33 X 15.50 - 15 6 PR	TRAC MASTER	33 X 15.50 - 15 6 PR	TRAC MASTER			

HOW TO READ DATA

MODEL	TIRE POSITION	
	TIRE SIZE (Version) L/U/SS PR	BKT Pattern

		MODEL	FITMENT			
 <p style="font-size: 8px; background-color: yellow; display: inline-block; padding: 2px;">FOR NON-EC COUNTRIES</p>	VITHAR SERIES	Rear		Front		
		11.50/80 - 15.3 6 PR	AS 504	11.50/80 - 15.3 6 PR	AS 504	
		250/80 - 18 127 A8/115 A8	FARM 2000	250/80 - 18 127 A8/115 A8	FARM 2000	
		280/70 R 18 114 A8/B	AGRIMAX RT 765	280/70 R 18 114 A8/B	AGRIMAX RT 765	
		320/65 R 18 109 A8/B	AGRIMAX RT 657	320/65 R 18 109 A8/B	AGRIMAX RT 657	
		300/70 R 20 120 A8/B	AGRIMAX RT 765	300/70 R 20 120 A8/B	AGRIMAX RT 765	
		340/65 R 18 113 A8/B	AGRIMAX RT 657	340/65 R 18 113 A8/B	AGRIMAX RT 657	
250/85 R 20 116 A8/B	AGRIMAX RT 855	250/85 R 20 116 A8/B	AGRIMAX RT 855			
	VIVID 300/400	Rear		Front		
		280/70 R 18 114 A8/B	AGRIMAX RT 765	23 X 8.50 - 12 6 PR	TR 315	
		300/70 R 20 120 A8/B	AGRIMAX RT 765	7.00 - 12 6 PR	AS 504	
	VOLCAN SERIES	Rear		Front		
		11.50/80 - 15.3 6 PR	AS 504	11.50/80 - 15.3 6 PR	AS 504	
		250/80 - 18 127 A8/115 A8	FARM 2000	250/80 - 18 127 A8/115 A8	FARM 2000	
		320/65 R 18 109 A8/B	AGRIMAX RT 657	320/65 R 18 109 A8/B	AGRIMAX RT 657	
		280/70 R 18 114 A8/B	AGRIMAX RT 765	280/70 R 18 114 A8/B	AGRIMAX RT 765	
		340/65 R 18 113 A8/B	AGRIMAX RT 657	340/65 R 18 113 A8/B	AGRIMAX RT 657	
		300/70 R 20 120 A8/B	AGRIMAX RT 765	300/70 R 20 120 A8/B	AGRIMAX RT 765	
		320/70 R 20 123 A8/B	AGRIMAX RT 765	320/70 R 20 123 A8/B	AGRIMAX RT 765	
250/85 R 20 116 A8/B	AGRIMAX RT 855	250/85 R 20 116 A8/B	AGRIMAX RT 855			

TRACTOR		MODEL	FITMENT			
	 <small>FOR NON-EC COUNTRIES</small>	VOLCAN V800	Rear		Front	
			380/70 R 20 132 A8/B	AGRIMAX RT 765	320/65 R 18 109 A8/B	AGRIMAX RT 657
420/65 R 24 138 D/141 A8			AGRIMAX RT 657	340/65 R 18 113 A8/B	AGRIMAX RT 657	
		360/70 R 20 129 A8/B	AGRIMAX RT 765	280/70 R 18 114 A8/B	AGRIMAX RT 765	

HOW TO READ DATA

MODEL	TIRE POSITION	
	TIRE SIZE (Version) L/USS PR	BKT Pattern



MODEL

FITMENT



ARION

Rear		Front	
420/85 R 34 147 A8/B	AGRIMAX RT 855	340/85 R 24 125 A8/B	AGRIMAX RT 855
420/85 R 34 147 A8/B	AGRIMAX RT 855	380/70 R 24 125 D	AGRIMAX RT 765
460/85 R 34 147 A8/B	AGRIMAX RT 855	380/85 R 24 131 A8/B	AGRIMAX RT 855
460/85 R 38 149 A8/B	AGRIMAX RT 855	380/85 R 28 133 A8/B	AGRIMAX RT 855
520/85 R 38 155 A8/B	AGRIMAX RT 855	420/85 R 28 139 A8/B	AGRIMAX RT 855
480/70 R 38 145 D	AGRIMAX RT 765	340/85 R 28 127 A8/B	AGRIMAX RT 855
480/70 R 38 145 D	AGRIMAX RT 765	380/70 R 28 127 D	AGRIMAX RT 765
480/70 R 38 145 D	AGRIMAX RT 765	440/65 R 28 138 D/141 B	AGRIMAX RT 657
520/70 R 38 150 D	AGRIMAX RT 765	380/85 R 28 133 A8/B	AGRIMAX RT 855
520/70 R 38 150 D	AGRIMAX RT 765	420/70 R 28 133 D	AGRIMAX RT 765
520/70 R 38 150 D	AGRIMAX RT 765	480/65 R 28 142 D/145 A8	AGRIMAX RT 657
540/65 R 38 153 D	AGRIMAX RT 657	440/65 R 28 138 D/141 B	AGRIMAX RT 657
540/65 R 38 153 D	AGRIMAX RT 657	380/70 R 28 127 A8/B	AGRIMAX RT 765
580/70 R 38 155 D	AGRIMAX RT 765	420/85 R 28 139 A8/B	AGRIMAX RT 855
580/70 R 38 155 D	AGRIMAX RT 765	540/65 R 28 149 D/152 A8	AGRIMAX RT 657
600/65 R 38 159 D/162 A8	AGRIMAX RT 657	380/85 R 28 133 A8/B	AGRIMAX RT 855
600/65 R 38 159 D/162 A8	AGRIMAX RT 657	420/70 R 28 133 D	AGRIMAX RT 765
600/65 R 38 159 D/162 A8	AGRIMAX RT 657	480/65 R 28 142 D/145 A8	AGRIMAX RT 657
650/65 R 38 163 D/166 A8	AGRIMAX RT 657	540/65 R 28 149 D/152 A8	AGRIMAX RT 657

TRACTOR

		MODEL	FITMENT			
	ATOS	Rear		Front		
		540/65 R 28 149 D/152 A8	AGRIMAX RT 657	420/65 R 20 135 D/138 A8	AGRIMAX RT 657	
		420/70 R 30 134 D	AGRIMAX RT 765	360/70 R 20 129 A8/B	AGRIMAX RT 765	
		480/70 R 30 141 D	AGRIMAX RT 765	360/70 R 24 122 D	AGRIMAX RT 765	
		540/65 R 30 150 D/153 A8	AGRIMAX RT 657	380/70 R 20 132 A8/B	AGRIMAX RT 765	
		340/85 R 38 133 A8/B	AGRIMAX RT 855	280/85 R 28 118 A8/B	AGRIMAX RT 855	
	AXION	Rear		Front		
		650/85 R 38 173 D	AGRIMAX RT 855	600/70 R 30 152 D	AGRIMAX RT 765	
		710/70 R 38 166 D	AGRIMAX RT 765	600/65 R 28 154 D/157 A8	AGRIMAX RT 657	
		800/70 R 38 178 D/181 A8	AGRIMAX RT 765	540/65 R 34 152 D/155 A8	AGRIMAX RT 657	
		650/65 R 42 165 D/168 A8	AGRIMAX RT 657	540/65 R 30 150 D/153 A8	AGRIMAX RT 657	
710/70 R 42 173 D	AGRIMAX RT 765	600/70 R 30 152 D	AGRIMAX RT 765			
	ELIOS	Rear		Front		
		420/85 R 28 139 A8/B	AGRIMAX RT 855	320/85 R 20 119 A8/B	AGRIMAX RT 855	
		420/85 R 30 140 A8/B	AGRIMAX RT 855	280/85 R 24 115 A8/B	AGRIMAX RT 855	
		480/70 R 30 141 D	AGRIMAX RT 765	280/85 R 24 115 A8/B	AGRIMAX RT 855	
		480/70 R 30 141 D	AGRIMAX RT 765	320/70 R 24 116 D	AGRIMAX RT 765	
540/65 R 30 150 D/153 A8	AGRIMAX RT 657	420/65 R 20 135 D/138 A8	AGRIMAX RT 657			

HOW TO READ DATA

MODEL	TIRE POSITION	
	TIRE SIZE (Version) L/USS PR	BKT Pattern

		MODEL	FITMENT			
			Rear		Front	
		NEXOS	360/70 R 24 122 A8/B	AGRIMAX RT 765	240/70 R 16 104 A8/B	AGRIMAX RT 765
			380/70 R 24 125 A8/B	AGRIMAX RT 765	280/70 R 20 116 A8/B	AGRIMAX RT 765
			380/70 R 28 127 A8/B	AGRIMAX RT 765	280/70 R 20 116 A8/B	AGRIMAX RT 765
			420/70 R 24 130 A8/B	AGRIMAX RT 765	280/70 R 18 114 A8/B	AGRIMAX RT 765
			420/70 R 28 133 A8/B	AGRIMAX RT 765	300/70 R 20 120 A8/B	AGRIMAX RT 765
			320/85 R 28 124 A8/B	AGRIMAX RT 855	280/70 R 16 112 A8/B	AGRIMAX RT 765
			340/85 R 28 127 A8/B	AGRIMAX RT 855	280/70 R 18 114 A8/B	AGRIMAX RT 765
			380/85 R 28 133 A8/B	AGRIMAX RT 855	320/70 R 20 123 A8/B	AGRIMAX RT 765
			480/65 R 28 142 D/145 A8	AGRIMAX RT 657	320/70 R 20 123 A8/B	AGRIMAX RT 765






		MODEL	Rear		Front	
				DOMINATOR / AVERO	23.1 - 26 12 PR	TR 135
12.5/80 - 18 12 PR	AS 504	12.5/80 - 18 12 PR			AS 504	

		MODEL	Rear		Front	
				MONTANA	16.5/85 - 24 16 PR	AS 504






		MODEL	FITMENT			
HARVESTER		TUCANO	Rear		Front	
			440/80 R 24 161 A8/B	MULTIMAX MP 522	440/80 R 24 161 A8/B	MULTIMAX MP 522
TRAILER		CARGOS	Rear		Front	
			710/50 R 26.5 170 D/181 A8	RIDEMAX FL 693 M	710/50 R 26.5 170 D/181 A8	RIDEMAX FL 693 M
			710/50 R 30.5 173 D	RIDEMAX FL 693 M	710/50 R 30.5 173 D	RIDEMAX FL 693 M

HOW TO READ DATA

MODEL	TIRE POSITION	
	TIRE SIZE (Version) LI/SS PR	BKT Pattern

	MODEL	FITMENT 			
	4070E 4080E 4090E 4100E	Rear		Front	
		300/70 R 20 120 A8/B	AGRIMAX RT 765	300/70 R 20 120 A8/B	AGRIMAX RT 765
		320/70 R 20 123 A8/B	AGRIMAX RT 765	320/70 R 20 123 A8/B	AGRIMAX RT 765
			4090AF 4100AF 4110AF	Rear	
360/70 R 24 122 D	AGRIMAX RT 765			280/70 R 16 112 A8/B	AGRIMAX RT 765
360/70 R 28 125 D	AGRIMAX RT 765			280/70 R 18 114 A8/B	AGRIMAX RT 765
	SERIE 3			Rear	
		320/70 R 20 123 A8/B	AGRIMAX RT 765	11.0/65 - 12 8 PR	AS 504
		320/70 R 24 116 D	AGRIMAX RT 657	240/70 R 16 104 A8/B	AGRIMAX RT 765
		38 X 14 - 20 4 PR	LG 306	27 X 8.50 - 15 4 PR	LG 306

TRACTOR

		MODEL	FITMENT 			
	SERIE 4	Rear		Front		
		300/70 R 20 120 A8/B	AGRIMAX RT 765	260/70 R 16 109 A8/B	AGRIMAX RT 765	
		360/70 R 20 129 A8/B	AGRIMAX RT 765	280/70 R 16 112 A8/B	AGRIMAX RT 765	
	SERIE Q	Rear		Front		
		420/65 R 20 135 D/138 A8	AGRIMAX RT 657	340/65 R 20 124 D/127 A8	AGRIMAX RT 657	
		420/65 R 20 135 D/138 A8	AGRIMAX RT 657	320/65 R 18 109 A8/B	AGRIMAX RT 657	
	TRANSCAR	Rear		Front		
		10.00/75 - 15.3 10 PR	AS 504	10.00/75 - 15.3 10 PR	AS 504	

HOW TO READ DATA


MODEL	TIRE POSITION	
	TIRE SIZE (Version) L/USS PR	BKT Pattern




MODEL

FITMENT



	MODEL	FITMENT			
		Rear		Front	
	4000 SERIES	540/65 R 30 150 D/147 E	AGRIMAX SIRIO	540/65 R 30 150 D/147 E	AGRIMAX SIRIO
		540/65 R 34 152 D/149 E	AGRIMAX SIRIO	540/65 R 34 152 D/149 E	AGRIMAX SIRIO
		540/65 R 38 153 D/150 E	AGRIMAX SIRIO	540/65 R 38 153 D/150 E	AGRIMAX SIRIO
		600/70 R 34 160 D/163 A8	AGRIMAX FORTIS	600/70 R 34 160 D/163 A8	AGRIMAX FORTIS
		VF 380/85 R 38 161 D	AGRIMAX SPARGO	VF 380/85 R 38 161 D	AGRIMAX SPARGO
		IF 600/70 R 30 165 D/162 E	AGRIMAX SIRIO	IF 600/70 R 30 165 D/162 E	AGRIMAX SIRIO
		IF 710/60 R 30 168 D	AGRIMAX FORCE	IF 710/60 R 30 168 D	AGRIMAX FORCE

	MODEL	FITMENT			
		Rear		Front	
	8000 SERIES	600/70 R 34 160 D/163 A8	AGRIMAX FORTIS	600/70 R 34 160 D/163 A8	AGRIMAX FORTIS
		710/70 R 38 171 D/168 E	AGRIMAX SIRIO	540/65 R 38 153 D/150 E	AGRIMAX SIRIO
		VF 710/60 R 42 173 D	AGRIMAX V-FLECTO	VF 540/65 R 38 162 D	AGRIMAX V-FLECTO
		VF 710/60 R 42 173 D	AGRIMAX V-FLECTO	VF 600/60 R 38 166 D	AGRIMAX V-FLECTO
		IF 900/50 R 42 180 D	AGRIMAX FORCE	IF 650/65 R 34 161 D	AGRIMAX FORCE

SHOVEL		MODEL	FITMENT			
		418S	Rear		Front	
			750/65 R 26 171 A8/B	AGRIMAX TERIS	750/65 R 26 171 A8/B	AGRIMAX TERIS
	427S 435S	Rear		Front		
		620/75 R 26 166 A8/B	AGRIMAX TERIS	620/75 R 26 166 A8/B	AGRIMAX TERIS	

HOW TO READ DATA

MODEL	TIRE POSITION	
	TIRE SIZE (Version) LI/SS PR	BKT Pattern



JOHN DEERE
USA

MODEL

FITMENT



COTTON PICKER



CP690

Rear

Front

IF 580/80 R 34 CFO
177 D

AGRIMAX TERIS

520/85 R 42 (Dual)
168 D

AGRIMAX TERIS

COTTON STRIPPER



CS690

Rear

Front

IF 580/80 R 34 CFO
177 D

AGRIMAX TERIS

520/85 R 42 (Dual)
168 D

AGRIMAX TERIS

DRAPER HEADER



700D

Rear

ST 215/75 D 14
10 PR

ST 180

SPECIALTY
TRACTOR



5085L

Rear

Front

380/70 R 24
125 A8/B

AGRIMAX RT 765

280/70 R 16
112 A8/B

AGRIMAX RT 765

SPRAYER



MODEL

FITMENT



		2X	
	M724 M732 M732i M740 M740i	230/95 R 48 136 A8/B	AGRIMAX RT 955
		270/95 R 48 144 A8/B	AGRIMAX RT 955
		300/95 R 46 148 A8/B	AGRIMAX RT 955
		480/70 R 38 145 A8/B	AGRIMAX RT 765
		520/70 R 38 150 A8/B	AGRIMAX RT 765
		420/85 R 38 144 A8/B	AGRIMAX RT 855
		340/85 R 48 152 A8/B	AGRIMAX RT 955
		520/85 R 38 170 A8/B	AGRIMAX RT 855

		2X	
	M944 M952 M962 M944i M952i M962i	VF 380/90 R 46 173 D	AGRIMAX SPARGO
		480/80 R 46 164 A8/B	AGRIMAX RT 855
		520/85 R 42 167 A8/B	AGRIMAX RT 855
		620/70 R 42 166 A8	AGRIMAX RT 765
		520/85 R 38 170 A8/B	AGRIMAX RT 855
		520/85 R 42 167 A8/B	AGRIMAX RT 855
		520/85 R 46 173 A8/B	AGRIMAX RT 855
		620/70 R 42 166 A8	AGRIMAX RT 765
		710/70 R 38 166 A8/B	AGRIMAX RT 765

HOW TO READ DATA

MODEL	TIRE POSITION	
	TIRE SIZE (Version) L/USS PR	BKT Pattern



MODEL

FITMENT



2X



R944i
R952i
R962i

VF 380/90 R 46
173 D

AGRIMAX SPARGO

480/80 R 46
164 A8/B

AGRIMAX RT 855

520/85 R 42
167 A8/B

AGRIMAX RT 855

620/70 R 42
166 A8

AGRIMAX RT 765

520/85 R 38
170 A8/B

AGRIMAX RT 855

520/85 R 42
167 A8/B

AGRIMAX RT 855

520/85 R 46
173 A8/B

AGRIMAX RT 855

620/70 R 42
166 A8

AGRIMAX RT 765

710/70 R 38
166 A8/B

AGRIMAX RT 765

4X4



R4040i
R4050i

VF 380/90 R 46
173 D

AGRIMAX SPARGO

480/80 R 46
164 A8/B

AGRIMAX RT 855

520/85 R 42
167 A8/B

AGRIMAX RT 855

620/70 R 42
166 A8

AGRIMAX RT 765



5 SERIES

Rear

Front

480/65 R 28
142 D/145 A8

AGRIMAX RT 657

320/70 R 20
123 A8/B

AGRIMAX RT 765

480/65 R 28
142 D/145 A8

AGRIMAX RT 657

280/70 R 18
114 A8/B

AGRIMAX RT 765

440/65 R 24
135 D/138 A8

AGRIMAX RT 657

280/70 R 18
114 A8/B

AGRIMAX RT 765

TRACTOR		MODEL	FITMENT			
		6 SERIES	Rear		Front	
540/65 R 38 153 D/156 A8			AGRIMAX RT 657	480/65 R 24 140 D/143 A8	AGRIMAX RT 657	
540/65 R 38 153 D/156 A8			AGRIMAX RT 657	480/65 R 24 140 D/143 A8	AGRIMAX RT 657	
520/70 R 38 150 D			AGRIMAX RT 765	420/70 R 28 133 D	AGRIMAX RT 765	
460/85 R 34 147 A8/B			AGRIMAX RT 855	380/85 R 24 131 A8/B	AGRIMAX RT 855	
460/85 R 38 149 A8/B			AGRIMAX RT 855	380/85 R 28 133 A8/B	AGRIMAX RT 855	
460/85 R 38 149 A8/B			AGRIMAX RT 855	420/85 R 24 137 A8/B	AGRIMAX RT 855	
320/90 R 42 139 A8/B			AGRIMAX RT 945	320/85 R 28 124 A8/B	AGRIMAX RT 855	

UTILITY TRACTOR		MODEL	FITMENT			
		4049M	Rear		Front	
380/70 R 28 127 A8/B			AGRIMAX RT 765	280/70 R 16 112 A8/B	AGRIMAX RT 765	

	5076E 5082E 5090E	Rear		Front	
		420/85 R 30 140 A8/B	AGRIMAX RT 855	320/85 R 24 122 A8/B	AGRIMAX RT 855
460/85 R 30 145 A8/B					

	6100D 6110D 6125D	Rear		Front	
		460/85 R 34 147 A8/B	AGRIMAX RT 855	340/85 R 24 125 A8/B	AGRIMAX RT 855
460/85 R 38 149 A8/B	380/85 R 24 131 A8/B				

HOW TO READ DATA

MODEL	TIRE POSITION	
	TIRE SIZE (Version) L/SS PR	BKT Pattern



MODEL

FITMENT



PANORAMIC

4WD

400/70 - 20 156 A8	CON STAR
400/70 - 24 158 A8	CON STAR
460/70 R 24 159 A8/B	MULTIMAX MP 522
16.0/70 - 20 14 PR	EM 936
16.0/70 - 24 14 PR	EM 936
17.5 - 25 24 PR DB*	EM 936
400/80 - 24 162 A8	CON STAR
440/80 - 24 168 A8	CON STAR
12 - 16.5 (IMP) 12 PR	SKID POWER
12 - 16.5 12 PR	SKID POWER IMP NM*
16.0/70 - 20 14 PR	EM 936 NM*
16.0/70 - 24 14 PR	EM 936 NM*



TURBOFARMER

4WD

400/70 - 20 156 A8	CON STAR
400/70 - 24 158 A8	CON STAR
460/70 R 24 159 A8/B	MULTIMAX MP 522
500/70 R 24 164 A8	MULTIMAX MP 527
500/70 R 24 164 A8	MULTIMAX MP 522
16.0/70 - 20 14 PR	EM 936
16.0/70 - 24 14 PR	EM 936
16.0/70 - 20 14 PR	EM 936 NM*
16.0/70 - 24 14 PR	EM 936 NM*

IMP: Implement - *NM: Non Marking - *DB: Dual Bead

	MERLO	MODEL	FITMENT	
TELEHANDLER		ROTO	4WD	
			400/70 - 20 16 PR	CON STAR
			17.5 R 25 ***	EARTHMAX SR 30
			445/65 R 22.5 169 J	MULTIMAX MP 569
			16.0/70 - 20 14 PR	EM 936
			16.0/70 - 20 14 PR	EM 936 NM*
			18 - 22.5 16 PR	MP 590
TELEHANDLER		E-WORKER	4WD & 2WD	
			31 X 15.5 - 15 12 PR	TR 135
			10.0/75 - 15.3 18 PR	AW 702
			10.0/75 - 15.3 18 PR	AS 504
			7.50 R 15 146 A5	LIFTMAX LM 81
	MULTIFARMER	4WD		
		400/70 - 20 156 A8	CON STAR	
		400/70 - 24 158 A8	CON STAR	
		460/70 R 24 159 A8/B	MULTIMAX MP 522	
		500/70 R 24 164 A8	MULTIMAX MP 527	
		500/70 R 24 164 A8	MULTIMAX MP 522	
		16.0/70 - 20 14 PR	EM 936	
		16.0/70 - 24 14 PR	EM 936	

*NM: Non Marking

HOW TO READ DATA

MODEL	TIRE POSITION	
	TIRE SIZE (Version) LVSS PR ***	BKT Pattern

***: Star Rating



KUHN KRAUSE



		MODEL	FITMENT			
HIGH SPEED TILLAGE		INTERCEPTOR 8050	Frame		Wing	
			380/55 R 16.5 150 A8/B	AW 711	IF 280/70 R 15 134 D	RIB 713
			340/60 R 16.5 145 A8/B	AW 711	IF 280/70 R 15 134 D	RIB 713
PRIMARY TILLAGE		LANDSAVER 4810	Frame		Wing	
			380/55 R 16.5 150 A8/B	AW 711	12.5L - 15 FI 12 PR "F"	FARM HIGHWAY TOUGH
			340/60 R 16.5 145 A8/B	AW 711	12.5L - 15 FI 12 PR "F"	FARM HIGHWAY TOUGH
SECONDARY TILLAGE		5635 FIELD CULTIVATOR	Frame		Wing	
			IF 280/70 R 15 134 D	RIB 713	12.5L - 15 FI 12 PR "F"	FARM HIGHWAY TOUGH
			IF 240/80 R 15 129 D	RIB 713	12.5L - 15 FI 12 PR "F"	FARM HIGHWAY TOUGH
VERTICAL TILLAGE		EXCELERATOR 8005	Frame		Wing	
			380/55 R 16.5 150 A8/B	AW 711	IF 280/70 R 15 134 D	RIB 713

HOW TO READ DATA

MODEL	TIRE POSITION	
	TIRE SIZE (Version) L/USS PR	BKT Pattern



MODEL

FITMENT



DRY SPREADER



X2

Rear

380/90 R 46
159 A8/B

AGRIMAX RT 945

FERTILIZER SPREADER



C300

Rear

850/50 - 30.5
16 PR

FLOTATION 648

ROW CROP SPREADER



MOBILITY 600

Rear

320/90 R 42
139 A8/B

AGRIMAX RT 945



MOBILITY 800

Rear

380/90 R 46
159 A8/B

AGRIMAX RT 945



MOBILITY 1000

Rear

380/90 R 46
159 A8/B

AGRIMAX RT 945



MODEL

FITMENT



AIR SEEDER



3P806NT

260/70 - 16.5 (IMP)
120 A8

SKID POWER HD

3P1006NT

260/70 - 16.5 (IMP)
120 A8

SKID POWER HD

BOX DRILL



BD7600

VF 410/50 R 16.5
153 B

AW711

MIN-TILL DRILL



2025A

11L - 15 (SB)
12 PR

I-1

SEED DRILL



706NT

9.00 - 24 SL
8 PR

I-1



1006NT

9.00 - 24 SL
8 PR

I-1

IMP: Implement - SB: Steel Belted

HOW TO READ DATA

MODEL	TIRE POSITION	
	TIRE SIZE (Version) LI/SS PR	BKT Pattern



MODEL

FITMENT



TURBO-MAX CHISEL



850TM

Main

Wing

340/60 R 16.5
145 A8/B

AW711

11L - 15
12 PR

I-1

1200TM

11L - 15
12 PR

I-1

11L - 15
12 PR

I-1

1800TM

VF 480/45 R 17
167 A8/B

AW711

12.5L - 15
8 PR

I-1

3000TM

380/55 R 16.5
150 A8/B

AW711

12.5L - 15
8 PR

I-1

4800TM

VF 480/45 R 17
167 A8/B

AW711

12.5L - 15
8 PR

I-1

ULTRA CHISEL TILLAGE



6545UC

Mainframe

Wing/Guide

VF 480/45 R 17
167 A8/B

AW711

205/65 - 10
10 PR

GF 305 FARM TRAILER



MODEL

FITMENT



SECONDARY TILLAGE



8500 FINISHROLL

Mainframe

Wing/Guide

VF 410/50 R 16.5
153 B

AW711

380/55 R 16.5
150 A8/B

AW711

440/55 R 18
159 A8/B

AW711

380/55 R 16.5
150 A8/B

AW711

380/55 R 16.5
150 A8/B

AW711

12.5L - 15 FI
12 PR "F"

FARM HIGHWAY TOUGH

12.5L - 15 FI
12 PR "F"

FARM HIGHWAY TOUGH

12.5L - 15 FI
12 PR "F"

FARM HIGHWAY TOUGH

VERTICAL TILLAGE



7500 VT PLUS

Mainframe

Wing/Guide

VF 480/45 R 17
167 A8/B

AW711

205/65 - 10
10 PR

GF 305 FARM TRAILER



MODEL

FITMENT



AUGER SPREADER



SXI720

Rear

550/45 - 22.5
20 PR

FLOTATION 648



SXI865

Rear

28L R 26
176 A8/ 173 B

RIDEMAX FL 690

FERTILIZER SPREADER



CROP MAX
9520

Rear

600/50 - 22.5
18 PR

FLOTATION 648



CROP MAX
9524

Rear

700/40 - 22.5 (HD)
18 PR

FLOTATION 648



CROP MAX
9530

Rear

700/40 - 22.5 (HD)
18 PR





FLOTATION 648

HD: Heavy Duty




HOW TO READ DATA

MODEL	TIRE POSITION	
	TIRE SIZE (Version) L/USS PR	BKT Pattern




FORAGE BOX

	MODEL	FITMENT		
	8100 RT BOSS	Rear		
		710/50 R 26.5 170 D	FL 630 ULTRA	
	9100 RT BOSS	Rear		
		710/50 R 26.5 170 D/181 A8	FL 630 ULTRA	

DISC BLADE

	MODEL	FITMENT		
	TRCW-24	Rear		
		VF 410/50 R 16.5 153 B	AW 711	

HAY STEAMER

	MODEL	FITMENT				
	DEWPOINT 6210	Rear		Front		
		620/40 R 22.5 154 D	FL 635	620/40 R 22.5 154 D	FL 635	



Sunova
IMPLEMENT LTD.

JAN VEENHUIS



HOW TO READ DATA

MODEL	TIRE POSITION	
	TIRE SIZE (Version) L/USS PR	BKT Pattern



MODEL

FITMENT



DUMP TRAILER

Rear



JVZK23000

850/50 R 30.5
182 D



RIDEMAX FL 693 M

		MODEL	FITMENT	
HOSE CADDY		3500 WIDE BODY	Rear	
			11L - 15 FI 12 PR "F"	FARM HIGHWAY TOUGH
		6010	Rear	
			500/50 - 22.5 16 PR	FLOTATION 648
CMA		SILVER SERIES	Rear	
			VF 480/80 R 46 177 D	AGRIMAX SPARGO

HOW TO READ DATA



MODEL	TIRE POSITION	
	TIRE SIZE (Version) L/U/S PR	BKT Pattern

PRO-TILL

DeGelman	MODEL	FITMENT	
	PT20HD PT26 PT28	Rear	
		400/60 - 15.5 14 PR	TR 882
	PT33 PT40 PT41 PT45	Rear	
		600/50 R 22.5 159 D/170 A8	FL 630 ULTRA



ANHYDROUS CART






DE	MODEL	FITMENT			
	BFC4000 NH3	Rear		Front	
		20.8 - 38 14 PR	TR 135	23.1 - 26 16 PR	TR 135
	BFC4800 NH3	Rear		Front	
		30.5L - 32 16 PR	TR 137	30.5L - 32 16 PR	TR 137





		MODEL	FITMENT	
HORIZONTAL MIXER		1420	Rear	
			19.0/45 - 17 18 PR	AW 708
SINGLE SCREW VERTICAL MIXER		4500	Rear	
			560/60 R 22.5 161 D/172 A8	FL 630 ULTRA
		MODEL	FITMENT	
VERTICAL MIXER SINGLE AUGER		5400 5425 5575	Rear	
			15.0/55 - 17 26 PR	AW 705
VERTICAL MIXER TWIN AUGER		5750 5850	Rear	
			15.0/55 - 17 26 PR	AW 705

HOW TO READ DATA

MODEL	TIRE POSITION	
	TIRE SIZE (Version) L/USS PR	BKT Pattern

	MODEL	FITMENT	
	4250P	Rear	
		19.0/45 - 17 10 PR	AW 708
	4250T	Rear	
		19.0/45 - 17 10 PR	AW 708
	5250P	Rear	
		19.0/45 - 17 10 PR	AW 708
	5250T	Rear	
		19.0/45 - 17 10 PR	AW 708



	MODEL	FITMENT	
	PLS5210 (SINGLE AXLE)	Rear	
	PLS5510 (TANDEM AXLE)	800/65 R 32 181 A8/178 B	800/65 R 32 181 A8/178 B
		AGRIMAX RT 600	AGRIMAX RT 600

Front

		MODEL	FITMENT	
DUMP BOX		DB30 /40 /50 /60 & 70	Rear	
			800/45 R 26.5 174 D/184 A8	FL 630 ULTRA
HORIZONTAL SPREADER		277H 2277H 2414H	Rear	
			550/60 - 22.5 18 PR	FLOTATION 648
VERTICAL SPREADER		5290V / 5440V	Rear	
			550/60 - 22.5 18 PR	FLOTATION 648
VERTICAL SPREADER		8610V	Rear	
			750/45 R 26.5 (SB) 170 D	FL 630 SUPER

SB: Steel Belted

HOW TO READ DATA

MODEL	TIRE POSITION	
	TIRE SIZE (Version) L/U/S/ PR	BKT Pattern



MODEL

FITMENT



LAND ROLLER



DOUBLE FOLD

Rear

15.0/55 - 17
18 PR

AW705



X-FOLD LAND

Rear

12.5L - 16 SL
12 PR

I-1

TUBE-LINE

MODEL

FITMENT



SPREADER



275RS
375RS
575RS

Rear






550/45 - 22.5
16 PR

FLOTATION 648

700/50 - 26.5
16 PR

FLOTATION 648

SPREADER

TUBE-LINE	MODEL	FITMENT 	
	450 600	Rear	
		550/45 - 22.5 16 PR	FLOTATION 648
	750 950 TANDEM	Rear	
		700/50 - 26.5 16 PR	FLOTATION 648
		750/60 R 30.5 181 D	FL 630 SUPER
	950 TRI-AXLE	Rear	
		750/50 - 26.5 16 PR	FLOTATION 648
	1050	Rear	
		710/50 R 26.5 (SB) 170 D	FL 630 SUPER

SB: Steel Belted

HOW TO READ DATA

MODEL	TIRE POSITION	
	TIRE SIZE (Version) L/U/S/ PR	BKT Pattern



MODEL

FITMENT



SUPERTILT



WL18ST2010

Rear

550/45 - 22.5
16 PR

FLOTATION 648

500/45 - 22.5
16 PR

FLOTATION 558

560/45 R 22.5
152 D/163 A8

FL 630 ULTRA

560/60 R 22.5
161 D/172 A8

FL 630 ULTRA






WL20ST2010

Rear

700/40 - 22.5
16 PR

FLOTATION 648

		MODEL	FITMENT 	
SUPERTILT		WL24ST2010	Rear	
			710/40 R 22.5 161 D/172 A8	FL 630 ULTRA

HOW TO READ DATA

MODEL	TIRE POSITION	
	TIRE SIZE (Version) LI/SS PR	BKT Pattern



MODEL

FITMENT



3 WAY TIPPING TRAILERS



FKAT2WT-E-
3TON / 5TON
/ 9TON

Rear

7.50 - 16
16 PR

D 405

9.00 - 16 (IND)
16 PR

BK 826

12.5/80 - 15.3
14 PR

AW 702

400/60 - 15.5 (SPL)
18 PR

AW 708

TIPPING TRAILERS



FKAT2WT-E-
2TON / 3TON
/ 5TON /
9TON /
10TON

Rear

6.00 - 16
8 PR

STEER FARM

7.50 - 16
16 PR

D 405

9.00 - 16 (IND)
16 PR

BK 826

12.5/80 - 15.3
14 PR

AW 702

400/60 - 15.5 (SPL)
18 PR

AW 708

NON-TIPPING TRAILER



FKAT4WNT-E-
5T / 9T

All

7.50 - 16
16 PR

D 405

ALSO EXPORTED TO ASIAN & AFRICAN COUNTRIES

IND: Industrial - SPL: Special



MODEL

FITMENT



ECO PLANNER
LASER GUIDED
LAND LEVELER



FKLLLEF -
7 / 8 / 9

Rear

6.00 - 16
8 PR

STEER FARM

10.0/75 - 15.3
10 PR

AW 909

10.0/75 - 15.3
10 PR

AW 702

10.0/75 - 15.3
14 PR

AW 702

ALSO EXPORTED TO ASIAN & AFRICAN COUNTRIES



MODEL

FITMENT



COMBINE
HARVESTER



CROP TIGER 40

Rear

Front

Front (alternate)

7.50 - 16 (IND)
16 PR

COLT

13.6 - 28
12 PR

FARM 2000

14.9 - 28
12 PR

FARM 2000

FOR DOMESTIC & EXPORTS

IND: Industrial

HOW TO READ DATA

MODEL	TIRE POSITION	
	TIRE SIZE (Version) L/U/S PR	BKT Pattern






CAPTAIN TRACTORS	MODEL	FITMENT			
		Rear		Front	
	273 4WD (STAGE V) 25 HP SERIES	33 X 15.5 - 16.5	LG 306	23 X 8.50 - 12	LG 306
		10 PR		12 PR	
	273 4WD (STAGE V) 25 HP SERIES	33 X 15.5 - 16.5	SKID POWER HD	23 X 8.5 - 12	SKID POWER HD
		(IND) 12 PR		(IND) 12 PR	

IND: Industrial

TRACTOR 4WD



CAPTAIN TRACTORS	MODEL	FITMENT			
		Rear		Front	
	273 4WD - 8G / 263 4WD - 8G	280/70 R 18 114 A8/B	AGRIMAX RT 765	23 X 8.50 - 12 6 PR	TR 315
	273 4WD (STAGE V) / 283 4WD - 8G	8.3 - 20 6 PR	FARM 2000	180/85 D 12 6 PR	TR 128
	273 4WD (STAGE V) 25 HP SERIES	280/70 R 18 114 A8/B	AGRIMAX RT 765	6.5/80 - 12 (HD) 6 PR	AS 504

TRACTORS FOR EXPORTS

HD: Heavy Duty

HOW TO READ DATA

MODEL	TIRE POSITION	
	TIRE SIZE (Version) L/USS PR	BKT Pattern



MODEL

FITMENT



TRACTOR 2WD



FT6050
(USA)

Rear

Front

13.6 - 28
12 PR

FARM 2000

6.00 - 16
8 PR

STEER FARM

TRACTOR 4WD



FT6050
(USA)

Rear

Front

13.6 - 28
12 PR

FARM 2000

9.5 - 20 (HD)
8 PR

TR 135

TRACTOR 4WD-PRO



FT6075
(USA/MEXICO) /
MEX-MEX-
FT6075
4WD-PRO

Rear

Front

16.9 - 30 (SPL)
12 PR




TR 136


11.2 - 24 (HD)
10 PR


TR 135

TRACTORS FOR DOMESTIC EXPORTS


HD: Heavy Duty - SPL: Special

TRACTOR 2WD	 Escorts Kubota Limited	MODEL	FITMENT 			
		FT6050 (MEXICO)	Rear		Front	
			14.9 - 28 12 PR	FARM 2000	7.50 - 16 8 PR	STEER FARM

TRACTOR 4WD		FT6050 (MEXICO)	Rear		Front	
			14.9 - 28 12 PR	FARM 2000	8.3 - 24 8 PR	FARM 2000

TRACTOR 2WD		FT6075 (MEXICO)	Rear		Front	
			16.9 - 30 (SPL) 12 PR	TR 136	7.50 - 16 8 PR	STEER FARM

TRACTORS FOR DOMESTIC EXPORTS

TRACTOR 4WD		COMPACT	Rear		Front	
			8.3 - 20 6 PR	FARM 2000	6.00 - 12 6 PR	TR 128

TRACTORS FOR DOMESTIC & EXPORTS

SPL: Special

HOW TO READ DATA

MODEL	TIRE POSITION	
	TIRE SIZE (Version) L/USS PR	BKT Pattern



TRACTOR 4WD



COMPACT

Rear

Front

280/70 R 18
114 A8/B

AGRIMAX RT 765

180/85 D 12
6 PR

TR 128

TRACTOR 2WD



COMPACT

Rear

Front

8 - 18
6 PR

FARM 2000

5 - 12
4 PR

TR 128

TRACTOR 4WD



COMPACT
(TURF)

Rear

Front

33 X 15.5 - 16.5
10 PR

LG 306

23 X 8.5 - 12
12 PR

LG 306

TRACTORS FOR DOMESTIC & EXPORTS





MODEL


FITMENT




TRACTOR 4WD

	COMPACT (IND)	Rear		Front	
		33 X 15.5 - 16.5 (IND) 12 PR	SKID POWER HD	23 X 8.5 - 12 (IND) 12 PR	SKID POWER HD

	C-45 (ASEAN - PADDY)	Rear		Front	
		14.9 - 28 (HD) 8 PR	TR 171	9.5 - 18 8 PR	TR 171

	C-45 WTA - FT6050C	Rear		Front	
		13.6 - 28 12 PR	FARM 2000	8 - 18 6 PR	FARM 2000

	FT6090	Rear		Front	
		18.4 - 30 (HD) 14 PR	TR 136	12.4 - 24 (HD) 8 PR	TR 135

TRACTORS FOR DOMESTIC & EXPORTS

IND: Industrial - HD: Heavy Duty

HOW TO READ DATA

MODEL	TIRE POSITION	
	TIRE SIZE (Version) L/USS PR	BKT Pattern



TRACTOR 4WD



FT6090-R2

Rear

Front

18.4 - 30
12 PR

TR 273

12.4 - 24
8 PR

TR 273

TRACTORS FOR DOMESTIC & EXPORTS

TRACTOR 2WD



FT6090

Rear

Front

18.4 - 30 (HD)
14 PR

TR 136

9.00 - 16
10 PR

TF 9090

TRACTOR 4WD



FT6060
(BRAZIL)

Rear

Front

16.9 - 28
12 PR

FARM 2000 PLUS

9.5 - 24 (HD)
8 PR

TR 135



FARMTRAC
7110

Rear

Front

18.4 - 34 (HD)
14 PR







TR 135

14.9 - 24 (HD)
8 PR

TR 135

TRACTORS FOR EXPORTS

HD: Heavy Duty

 Escorts Kubota Limited		MODEL	FITMENT 			
TRACTOR 2WD		FT6075-EPI (SUDAN)	Rear		Front	
			13.6 - 38 (HD) 12 PR	TR 135	7.50 - 16 8 PR	STEER FARM
		CRDI	Rear		Front	
			420/85 R 30 (SPL) 140 A8/B	AGRIMAX RT 855	280/85 R 24 (SPL) 115 A8/B	AGRIMAX RT 855
	NT-75 (BIAS)	Rear		Front		
		14.9 - 24 12 PR	TR 135	8 - 18 (SPL) 6 PR	TR 144	
	NT-75 (RADIAL)	Rear		Front		
		360/70 R 28 (SPL) 125 A8/B	AGRIMAX RT 765	280/70 R 18 114 A8/B	AGRIMAX RT 765	




TRACTORS FOR EXPORTS

HD: Heavy Duty - SPL: Special

HOW TO READ DATA

MODEL	TIRE POSITION	
	TIRE SIZE (Version) L/USS PR	BKT Pattern




TRACTOR 4WD

 Escorts Kubota Limited	MODEL	FITMENT 			
	 NT-75	Rear		Front	
		380/70 R 24 (SPL) 125 D	AGRIMAX RT 765	280/70 R 16 112 A8/B	AGRIMAX RT 765

TRACTORS FOR EXPORTS

SPL: Special

TRACTOR 4WD

 Escorts Kubota Limited	MODEL	FITMENT 	
	 MU 45 4WD	Rear	
		13.6 - 28 (HD) 12 PR	TR 171

TRACTORS FOR DOMESTIC & EXPORTS

HD: Heavy Duty

ROUND BALER

 Engineering Service	MODEL	FITMENT 	
	 BALER AB SERIES	Rear	
		16 X 6.50 - 8 6 PR	LG RIB

DOMESTIC & EXPORTS



MODEL

FITMENT



TRACTOR 4WD



SOLIS 26

Rear

Front

8.3 - 24
8 PR

FARM 2000

7 - 14
8 PR

TR 128



BAGAWAN 30 DI
RX SUPER /
NT 30

Rear

Front

9.5 - 24 (HD)
8 PR

TR 135

6.5/80 - 12 (HD)
6 PR

AS 504

TRACTOR 2WD



DI 50 RX / SOLIS
50 (2WD)

Rear

Front

13.6 - 28
12 PR

FARM 2000

6.00 - 16
8 PR

STEER FARM

TRACTOR 4WD



DI 50 RX / SOLIS
50 (2WD)

Rear

Front

13.6 - 28
12 PR

FARM 2000

9.5 - 20 (HD)
8 PR

TR 135

TRACTORS FOR DOMESTIC & EXPORTS

HD: Heavy Duty

HOW TO READ DATA

MODEL	TIRE POSITION	
	TIRE SIZE (Version) L/USS PR	BKT Pattern








MODEL


FITMENT



	MODEL	Rear		Front	
		47 RX / 745 III / SOLIS 50 / SOLIS 60 / S60 MST	14.9 - 28 12 PR	FARM 2000	9.5 - 20 (HD) 8 PR

	MODEL	Rear		Front	
		DI 60 RX TURBO / SOLIS 60 (4WD)	16.9 - 28 12 PR	AS 2001	9.5 - 24 (HD) 8 PR
16.9 - 30 (SPL) 12 PR	TR 136				

	MODEL	Rear		Front	
		NT 60 / 75 / SOLIS 75	14.9 - 24 (HD) 12 PR	TR 135	8 - 18 (SPL) 6 PR

	MODEL	Rear		Front	
		SOLIS 60 / 75 / 75 RX (2WD)	16.9 - 30 (SPL) 12 PR	TR 136	7.50 - 16 8 PR

TRACTORS FOR DOMESTIC & EXPORTS

HD: Heavy Duty - SPL: Special

		MODEL	FITMENT					
TRACTOR 4WD		SOLIS 60 / 75 / 75 RX (4WD)	Rear		Front			
		16.9 - 30 (SPL) 12 PR	TR 136	11.2 - 24 (HD) 8 PR	TR 135			
TRACTOR 2WD TRACTOR 4WD		WORLD TRAC - 90 RX TURBO / WT90 / MST 90 / SOLIS 90 MST	Rear		Front			
			18.4 - 30 (HD) 14 PR	TR 136	9.00 - 16 10 PR	TF 9090		
13.6 - 38 (HD) 12 PR	TR 135							
TRACTOR 4WD		WORLD TRAC - 90 RX / SOLIS 75 / 90 / MST 90	Rear		Front			
		18.4 - 30 (HD) 14 PR	TR 136	12.4 - 24 (HD) 8 PR	TR 135			
TRACTOR 2WD TRACTOR 4WD	 	SOLIS 75 MST / SOLIS 90 / WT 90	Rear		Front (2WD)		Front (4WD)	
			13.6 - 38 12 PR	TR 135	7.50 - 16 8 PR	STEER FARM	12.4 - 24 (HD) 8 PR	TR 135

TRACTORS FOR DOMESTIC & EXPORTS

SPL: Special - HD: Heavy Duty

HOW TO READ DATA

MODEL	TIRE POSITION	
	TIRE SIZE (Version) L/USS PR	BKT Pattern



MODEL

FITMENT



TRACTOR 4WD



WORLD TRAC -
90 RX /
WHT 90 /
SOLIS 75/90

Rear

Front

18.4 - 30
12 PR

TR 273

12.4 - 24
8 PR

TR 171

TRACTOR 2WD
TRACTOR 4WD



SOLIS 60 / 60 RX

Rear

Front (2WD)

Front (4WD)

14.9 - 28
12 PR

FARM 2000

7.50 - 16
8 PR

STEER FARM

9.5 - 24 (HD)
8 PR

TR 135

TRACTOR 4WD



42 RX

Rear

Front

13.6 - 28 (HD)
12 PR

TR 171

8 - 18
8 PR

TR 171

TRACTOR 2WD



SOLIS 60 (2 WD)

Rear

Front

16.9 - 28
12 PR

AS 2001

7.50 - 16
8 PR

STEER FARM

TRACTORS FOR DOMESTIC & EXPORTS

HD: Heavy Duty



MODEL

FITMENT



TRACTOR 2WD



NT-75

Rear

Front

14.9 - 24
12 PR

TR 135

6.50 - 16
10 PR

COMMANDER (F)

TRACTOR 4WD



CRDI 90

Rear

Front

12.4 - 24 (HD)
8 PR

TR 135

8.3 - 36
8 PR

TR 135

TRACTOR 4WD
(TURF)



SOLIS 20 /
SOLIS 26 (TURF)

Rear

Front

33 X 15.5 - 16.5
10 PR

LG 306

23 X 8.5 - 12
12 PR

LG 306

TRACTOR 4WD
(INDUSTRIAL)



SOLIS 20 /
SOLIS 24 / SOLIS
26 (IND)

Rear

Front

33 X 15.5 - 16.5 (IND)
12 PR

SKID POWER HD

23 X 8.5 - 12 (IND)
12 PR

SKID POWER HD




TRACTORS FOR DOMESTIC & EXPORTS

HD: Heavy Duty - IND: Industrial


HOW TO READ DATA

MODEL	TIRE POSITION	
	TIRE SIZE (Version) L/USS PR	BKT Pattern


TRACTOR 4WD
(TURF)


	MODEL	FITMENT 			
		Rear		Front	
	GT 20 / 24 / 26	13.6 - 16 4 PR	LG 306	25 X 8.50 - 14 6 PR	LG 306

TRACTOR 4WD

	MODEL	Rear		Front	
		SOLIS 24 / 26 / DI 22 / WT 24	8.3 - 20 6 PR	TR 171	6.00 - 12 6 PR

TRACTOR 4WD
(PADDY)

	MODEL	Rear		Front		
		47 RX / 50 RX	14.9 - 28 (HD) 12 PR	TR 171	8 - 18 8 PR	TR 171
					8.3 - 20 6 PR	TR 171
					9.5 - 20 (HD) 8 PR	TR 171

	MODEL	Rear		Front	
		DI-60 / DI-70	16.9 - 28 12 PR	TR 171	9.5 - 24 8 PR


TRACTORS FOR DOMESTIC & EXPORTS


HD: Heavy Duty




MODEL


FITMENT

	SOLIS 20 / 26	Rear		Front	
		280/70 R 18 114 A8/B	AGRIMAX RT 765	6.5/80 - 12 (HD) 6 PR	AS 504

	SOLIS 105	Rear		Front	
		16.9 - 34 (HD) 12 PR	TR 135	13.6 - 24 (HD) 8 PR	TR 135

TRACTORS FOR DOMESTIC & EXPORTS

	WORLD TRAC - 105 / 110 / 120	Rear		Front	
		460/85 R 34 (SPL) 147 A8/B	AGRIMAX RT 855	380/85 R 24 (SPL) 131 A8/B	AGRIMAX RT 855

	SOLIS 90 / CRDI	Rear		Front	
		460/85 R 30 (SPL) 145 A8/B	AGRIMAX RT 855	320/85 R 24 (SPL) 122 A8/B	AGRIMAX RT 855

TRACTORS FOR EXPORTS

HD: Heavy Duty - SPL: Special

HOW TO READ DATA

MODEL	TIRE POSITION	
	TIRE SIZE (Version) L/USS PR	BKT Pattern



MODEL

FITMENT



TRACTOR 4WD



SOLIS 75 CRDI

Rear

Front

420/85 R 30 (SPL)
140 A8/B

AGRIMAX RT 855

280/85 R 24 (SPL)
115 A8/B

AGRIMAX RT 855



NT 60 / 75 / 90

Rear

Front (2WD)

360/70 R 28 (SPL)
125 D

AGRIMAX RT 765

6.00 - 16
8 PR

STEER FARM

TRACTOR 2WD
TRACTOR 4WD



SOLIS 50 RX

Rear

Front (2WD)

Front (4WD)

340/85 R 28 (SPL)
127 A8/B

AGRIMAX RT 855

6.00 - 16
8 PR

STEER FARM

250/85 R 20
116 A8/B

AGRIMAX RT 855

TRACTOR 4WD



NT 75 / 90
SOLIS 75 / 90

Rear

Front

420/70 R 24 (SPL)
130 D

AGRIMAX RT 765

360/70 R 28 (SPL)
125 D

AGRIMAX RT 765

280/70 R 18
114 A8/B

AGRIMAX RT 765

TRACTORS FOR EXPORTS

SPL: Special

TRACTOR 4WD

		MODEL	FITMENT			
	NT 60 / 75 / 90	Rear		Front		
		360/70 R 24 (SPL) 122 D	AGRIMAX RT 765	260/70 R 16 109 A8/B	AGRIMAX RT 765	
	SOLIS 75 MST	Rear		Front		
		340/85 R 38 (SPL) 133 A8/B	AGRIMAX RT 855	12.4 - 24 (HD) 8 PR	TR 135	
	SOLIS 50 STAGE -5	Rear		Front		
		380/70 R 28 (SPL) 127 D	AGRIMAX RT 765	280/70 R 18 114 A8/B	AGRIMAX RT 765	

TRACTORS FOR EXPORTS

SPL: Special - HD: Heavy Duty

POTATO PLANTER

		MODEL	FITMENT	
	-	Rear		
		7.00 - 12 (SPL) 8 PR	AS 504	






DOMESTIC

SPL: Special

HOW TO READ DATA

MODEL	TIRE POSITION	
	TIRE SIZE (Version) L/USS PR	BKT Pattern



	MODEL	FITMENT			
		Rear		Front	
	5055AR_11	14.9 - 28 12 PR	FARM 2000	7.50 - 16 8 PR	STEER FARM
	5045AR_12 5055AR_12	14.9 - 28 12 PR	FARM 2000	9.5 - 24 (HD) 8 PR	TR 135
	5045	13.6 - 28 12 PR	FARM 2000	6.00 - 16 8 PR	STEER FARM
	5503E_12	16.9 - 28 12 PR	FARM 2000 PLUS	9.5 - 24 (HD) 8 PR	TR 135

TRACTORS FOR EXPORTS TO SOUTH AFRICA

HD: Heavy Duty

TRACTOR 4WD

		MODEL	FITMENT			
	5503E_12	Rear		Front		
		16.9 - 30 (SPL) 12 PR	TR 136	7.50 - 16 8 PR	STEER FARM	
		<th colspan="2">Rear</th> <th colspan="2">Front</th>		Rear		Front
	5503E_12	16.9 - 30 (SPL) 12 PR	TR 136	11.2 - 24 (HD) 10 PR	TR 135	
		<th colspan="2">Rear</th> <th colspan="2">Front</th>		Rear		Front
	5503E_12	18.4 - 30 (HD) 14 PR	TR 136	12.4 - 24 (HD) 8 PR	TR 135	
		<th colspan="2">Rear</th> <th colspan="2">Front</th>		Rear		Front
TRACTORS FOR EXPORTS TO SOUTH AFRICA						
	3036_E	Rear		Front		
		12.4 - 24 4 PR	TR 171	8 - 16 4 PR	TR 144	

TRACTORS FOR DOMESTIC & EXPORTS

SPL: Special - HD: Heavy Duty

HOW TO READ DATA

MODEL	TIRE POSITION	
	TIRE SIZE (Version) L/USS PR	BKT Pattern



MODEL

FITMENT



TRACTOR 4WD
(DOMESTIC)



3036_E

Rear

Front

12.4 - 24 (HD)
8 PR

TR 171

8 - 16 (SPL)
6 PR

TR 144

TRACTOR 4WD



5045 D

Rear

Front

14.9 - 28 (HD)
12 PR

TR 171

8 - 18 (SPL)
6 PR

TR 144

16.9 - 28
12 PR

TR 171

9.5 - 24
6 PR

TR 135

TRACTOR 4WD
(DOMESTIC)



5045 D

Rear

Front

13.6 - 28 (HD)
12 PR

TR 171

8 - 18 (SPL)
8 PR

TR 144

14.9 - 28 (HD)
12 PR

TR 171

TRACTOR 4WD
(DOMESTIC)



5045 D

Rear

Front

16.9 - 28
12 PR

TR 171

8.3 - 24
8 PR

TR 171

9.5 - 24
8 PR

TR 171

9.5 - 24 (HD)
8 PR

TR 135

TRACTORS FOR DOMESTIC & EXPORTS

HD: Heavy Duty - SPL: Special

TRACTOR 4WD		MODEL	FITMENT			
		5E 65 HP	Rear		Front	
			16.9 - 30 12 PR	TR 171	11.2 - 24 (HD) 10 PR	TR 135

TRACTORS FOR DOMESTIC & EXPORTS

TRACTOR 4WD		UNX	Rear		Front	
				8.3 - 24 8 PR	FARM 2000	5 - 12 6 PR

TRACTOR 4WD (DOMESTIC)		UNX	Rear		Front	
				9.5 - 24 (HD) 8 PR	TR 135	6 - 14 4 PR

EXPORTS TO MEXICO

HD: Heavy Duty


TRACTOR		5055AR_11	Rear		Front	
				14.9 - 28 8 PR	TR 135	8 - 18 (SPL) 6 PR

TRACTORS FOR EXPORTS

HD: Heavy Duty - SPL: Special




HOW TO READ DATA

MODEL	TIRE POSITION	
	TIRE SIZE (Version) L/USS PR	BKT Pattern


	MODEL	FITMENT 			
		Rear		Front	
	5045AR_12 5055AR_12	14.9 - 28 8 PR	TR 135	9.5 - 24 6 PR	TR 135
	5503E_12	16.9 - 30 (SPL) 12 PR	TR 136	11.2 - 24 8 PR	TR 135
	5055VS_12	340/85 R 28 (SPL) 127 A8/B	AGRIMAX RT 855	280/85 R 20 112 A8/B	AGRIMAX RT 855
	5065VS_12	420/85 R 28 (SPL) 139 A8/B	AGRIMAX RT 855	280/85 R 24 (SPL) 115 A8/B	AGRIMAX RT 855

TRACTORS FOR EXPORTS

SPL: Special

JOHN DEERE INDIA		MODEL	FITMENT 			
TRACTOR 4WD		5075VS_12	Rear		Front	
			420/85 R 30 (SPL) 140 A8/B	AGRIMAX RT 855	320/85 R 24 (SPL) 122 A8/B	AGRIMAX RT 855
	5065VS_12	Rear		Front		
		380/85 R 28 (SPL) 133 A8/B	AGRIMAX RT 855	320/85 R 20 119 A8/B	AGRIMAX RT 855	

TRACTORS FOR EXPORTS

COMBINE HARVESTER		MODEL	Rear		Front	
	W70	7.50 - 16 (IND) 16 PR	COLT	16.9 - 30 (SPL) 12 PR	TR 136	

FOR DOMESTIC

SPL: Special - IND: Industrial

HOW TO READ DATA

MODEL	TIRE POSITION	
	TIRE SIZE (Version) L/USS PR	BKT Pattern



MODEL

FITMENT



TRACTOR 4WD



5936 (4WD)

Rear

Front

16.9 - 28
12 PR

FARM 2000 PLUS

9.5 - 24 (HD)
8 PR

TR 135



7536 (4WD)

Rear

Front

16.9 - 30 (SPL)
12 PR

TR 136

11.2 - 24 (HD)
10 PR

TR 135



9036 (4WD)

Rear

Front

18.4 - 30
14 PR

COMMANDER

12.4 - 24 (HD)
8 PR

TR 135

TRACTOR 2WD



9036 (2WD)

Rear

Front

13.6 - 38
12 PR

TR 135

7.50 - 16
8 PR

STEER FARM

TRACTORS FOR EXPORTS

HD: Heavy Duty - SPL: Special



MODEL

FITMENT



TRACTOR 4WD



5036 4WD

Rear		Front	
14.9 - 28 (HD) 12 PR	TR 171	9.5 - 18 8 PR	TR 171
14.9 - 28 (HD) 12 PR	TR 171	8.3 - 20 (HD) 8 PR	TR 171



7536 4WD
(PADDY)

Rear		Front	
16.9 - 30 12 PR	TR 171	11.2 - 24 10 PR	TR 171



9036 4WD
(PADDY)

Rear		Front	
18.4 - 30 12 PR	TR 273	12.4 - 24 8 PR	TR 273

TRACTORS FOR EXPORTS

HD: Heavy Duty

COMBINE HARVESTER



4000






Rear		Front	
9.00 - 16	(NOT BKT)	18.4 - 30 14 PR	COMMANDER

TRACTORS FOR DOMESTIC

HOW TO READ DATA







MODEL	TIRE POSITION	
	TIRE SIZE (Version) L/USS PR	BKT Pattern



 For Earth. For Life Kubota Agricultural Machinery India Pvt. Ltd.	MODEL	FITMENT 			
	L 4508	Rear			
		13.6 - 26 6 PR	TR 171		
	L 3408	Rear		Front	
		12.4 - 24 (HD) 8 PR	TR 171	8 - 16 (SPL) 6 PR	TR 144
	MU 4501	Rear			
		13.6 - 28 (HD) 12 PR	TR 171		

FOR DOMESTIC & EXPORTS

HD: Heavy Duty - SPL: Special

		MODEL	FITMENT 			
			Rear		Front	
TRACTOR 2WD		575 DI	14.9 - 28 12 PR	COMMANDER	6.00 - 16 8 PR	COMMANDER
				605 DI	16.9 - 28 12 PR	COMMANDER
PUDDLING TRACTOR		DHRUV YUVO 575 4WD			14.9 - 28 (HD) 12 PR	TR 171
				YUVO 575 4WD	16.9 - 28 12 PR	TR 171



FOR DOMESTIC & EXPORTS


HD: Heavy Duty


HOW TO READ DATA


MODEL	TIRE POSITION	
	TIRE SIZE (Version) L/U/S/S PR	BKT Pattern



	MODEL	FITMENT			
	TT-35 (2WD)	Rear		Front	
		13.6 - 28 12 PR	TRAC FARM	6.00 - 16 8 PR	STEER FARM

	TT-45 (2WD)	Rear		Front	
		14.9 - 28 12 PR	FARM 2000	6.00 - 16 8 PR	STEER FARM

	TT55 (2WD)	Rear		Front	
		16.9 - 28 12 PR	TRAC FARM	7.50 - 16 8 PR	STEER FARM
		16.9 - 30 (SPL) 12 PR	TR 136		

	TT55 (4WD)	Rear		Front	
		16.9 - 28 12 PR	TRAC FARM	9.5 - 24 (HD) 8 PR	TR 135

FOR EXPORTS

SPL: Special - HD: Heavy Duty

TRACTOR 4WD SOUTH AFRICA

		MODEL	FITMENT			
			Rear		Front	
	MDL-TT90 / TT80 (4WD)	13.6 - 38 12 PR	TR 135	12.4 - 24 (SPL) 12 PR	TR 135	

			Rear	Rear (O)	Front		
	MDL - TT75 (4WD)	18.4 - 30 (HD) 14 PR	TR136	18.4 - 30 14 PR	FARM 2000	12.4 - 24 (SPL) 12 PR	TR 135

			Rear		Front	
	TT75 (4WD)	16.9 - 30 (SPL) 12 PR	TR 136	11.2 - 24 (HD) 10 PR	TR 135	

TRACTOR 2WD SUDAN

			Rear		Front	
	TT75 (2WD)	13.6 - 38 12 PR	TR 135	7.50 - 16 8 PR	TF 8181	






FOR EXPORTS

SPL: Special - HD: Heavy Duty

HOW TO READ DATA

MODEL	TIRE POSITION	
	TIRE SIZE (Version) L/USS PR	BKT Pattern



		MODEL	FITMENT			
			Rear		Front	
	TT75.08 / TT80 (4WD)		16.9 - 30 12 PR	TR 171	11.2 - 24 10 PR	TR 171
	TT45 / 4710 (4WD)		14.9 - 28 (HD) 12 PR	TR 171	9.5 - 24 8 PR	TR 171
	TT-55		14.9 - 24 12 PR	TR 135	9.5 - 20 (HD) 8 PR	TR 135
	WORKMASTER - 4710		13.6 - 28 (HD) 12 PR	TR 171	8.3 - 24 (HD) 8 PR	TR 171

FOR EXPORTS

HD: Heavy Duty



MODEL

FITMENT



TRACTOR 4WD SRI LANKA



TT 4710

Rear

Front

14.9 - 28 (HD)
12 PR

TR 171

8.3 - 20 (HD)
8 PR

TR 171



4710

Rear

Front

13.6 - 28 (HD)
12 PR

TR 171

8 - 18
8 PR

TR 171



TT 55

Rear

Front

16.9 - 28
12 PR

TR 171

9.5 - 24
8 PR

TR 171

TRACTOR 4WD
NAFTA



4710

Rear

Front

13.6 - 28
12 PR

TRAC FARM

8.3 - 24
8 PR

FARM 2000

FOR EXPORTS

HD: Heavy Duty

HOW TO READ DATA

MODEL	TIRE POSITION	
	TIRE SIZE (Version) L/USS PR	BKT Pattern





MODEL

FITMENT



TRACTOR 4WD
NAFTA



ID 10

Rear

Front

16.9 - 34 (HD)
10 PR

TR 135

13.6 - 24 (HD)
8 PR

TR 135

FOR EXPORTS

COMBINE
HARVESTER



ST20

Rear

Front

9.00 - 16 (HD)
12 PR




RIB F3


18.4 - 30 (HD)
14 PR


TR 136


FOR DOMESTIC & EXPORTS

HD: Heavy Duty

TRACTOR 2WD TRACTOR 4WD		MODEL	FITMENT					
	 	7549 2WD 7549 / 8049 4WD	Rear		Front (2WD)		Front (4WD)	
			Tire Size (Version) L/USS PR	BKT Pattern	Tire Size (Version) L/USS PR	BKT Pattern	Tire Size (Version) L/USS PR	BKT Pattern
			16.9 - 30 (SPL) 12 PR	TR 136	7.50 - 16 8 PR	STEER FARM	11.2 - 24 (HD) 10 PR	TR 135

TRACTOR 4WD		9049 4WD	Rear		Front	
			Tire Size (Version) L/USS PR	BKT Pattern	Tire Size (Version) L/USS PR	BKT Pattern
			18.4 - 30 (HD) 14 PR	TR 136	12.4 - 24 (HD) 8 PR	TR 135

	AVENGER 26 HP	Rear		Front	
		Tire Size (Version) L/USS PR	BKT Pattern	Tire Size (Version) L/USS PR	BKT Pattern
		8.3 - 20 6 PR	FARM 2000	6.00 - 12 6 PR	TR 128

	AVENGER 20 HP	Rear		Front	
		Tire Size (Version) L/USS PR	BKT Pattern	Tire Size (Version) L/USS PR	BKT Pattern
		8 - 18 6 PR	FARM 2000	5 - 12 4 PR	TR 128

FOR EXPORTS

SPL: Special - HD: Heavy Duty

HOW TO READ DATA

MODEL	TIRE POSITION	
	TIRE SIZE (Version) L/USS PR	BKT Pattern



MODEL

FITMENT



TRACTOR 4WD



AVENGER 26 HP
(TURF)

Rear

Front

33 X 15.5 - 16.5
10 PR

LG 306

23 X 8.50 - 12
12 PR

LG 306



AVENGER 26 HP
(INDUSTRIAL)

Rear

Front

33 X 15.5 - 16.5
(IND)
12 PR

SKID POWER HD

23 X 8.5 - 12
(IND)
12 PR

SKID POWER HD



10049 4WD

Rear

Front

18.4 - 34 (HD)
14 PR

TR 135

14.9 - 24 (HD)
8 PR

TR 135

TRACTOR 2WD



6049 / 955
(2WD)

Rear

Front

13.6 - 38
12 PR

TR 135

7.50 - 16
8 PR

TF 8181



6549 - 2WD

Rear

Front

16.9 - 28
12 PR

FARM 2000 PLUS

7.50 - 16
8 PR

STEER FARM

FOR EXPORTS

HD: Heavy Duty - IND: Industrial

COMBINE HARVESTER		MODEL	FITMENT	
		101 HP - 987	Front	
		18.4 - 30 14 PR	COMMANDER	







FOR DOMESTIC & EXPORTS

ROUND STRAW BALER		MODEL	FITMENT	
		JUMBO 1211	Rear	
		16 X 6.50 - 8 6 PR	LG RIB	

FOR EXPORTS







HOW TO READ DATA

MODEL	TIRE POSITION	
	TIRE SIZE (Version) L/U/S/S PR	BKT Pattern

	MODEL	FITMENT 			
		Rear		Front	
	AGROLUX TIGER ARGON (4WD)	340/85 R 28 127 A8/B	AGRIMAX RT 855	250/85 R 20 116 A8/B	AGRIMAX RT 855
	AGROLUX TIGER ARGON (4WD)	380/85 R 28 133 A8/B	AGRIMAX RT 855	280/85 R 20 112 A8/B	AGRIMAX RT 855
	COMMANDO AGROLUX TIGER ARGON (4WD)	420/85 R 28 139 A8/B	AGRIMAX RT 855	320/85 R 20 119 A8/B	AGRIMAX RT 855
	AGROLUX 50 (4WD)	12.4 - 28 12 PR	FARM 2000	8.00 - 20 8 PR	TR 135

TRACTORS FOR EXPORTS

TRACTOR 4WD

	MODEL	FITMENT 			
		Rear		Front	
	AGROLUX TIGER ARGON (4WD)	420/85 R 30 140 A8/B	AGRIMAX RT 855	280/85 R 24 115 A8/B	AGRIMAX RT 855
	COMMANDO AGROLUX TIGER ARGON (4WD)	380/85 R 30 135 A8/B	AGRIMAX RT 855	320/85 R 20 119 A8/B	AGRIMAX RT 855
	AGROLUX TIGER ARGON (4WD)	320/85 R 36 128 A8/B	AGRIMAX RT 855	280/85 R 24 115 A8/B	AGRIMAX RT 855
	ARGON (4WD)	420/70 R 30 134 D	AGRIMAX RT 765	360/70 R 20 129 A8/B	AGRIMAX RT 765

TRACTORS FOR EXPORTS

HOW TO READ DATA

MODEL	TIRE POSITION	
	TIRE SIZE (Version) L/USS PR	BKT Pattern



MODEL

FITMENT



TRACTOR 4WD



AGROLUX
TIGER
ARGON

Rear

Front (2WD)

13.6 - 28
12 PR

FARM 2000

6.00 - 16
8 PR

TF 8181

TRACTOR 2WD
TRACTOR 4WD



AGROLUX
TIGER
ARGON

Rear

Front (2WD)

Front (4WD)

16.9 - 30 (SPL)
12 PR

TR 136

6.50 - 20 (SPL)
8 PR

TF 8181

11.2 - 24 (HD)
8 PR

TR 135

TRACTOR 2WD



AGROLUX
TIGER
ARGON (2WD)

Rear

Front

14.9 - 28
12 PR







TR 135

7.50 - 16
8 PR

TF 8181

TRACTORS FOR EXPORTS

HD: Heavy Duty - SPL: Special

		MODEL	FITMENT 			
TRACTOR 4WD		COMMANDO AGROLUX TIGER ARGON (4WD)	Rear		Front	
			14.9 - 28 12 PR	TR 135	11.2 - 20 8 PR	TR 171
TRACTOR 2WD		AGROLUX TIGER ARGON (2WD)	Rear		Front	
			16.9 - 28 12 PR	AS 2001	7.50 - 16 8 PR	TF 8181
TRACTOR 4WD		AGROLUX TIGER ARGON (4WD)	Rear		Front	
			16.9 - 28 12 PR	AS 2001	9.5 - 24 8 PR	TR 135
TRACTOR 4WD		AGROLUX TIGER ARGON (4WD)	Rear		Front	
			16.9 - 28 12 PR	AS 2001	11.2 - 24 (HD) 8 PR	TR 135

TRACTORS FOR EXPORTS

HD: Heavy Duty

HOW TO READ DATA

MODEL	TIRE POSITION	
	TIRE SIZE (Version) L/USS PR	BKT Pattern

		MODEL	FITMENT			
	ARGON (4WD)	Rear		Front		
		380/70 R 20 132 A8/B	AGRIMAX RT 765	240/70 R 16 104 A8/B	AGRIMAX RT 765	
	ARGON (4WD)	Rear		Front		
		360/70 R 24 (SPL) 122 D	AGRIMAX RT 765	280/70 R 16 112 A8/B	AGRIMAX RT 765	
	ARGON (4WD)	Rear		Front		
		420/70 R 24 (SPL) 130 D	AGRIMAX RT 765	280/70 R 18 114 A8/B	AGRIMAX RT 765	
	ARGON (4WD)	Rear		Front		
		320/85 R 24 (SPL) 122 A8/B	AGRIMAX RT 855	210/95 R 16 106 A8/B	AGRIMAX RT 855	

TRACTORS FOR EXPORTS

SPL: Special



MODEL

FITMENT



TRACTOR 4WD

	ARGON (4WD)	Rear		Front	
		380/70 R 28 (SPL) 127 D	AGRIMAX RT 765	280/70 R 20 116 A8/B	AGRIMAX RT 765

	ARGON (4WD)	Rear		Front	
		480/70 R 30 (SPL) 141 D	AGRIMAX RT 765	320/70 R 24 (SPL) 116 D	AGRIMAX RT 765

	ARGON (4WD)	Rear		Front	
		420/85 R 24 (SPL) 137 A8/B	AGRIMAX RT 855	280/70 R 20 116 A8/B	AGRIMAX RT 765

	ARGON (4WD)	Rear		Front	
		420/70 R 24 (SPL) 130 D	AGRIMAX RT 765	280/70 R 20 116 A8/B	AGRIMAX RT 765

TRACTORS FOR EXPORTS

SPL: Special

HOW TO READ DATA

MODEL	TIRE POSITION	
	TIRE SIZE (Version) L/USS PR	BKT Pattern





MODEL

FITMENT



TRACTOR 4WD



AGROLUX 50
(4WD)

Rear

Front

14.9 - 28 (HD)
12 PR

TR 171

11.2 - 20
8 PR

TR 171



AGROLUX 45
(4WD)

Rear

Front

13.6 - 28 (HD)
12 PR

TR 171

9.5 - 20
8 PR

TR 171

TRACTOR 2WD



35HP 3045
(2WD)

Rear

Front

13.6 - 24 (HD)
12 PR

TR 135

6.00 - 16
8 PR

TF 8181

TRACTOR 4WD



FRUTTETO
STAGE V (4WD)

Rear

Front

320/70 R 24 (SPL)
116 D

AGRIMAX RT 765

260/70 R 16
109 A8/B

AGRIMAX RT 765

TRACTORS FOR EXPORTS

HD: Heavy Duty - SPL: Special

TRACTOR 4WD		MODEL	FITMENT			
		ARGON F (4WD)	Rear		Front	
			380/85 R 24 (SPL) 131 A8/B	AGRIMAX RT 855	210/95 R 16 106 A8/B	AGRIMAX RT 855

TRACTORS FOR EXPORTS

SPL: Special

SUGARCANE HARVESTER		MODEL	FITMENT			
		SHAKTIMAN 3737	Rear		Front	
			16.9 - 28 (IND) 12 PR	AT 625	10.5/65 - 16 (IND) 14 PR	AW 702

SQUARE BALER		SBN - 150	Right		Left (New)	
			10.0/80 - 12 (AB) 10 PR	AW 702	11.5/80 - 15.3 (AB) 14 PR	AW 726

DOMESTIC & EXPORTS

IND: Industrial - AB: Aramid Belted

HOW TO READ DATA

MODEL	TIRE POSITION	
	TIRE SIZE (Version) L/U/S/ PR	BKT Pattern

		MODEL	FITMENT	
GROOMING MOWER		SGM	All	
			5.00 - 10 6 PR	ST 180
PTO HAY RAKE		SRHR	All	
			16 X 6.50 - 8 10 PR	LG RIB
ROTARY MULCHER		BMF	All	
			205/65 - 10 10 PR	GF 305 FARM TRAILER
POTATO PLANTER		(JT. VENTURE WITH GRIMME)	All	
			7.00 - 12 6 PR	AS 504

DOMESTIC & EXPORTS

		MODEL	FITMENT			
TRACTOR 2WD		8502	Rear		Front	
			13.6 - 38 12 PR	TR 135	7.50 - 16 8 PR	TF 8181

TRACTOR 4WD		MODEL	FITMENT			
		9502	Rear		Front	
			18.4 - 30 (HD) 14 PR	TR 136	12.4 - 24 (HD) 8 PR	TR 135

TRACTOR 4WD		MF246 DYNATRAC	Rear		Front	
			14.9 - 28 (HD) 12 PR	TR 171	8.3 - 24 (HD) 8 PR	TR 171

HD: Heavy Duty

TRACTOR 4D (TURF)		MODEL	FITMENT			
		FIELDTRAC 224 D	Rear		Front	
			33 X 15.5 - 16.5 10 PR	LG 306	23 X 8.50 - 12 6 PR	LG 306

TRACTOR 4D (INDUSTRIAL)		FIELDTRAC 927 D	Rear		Front	
			33 X 15.5 - 16.5 (IND) 12 PR	SKID POWER HD	23 X 8.5 - 12 (IND) 12 PR	SKID POWER HD

TRACTORS FOR EXPORT

IND: Industrial

HOW TO READ DATA

MODEL	TIRE POSITION	
	TIRE SIZE (Version) L/USS PR	BKT Pattern



MODEL

FITMENT

INLINE BALE WRAPPER



EVOLUTION

Rear

Front

12.5L - 15 FI
12 PR

FARM HIGHWAY TOUGH

31 X 15.50 - 15
8 PR

TR 315



FUSION720

Rear

Front

9.5L - 15 FI
12 PR

FARM HIGHWAY TOUGH

29 X 12.50 - 15
6 PR

TR 319



NWS660
IFX720
HYBRID X

Rear

Front

11L - 15
8 PR

I-1

29 X 12.50 - 15
6 PR

TR 319

INLINE BALE WRAPPER AND TRAILER KIT



WRAPTOR

Rear

Front

11L - 15
8 PR

I-1

29 X 12.50 - 15
6 PR

TR 319




550/45 - 22.5
16 PR


FLOTATION 648




	ANDERSON	MODEL	FITMENT	
LOG LOADER		M115 M140	Rear	
			12.5L - 15 FI 12 PR	FARM HIGHWAY TOUGH
		M160	Rear	
			16.5L - 16.1 10 PR	I-1
ROUND BALES TRAILER (SMALL)		TRB1000	Rear	
			400/60 - 22.5 16 PR	FLOTATION 648
ROUND BALES TRAILER (SMALL)		RBM1400 RBM2000 RBM PRO1400 RBM PRO2000	Rear	
			550/45 - 22.5 16 PR	FLOTATION 648


HOW TO READ DATA

MODEL	TIRE POSITION	
	TIRE SIZE (Version) L/USS PR	BKT Pattern

SINGLE AUGER MIXER		MODEL	FITMENT		
		A280ST A380ST A380FD A450ST A450FD	Rear		
			15.0/55 - 17 26 PR	AW 705	

SQUARE BALE TRAILER HD		TSR3450 STACK PRO7200	Rear		
			550/45 - 22.5 16 PR	FLOTATION 648	

BALE WRAPPER		MODEL	FITMENT		
		PROLINER	Rear		Front
			11L - 15 8 PR	I-1	26 X 12.00 - 12 8 PR
					TR 315

ROUND BALES TRAILER (SMALL)		FOREST PRO 95	Rear		
			11L - 15 8 PR	I-1	

LES EQUIPEMENTS DE FERME MIRO DEPUIS 1979 TTC		MODEL	FITMENT	
DUMP TRAILER		RD 814	Rear	
			550/45 - 22.5 16 PR	FLOTATION 648
DUMP TRAILER		RDT 712	Rear	
			400/60 - 15.5 18 PR	TR 882
WAGON		CT 14 CT 18	Rear	
			400/55 - 22.5 16 PR	FLOTATION 558
WAGON		CT 824	Rear	
			550/45 - 22.5 16 PR	FLOTATION 648



HOW TO READ DATA

MODEL	TIRE POSITION	
	TIRE SIZE (Version) L/U/S/ PR	BKT Pattern

DUMP TRAILER		MODEL	FITMENT		
		30 FT	Rear		
			750/45 - 22.5 16 PR	FL 635	

CHICKEN MANURE SPREADER		MODEL	FITMENT		
		E160 E200 E240	Rear		
			560/60 R 22.5 165 D/162 E	RIDEMAX FL 693 M	

DUMP TRAILER		510D	Rear			
			1L - 15 FI 12 PR	FARM HIGHWAY TOUGH		
		6.510D		12.5L - 15 FI 12 PR	FARM HIGHWAY TOUGH	
		712D		19.0/45 - 17 18 PR	AW 708	
		812D		500/50 R 17 149 D/146 E	RIDEMAX FL 693 M	

DUMP TRAILER (X-LARGE)		814D	Rear			
		816D	560/60 R 22.5 165 D/162 E	RIDEMAX FL 693 M		
		818D				
		822D	580/65 R 22.5 166 D/163 E	RIDEMAX FL 693 M		

	LE PINE MACHINERIE REBOULE	MODEL	FITMENT	
LAND LEVELER		N120	Rear	
		N140	15.0/55 - 17 14 PR	AS 504
		N160		
		N180	12.5L - 15 FI 12 PR	FARM HIGHWAY TOUGH

ROAD BLADE		GC716	Rear	
		GC922	11L - 15 8 PR	I-1
		GC926		

	MACHINERIE FIM	MODEL	FITMENT	
DUMP TRAILER (LARGE)		818	Rear	
		820	560/60 R 22.5 165 D/162 E	RIDEMAX FL 693 M
		822		

HOW TO READ DATA

MODEL	TIRE POSITION	
	TIRE SIZE (Version) L/U/S/S PR	BKT Pattern



MODEL

FITMENT



DUMP TRAILER
(SMALL)



510

Rear

11L - 15
8 PR

I-1

LAND LEVELER



NP08
NP10
NP12
NP14

Rear

11L - 15
8 PR

I-1

ROLLER PACKER



20FT

Rear

11L - 15
8 PR

I-1

		MODEL	FITMENT	
ROCK PICKER		MAX 109 SUPERHD	Rear	
			700/50 - 26.5 16 PR	FLOTATION 648
		MAXHD 84-6	Rear	
			14.00 - 24 16 PR	TRAC GRADER +

		MODEL	FITMENT	
LOG LOADER (HD SERIES)		1800HD XT 2100HD XT	Rear	
			400/60 - 15.5 18 PR	TR 882
LOG LOADER (MEDIUM)		1400 XT 1600 XT	Rear	
			400/60 - 15.5 18 PR	TR 882

HOW TO READ DATA

MODEL	TIRE POSITION	
	TIRE SIZE (Version) L/U/S/ PR	BKT Pattern



MODEL

FITMENT



LOG LOADER (NEW
HDCR SERIES)



CR 190

Rear

16.5L - 16.1
10 PR

I-1

LOG LOADER
(SMALL)



1150
1150 M13

Rear

11L - 15
8 PR

I-1

LOG LOADER
DRIVE SYSTEM



-

Rear

12.5/70 - 16
8 PR

AT 621

LOG LOADER
FOR HORSES



1150
M16






Rear

11L - 15
8 PR

I-1





DUMP TRAILER









	MODEL	FITMENT	
	458M	7.60 - 15 8 PR	Rear I-1
	869M	11L - 15 8 PR	Rear I-1
	12712M-5	16.5L - 16.1 10 PR	Rear I-1
	12712M-550	550/45 - 22.5 16 PR	Rear FLOTATION 648

HOW TO READ DATA

MODEL	TIRE POSITION	
	TIRE SIZE (Version) L/U/S/S PR	BKT Pattern

	MODEL	FITMENT 	
	P-6810 P-6810M P-6812 P-6812M P-6816 P-6816M	Rear	
		400/55 - 22.5 16 PR	FLOTATION 558
	P-7400M P-7800SA	Rear	
		550/45 - 22.5 16 PR	FLOTATION 648








	MODEL	FITMENT 	
	MV6	Rear	
		12.5L - 15 12 PR	I-1

	MODEL	FITMENT 	
	HLL08 HLL10 HLL12	Rear	
		11L - 15 8 PR	I-1

		MODEL	FITMENT	
LAND LEVELER LN SERIES		LN14 LN16 LN18 LN20	Rear	
		15.0/55 - 17 18 PR	AW 705	
LAND LEVELER LNS SERIES		LNS12 LNS14	Rear	
		11L - 15 8 PR	I-1	
LAND LEVELER PTG SERIES		PTG12 PTG14 PTG16	Rear	
		500/45 - 22.5 16 PR	FLOTATION 558	
LAND LEVELER PTG SERIES		RM8080 RM8090	Rear	
		550/45 - 22.5 16 PR	FLOTATION 648	

HOW TO READ DATA

MODEL	TIRE POSITION	
	TIRE SIZE (Version) L/USS PR	BKT Pattern

		MODEL	FITMENT 	
ROCK RAKE		DRR-30H PWD-10B SRR-15H SRR-15M SRR-15T SWD-15H SWD-15M SWD-15T	Rear	
			11L - 15 8 PR	I-1
		MODEL	FITMENT 	
LAGOON PUMP		MASTER -MIX MEGA -MIXT	Rear	
			11L - 15 8 PR	I-1
		MODEL	FITMENT 	
MIXER		VMIX	Rear	
			12.5L - 15 FI 12 PR	FARM HIGHWAY TOUGH

		MODEL	FITMENT	
DUMP TRAILER (MEDIUM)		612HD 712	Rear	
			12L - 15 12 PR	I-1
DUMP TRAILER (SMALL)		408 410 510	Rear	
			11L - 15 8 PR	I-1
DUMP TRAILER V-SERIES (EXTRA CAPACITY)		V814 V816	Rear	
			550/45 - 22.5 16 PR	FLOTATION 648

HOW TO READ DATA

MODEL	TIRE POSITION	
	TIRE SIZE (Version) L/U/S/S PR	BKT Pattern



MODEL

FITMENT



DUMP TRAILER V-SERIES
(LARGE)



V712

Rear

16.5L - 16.1
10 PR

I-1

DUMP TRAILER V-SERIES
(MEDIUM)



V612

Rear

12.5L - 15
12 PR

I-1

DUMP TRAILER V-SERIES
(SMALL)



V408
V510

Rear

11L - 15
8 PR

I-1



MODEL

FITMENT



DUMPING FORAGE TRAILER



8'X18'
8'X20'

Rear

550/45 - 22.5
16 PR

FLOTATION 648

FORESTRY TRAILER
(MEDIUM)



11-74
13-78

Rear

12.5L - 15
12 PR

I-1

16.5L - 16.1
10 PR

I-1

400/60 - 15.5
18 PR

TR 882

HOW TO READ DATA

MODEL	TIRE POSITION	
	TIRE SIZE (Version) L/U/S/ PR	BKT Pattern



MODEL

FITMENT



FORESTRY TRAILER
(SMALL)



8-58
9-58
10-66
10-74

Rear

11L - 15
8 PR

I-1

FORESTRY TRAILER
HD SERIES



14-80

Rear

12.5L - 15
12 PR

I-1

LOG LOADER
(MEDIUM)



130HD
130HDT
150HD
150HDT

Rear

12.5L - 15
12 PR

I-1

16.5L - 16.1
10 PR

I-1

400/60 - 15.5
18 PR

TR 882

LOG LOADER
(SMALL)



95HD
105HD
115HD
125LP

Rear

11L - 15
8 PR

I-1

		MODEL	FITMENT		
LOG LOADER HD		170HD 170HDT	Rear		
		12.5L - 15 12 PR	I-1		
MANURE SPREADER		2500	Rear		
					550/45 - 22.5 16 PR
		3300	Rear		
				600/55 - 22.5 16 PR	FLOTATION 648

HOW TO READ DATA

MODEL	TIRE POSITION	
	TIRE SIZE (Version) L/U/S PR	BKT Pattern

SELF PROPELLED



MODEL

FITMENT



VSL SERIES

Rear

Front

385/65 - 22.5
22 PR

FLOTATION 648

385/65 - 22.5
22 PR

FLOTATION 648



一步先を行く
時代はニチナー

MODEL

FITMENT



430 TURBO

Rear

11.2 - 24
8 PR

TR 135








660 TURBO

Rear





10.00 - 20
10 PR




TR 135




	Takakita	MODEL	FITMENT 	
BOOM SPRAYER		PD9000	-	-
			12.5/80 - 18 12 PR	AW 705
		PD13000	-	-
			550/60 - 22.5 12 PR	FLOTATION 648
COMBI WRAP MACHINE		VCW1620	-	-
			16.0/70 - 20 12 PR	AW 705
VACUUM CAR		S-4200	-	-
			16.0/70 - 20 12 PR	AW 705

HOW TO READ DATA

MODEL	TIRE POSITION	
	TIRE SIZE (Version) L/USS PR	BKT Pattern

	MODEL	FITMENT 	
	BSQ6002N6	Rear & Front	
		320/85 R 24 122 A8/119 B	AGRIMAX RT 855
	BSQ3802S-N5	Rear & Front	
		10.00 - 20 10 PR	TR 135

	MODEL	FITMENT 	
	RT105	Rear	Front
		460/85 R 30 AGRIMAX RT 855	320/70 R 24 AGRIMAX RT 765 360/70 R 24

	MODEL	FITMENT 	
	HS24-80	Rear	
		400/60 - 15.5 18 PR	AW 708

TRAILER		MODEL	FITMENT		
		HS24-100	Rear 400/60 - 15.5 18 PR		AW 708



TRACTOR		MODEL	FITMENT				
		M5-86 (SE) M5-101 (SE)	Rear		Front		
			420/85 R 34	AGRIMAX RT 855	320/85 R 24	AGRIMAX RT 855	
480/70 R 34	AGRIMAX RT 765	360/70 R 24	AGRIMAX RT 765				

	M6-108	Rear		Front	
		480/70 R 38	AGRIMAX RT 855	340/85 R 24	AGRIMAX RT 855
		420/85 R 38	AGRIMAX RT 765	380/70 R 24	AGRIMAX RT 765



	M6-135	Rear		Front	
		460/85 R 38	AGRIMAX RT 855	380/85 R 24	AGRIMAX RT 855
		520/70 R 38	AGRIMAX RT 765	420/70 R 24	AGRIMAX RT 765

HOW TO READ DATA


MODEL	TIRE POSITION	
	TIRE SIZE (Version) L/U/S/PR	BKT Pattern



YANMAR	MODEL	FITMENT 			
		YT490 YT5101 YT5113	Rear		Front
		18.4 - 34 8 PR	TR 270	12.4 - 24 8 PR	TR 171



TRACTOR

TM	MODEL	FITMENT 			
		T353	Rear		Front
		12.5 - 20 10 PR	MP 567	27 X 10.5 - 15 8 PR	SKID POWER HD

TRACTOR

	TS87 TS96 TS107	Rear		Front	
		16.9 - 34 8 PR	TR 135	13.6 - 24 8 PR	TR 135

TRACTOR	TVM	MODEL	FITMENT 			
		TX620 TX680 TX750	Rear		Front	
			16.9 - 30 8 PR	TR 136	11.2 - 24 8 PR	TR 135

IRRIGATION PIVOT	Western	MODEL	FITMENT 			
		LINEAR SYSTEMS	Rear		Front	
			14.9 - 24 8 PR	TR 117	14.9 - 24 8 PR	TR 117
14.9 - 24 8 PR			TR 118	14.9 - 24 8 PR	TR 118	
11.2 - 24 6 PR			TR 117	11.2 - 24 6 PR	TR 117	
16.9 - 24 10 PR			TR 135	16.9 - 24 10 PR	TR 135	
11L - 15SL (SR) 8 PR			I-1	11L - 15SL (SR) 8 PR	I-1	
11.2 - 38 6 PR			TR 117	11.2 - 38 6 PR	TR 117	

SR: Stubble Resistance

HOW TO READ DATA

MODEL	TIRE POSITION	
	TIRE SIZE (Version) L/U/S/S PR	BKT Pattern



MODEL

FITMENT



FERTILIZER
SPREADER



F10

Rear

650/65 R 38
166 A8

AGRIMAX RT 657

SPREADER



K65

Rear

750/60 - 30.5
16 PR

FLOTATION 648

750/65 R 26
171 A8

AGRIMAX TERIS

650/65 - 30.5
16 PR

FLOTATION 648



K85

Rear

750/60 R 30.5
181 D

FL 630 SUPER

SPREADER		MODEL	FITMENT	
		K105	Rear	
			800/65 R 32 181 A8	AGRIMAX RT 600

IRRIGATION MACHINE		MODEL	FITMENT			
		DONSLUND 1650	Rear		Front	
			11.2 - 28 8 PR	TR 135	10.0/75 - 15.3 10 PR	AW 909




IRRIGATION MACHINE		MODEL	Rear		Front	
			DONSLUND 1800	12.4 - 32 8 PR	TR 135	12.5/80 - 18 10 PR

IRRIGATION MACHINE		MODEL	Rear		Front	
			DONSLUND 1850	12.4 - 32 8 PR	TR 135	12.5/80 - 18 10 PR

HOW TO READ DATA

MODEL	TIRE POSITION	
	TIRE SIZE (Version) L/U/SS PR	BKT Pattern



FJ-AGRO^{APS} SMEDEMESTEREN APS	MODEL	FITMENT			
	FJ600	Rear		Front	
		11.2 - 28 8 PR	TR 135	12.5/80 - 18 10 PR	AW 702
	FJ750	Rear		Front	
		12.4 - 32 8 PR	TR 135	12.5/80 - 18 10 PR	AW 702
	FJ900 FJ950	Rear		Front	
		480/65 R 28 145 A8	AGRIMAX RT 657	12.5/80 - 18 10 PR	AW 702



MODEL

FITMENT



SUBSOILER

Rear



SUB TILLER

560/45 R 22.5
152 D

RIDEMAX FL 693 M

HOW TO READ DATA

MODEL	TIRE POSITION	
	TIRE SIZE (Version) LI/SS PR	BKT Pattern



MODEL

FITMENT



PIG CARTS



L600

Rear

400/60 - 22.5
16 PR

FLOTATION 648

STRAW WAGON



HALMVOGN

Rear

Front

550/45 - 22.5
16 PR

FLOTATION 648

550/45 - 22.5
16 PR

FLOTATION 648

AGRICOLMECCANICA SRL

FRIULI SPRAYERS



HOW TO READ DATA

MODEL	TIRE POSITION	
	TIRE SIZE (Version) L/USS PR	BKT Pattern



MODEL

FITMENT



Rear

Front

Third Axle



DRIFT
RECOVERY
30 HL

13.0/55 - 16
12 PR

AW 702

15.0/55 - 17
141 A8
14 PR

AW 705

10.0/75 - 15.3
126 A8
12 PR

AW 702



NARDI HARVESTING



HOW TO READ DATA

MODEL	TIRE POSITION	
	TIRE SIZE (Version) L/USS PR	BKT Pattern





MODEL

FITMENT



HEADER TRAILER



N50T
N60.25
N60.30
N60.35
N60.40
N70.30
N70.40

10.0/75 - 15.3
14 PR

AW 909

10.0/75 - 15.3
14 PR

AW 909

PNEUMATIC SEEDING MACHINE



MODEL

FITMENT



		Rear & Front	
	SN	5.00 - 15 6 PR	AS 504
		6.00 - 16 6 PR	AS 504

		Rear & Front	
	SNT	5.00 - 15 6 PR	AS 504
		6.00 - 16 6 PR	AS 504

HOW TO READ DATA

MODEL	TIRE POSITION	
	TIRE SIZE (Version) L/USS PR	BKT Pattern







	MODEL	FITMENT 			
	CMD 185	Rear		Front	
		500/60 R 22.5 152 D	FL 630 ULTRA	560/60 R 22.5 161 D	RIDEMAX FL 693 M
	MR 50	Rear		Front	
		560/60 R 22.5 161 D	FL 630 ULTRA	560/60 R 22.5 161 D	RIDEMAX FL 693 M
		580/65 R 22.5 166 D	RIDEMAX FL 693 M		
	NL 14 I	Rear		Front	
		560/60 R 22.5 161 D	FL 630 ULTRA	560/60 R 22.5 161 D	RIDEMAX FL 693 M
	NL 26	Rear		Front	
		560/60 R 22.5 161 D	FL 630 ULTRA	560/60 R 22.5 161 D	RIDEMAX FL 693 M
		580/65 R 22.5 166 D	FL 693		

DUMPER TRAILER

		MODEL	FITMENT			
	NL 27	Rear		Front		
		560/60 R 22.5 161 D	FL 630 ULTRA	560/60 R 22.5 161 D	RIDEMAX FL 693 M	
	NL 28	Rear		Front		
		560/60 R 22.5 161 D	FL 630 ULTRA	560/60 R 22.5 161 D	RIDEMAX FL 693 M	
		580/65 R 22.5 166 D	RIDEMAX FL 693 M			
	NL 29	Rear		Front		
		560/60 R 22.5 161 D	FL 630 ULTRA	560/60 R 22.5 161 D	RIDEMAX FL 693 M	
		580/65 R 22.5 166 D	RIDEMAX FL 693 M			
	NL 29 S	Rear		Front		
		560/60 R 22.5 161 D	FL 630 ULTRA	560/60 R 22.5 161 D	RIDEMAX FL 693 M	

HOW TO READ DATA

MODEL	TIRE POSITION	
	TIRE SIZE (Version) L/USS PR	BKT Pattern

	MODEL	FITMENT 			
		Rear		Front	
	NL 120	560/60 R 22.5 161 D	FL 630 ULTRA	560/60 R 22.5 161 D	RIDEMAX FL 693 M
	NL 140	560/60 R 22.5 161 D	RIDEMAX FL 693 M	560/60 R 22.5 161 D	FL 630 ULTRA
	NL 144 MR	560/60 R 22.5 161 D	FL 630 ULTRA	560/60 R 22.5 161 D	RIDEMAX FL 693 M
	NL 144 RI	560/60 R 22.5 161 D	FL 630 ULTRA	560/60 R 22.5 161 D	RIDEMAX FL 693 M



MODEL

FITMENT



DUMPER TRAILER



MODEL	Rear		Front	
	NL 160	560/60 R 22.5 161 D	FL 630 ULTRA	560/60 R 22.5 161 D
580/65 R 22.5 166 D		RIDEMAX FL 693 M		



MODEL	Rear		Front	
	NL 180	560/60 R 22.5 161 D	FL 630 ULTRA	560/60 R 22.5 161 D
580/65 R 22.5 166 D		RIDEMAX FL 693 M		

MUCK SPREADER



MODEL	Rear		Front	
	SPL 140	500/60 R 22.5 152 D	FL 630 ULTRA	500/60 R 22.5 155 D
500/60 R 22.5 149 D/146 E		RIDEMAX FL 693 M		



MODEL	Rear		Front	
	SPL 180 (2 VERSIONS)	550/60 R 22.5 156 B	FLOTATION 648	560/60 R 22.5 161 D
560/60 R 22.5 161 B		RIDEMAX FL 693 M	500/60 R 22.5 155 D	RIDEMAX FL 693 M


HOW TO READ DATA


MODEL	TIRE POSITION	
	TIRE SIZE (Version) L/USS PR	BKT Pattern


MUCK SPREADER

	MODEL	FITMENT 			
		Rear		Front	
	SPL 200	560/60 R 22.5 161 D	FL 630 ULTRA	560/60 R 22.5 161 D	RIDEMAX FL 693 M

DUMPER TRAILER

	MODEL	FITMENT			
		Rear		Front	
SPL 600	SPL 600	560/60 R 22.5 161 D	FL 630 ULTRA	560/60 R 22.5 161 D	RIDEMAX FL 693 M

	MODEL	FITMENT			
		Rear		Front	
SPL 700	SPL 700	560/60 R 22.5 161 D	FL 630 ULTRA	560/60 R 22.5 161 D	RIDEMAX FL 693 M

	MODEL	FITMENT			
		Rear		Front	
SPL 713	SPL 713	560/60 R 22.5 161 D	FL 630 ULTRA	560/60 R 22.5 161 D	RIDEMAX FL 693 M

SLURRY SPREADER



MODEL

FITMENT



MB 70

Rear

Front

560/60 R 22.5
161 D

FL 630 ULTRA

560/60 R 22.5
161 D

RIDEMAX FL 693 M



MB 80

Rear

Front

560/60 R 22.5
161 D

FL 630 ULTRA

560/60 R 22.5
161 D

RIDEMAX FL 693 M



MB 100

Rear

Front

560/60 R 22.5
161 D

FL 630 ULTRA

560/60 R 22.5
161 D

RIDEMAX FL 693 M



MB 100 B

Rear







560/60 R 22.5
161 D

RIDEMAX FL 693 M

HOW TO READ DATA

MODEL	TIRE POSITION	
	TIRE SIZE (Version) L/USS PR	BKT Pattern



	MODEL	FITMENT 			
	MB 120	Rear		Front	
		560/60 R 22.5 161 D	FL 630 ULTRA	560/60 R 22.5 161 D	RIDEMAX FL 693 M
	MB 120 B	Rear			
		560/60 R 22.5 161 D	RIDEMAX FL 693 M		
	MB 140 B	Rear			
		560/60 R 22.5 161 D	RIDEMAX FL 693 M		
	MB 160 B	Rear			
		560/60 R 22.5 161 D	RIDEMAX FL 693 M		

DUMPER TRAILER



MODEL

FITMENT



MB 167 T

Rear

Front

560/60 R 22.5
161 D

FL 630 ULTRA

560/60 R 22.5
161 D

RIDEMAX FL 693 M

580/65 R 22.5
166 D

RIDEMAX FL 693 M



MB 180 B

Rear

560/60 R 22.5
161 D

RIDEMAX FL 693 M



MB 180 T

Rear

Front

560/60 R 22.5
161 D

FL 630 ULTRA

560/60 R 22.5
161 D

RIDEMAX FL 693 M

580/65 R 22.5
166 D

RIDEMAX FL 693 M



MB 200 B

Rear

560/60 R 22.5
161 D

RIDEMAX FL 693 M

HOW TO READ DATA

MODEL	TIRE POSITION	
	TIRE SIZE (Version) L/USS PR	BKT Pattern

	MODEL	FITMENT 			
	MB 200 T	Rear		Front	
		560/60 R 22.5 161 D	FL 630 ULTRA	560/60 R 22.5 161 D	RIDEMAX FL 693 M
		580/65 R 22.5 166 D	RIDEMAX FL 693 M		
	MB 220 T	Rear		Front	
		560/60 R 22.5 161 D	FL 630 ULTRA	560/60 R 22.5 161 D	RIDEMAX FL 693 M
		580/65 R 22.5 166 D	RIDEMAX FL 693 M	600/55 R 26.5 (SB) 165 D	FL 630 SUPER
650/65 R 26.5 169 D/178 A8					
	MB 245 T	Rear		Front	
		560/60 R 22.5 161 D	FL 630 ULTRA	560/60 R 22.5 161 D	RIDEMAX FL 693 M
		580/65 R 22.5 166 D	RIDEMAX FL 693 M	600/55 R 26.5 (SB) 165 D	FL 630 SUPER
650/65 R 26.5 169 D/178 A8					
	MB 260 Q	Rear		Front	
		560/60 R 22.5 161 D	FL 630 ULTRA	560/60 R 22.5 161 D	RIDEMAX FL 693 M
		580/65 R 22.5 166 D	RIDEMAX FL 693 M	600/55 R 26.5 (SB) 165 D	FL 630 SUPER
650/65 R 26.5 169 D/178 A8					

SB: Steel Belted

DUMPER TRAILER



MODEL

FITMENT



MB 270 T	Rear		Front	
	560/60 R 22.5 161 D	FL 630 ULTRA	560/60 R 22.5 161 D	RIDEMAX FL 693 M
	580/65 R 22.5 166 D	RIDEMAX FL 693 M	600/55 R 26.5 (SB) 165 D	FL 630 SUPER
	650/65 R 26.5 169 D/178 A8			



MB 280 Q	Rear		Front	
	560/60 R 22.5 161 D	FL 630 ULTRA	560/60 R 22.5 161 D	RIDEMAX FL 693 M
	580/65 R 22.5 166 D	RIDEMAX FL 693 M	600/55 R 26.5 (SB) 165 D	FL 630 SUPER
	650/65 R 26.5 169 D/178 A8			



MB 310 T	Rear		Front	
	560/60 R 22.5 161 D	FL 630 ULTRA	560/60 R 22.5 161 D	RIDEMAX FL 693 M
	580/65 R 22.5 166 D	RIDEMAX FL 693 M	600/55 R 26.5 (SB) 165 D	FL 630 SUPER
	650/65 R 26.5 169 D/178 A8			



MB 310 Q	Rear		Front	
	560/60 R 22.5 161 D	FL 630 ULTRA	560/60 R 22.5 161 D	RIDEMAX FL 693 M
	580/65 R 22.5 166 D	RIDEMAX FL 693 M	600/55 R 26.5 (SB) 165 D	FL 630 SUPER
	650/65 R 26.5 169 D/178 A8			

SB: Steel Belted

HOW TO READ DATA

MODEL	TIRE POSITION	
	TIRE SIZE (Version) L/USS PR	BKT Pattern



		MODEL	FITMENT				
	MB 340 T	Rear		Front			
		560/60 R 22.5 161 D	FL 630 ULTRA	560/60 R 22.5 161 D	RIDEMAX FL 693 M		
		580/65 R 22.5 166 D	RIDEMAX FL 693 M	600/55 R 26.5 (SB) 165 D	FL 630 SUPER		
		650/65 R 26.5 169 D/178 A8					
	MB 340 Q	Rear		Front			
		560/60 R 22.5 161 D	FL 630 ULTRA	560/60 R 22.5 161 D	RIDEMAX FL 693 M		
		580/65 R 22.5 166 D	RIDEMAX FL 693 M	600/55 R 26.5 (SB) 165 D	FL 630 SUPER		
		650/65 R 26.5 169 D/178 A8					
	MB 370 T	Rear		Front			
		560/60 R 22.5 161 D	FL 630 ULTRA	560/60 R 22.5 161 D	RIDEMAX FL 693 M		
		580/65 R 22.5 166 D	RIDEMAX FL 693 M	600/55 R 26.5 (SB) 165 D	FL 630 SUPER		
		650/65 R 26.5 169 D/178 A8					
	MB 370 Q	Rear		Front			
		560/60 R 22.5 161 D	FL 630 ULTRA	560/60 R 22.5 161 D	RIDEMAX FL 693 M		
		580/65 R 22.5 166 D	RIDEMAX FL 693 M	600/55 R 26.5 (SB) 165 D	FL 630 SUPER		
		650/65 R 26.5 169 D/178 A8					

SB: Steel Belted

TILTING TRAILER



MODEL

FITMENT



MODEL	Rear		Front	
	CMR 200	500/60 R 22.5 152 D	FL 630 ULTRA	550/60 R 22.5 163 B
550/60 R 22.5 156 B		FLOTATION 648	FLOTATION V LINE	




MODEL	Rear		Front	
	CMR 201/202	550/60 R 22.5 156 B	FLOTATION 648	500/60 R 22.5 155 D
560/60 R 22.5 161 D		RIDEMAX FL 693 M		



MODEL	Rear		Front	
	CMR 300	500/60 R 22.5 152 D	FL 630 ULTRA	560/60 R 22.5 161 D
500/60 R 22.5 155 D		RIDEMAX FL 693 M		

HOW TO READ DATA

MODEL	TIRE POSITION	
	TIRE SIZE (Version) L/USS PR	BKT Pattern

	MODEL	FITMENT 			
	CMR 301/302	Rear		Front	
		550/60 R 22.5 156 B	FLOTATION 648	500/60 R 22.5 152 D	FL 630 ULTRA
		500/60 R 22.5 155 D	RIDEMAX FL 693 M	560/60 R 22.5 161 D	RIDEMAX FL 693 M
	CMR 304/305	Rear		Front	
		550/60 R 22.5 156 B	FLOTATION 648	500/60 R 22.5 152 D	FL 630 ULTRA
		500/60 R 22.5 155 D	RIDEMAX FL 693 M	560/60 R 22.5 161 D	RIDEMAX FL 693 M
	CMR 315/316	Rear		Front	
		500/60 R 22.5 152 D	FL 630 ULTRA	500/60 R 22.5 155 D	RIDEMAX FL 693 M
		560/60 R 22.5 161 D	RIDEMAX FL 693 M		

TILTING TRAILER



MODEL

FITMENT



CMRA 140

Rear

Front

500/60 R 22.5
152 D

FL 630 ULTRA

500/60 R 22.5
155 D

RIDEMAX FL 693 M

500/60 R 22.5
149 D/146 E

RIDEMAX FL 693 M



CMRA 141

Rear

Front

500/60 R 22.5
155 D

RIDEMAX FL 693 M

500/60 R 22.5
152 D

FL 630 ULTRA

550/60 R 22.5
156 B

FLOTATION 648



CMRC 14

Rear

Front

500/60 R 22.5
152 D

FL 630 ULTRA

500/60 R 22.5
155 D

RIDEMAX FL 693 M

500/60 R 22.5
149 D/146 E

RIDEMAX FL 693 M



SEVERAL
MODELS

Rear

VF 480/45 R 17
167 A8/B

AW711

HOW TO READ DATA

MODEL	TIRE POSITION	
	TIRE SIZE (Version) L/USS PR	BKT Pattern

ROUND BALE
LOADERS

Alberti

MODEL

FITMENT



AM6P

Rear

400/60 - 15.5
18 PR

AW708

TRAILER



MODEL

FITMENT



THB1AM6N

Rear

400/60 - 15.5
149 A8

AW708



TRAILER



MODEL

FITMENT



FC160D





Rear

500/60 R 22.5
155 D

RIDEMAX FL 693 M





TRAILER







	MODEL	FITMENT	
 <p>DUMPER TRE ASSI</p>	FC170D	Rear	
		500/60 R 22.5 16 PR	FLOTATION V LINE
	FC270D3	Rear	
		500/60 R 22.5 155 D	RIDEMAX FL 693 M
		560/60 R 22.5 161 D	RIDEMAX FL 693 M
		600/50 R 22.5 159 D	RIDEMAX FL 693 M
	FC270D4	Rear	
		500/60 R 22.5 155 D	RIDEMAX FL 693 M
		560/60 R 22.5 161 D	RIDEMAX FL 693 M
		600/50 R 22.5 159 D	RIDEMAX FL 693 M




HOW TO READ DATA

MODEL	TIRE POSITION	
	TIRE SIZE (Version) L/U/S/PR	BKT Pattern




	MODEL	FITMENT 	
	N120 BIO	Front	
		5.00 - 8 8 PR	PL 801
	T190 BIO	Front	
		23 X 10.5 - 12 8 PR	TR 315

	MODEL	FITMENT 	
	CLAUT 30 MR	Rear	
		10.0/75 - 15.3 130 A8 14 PR	AW 702
	CLAUT 40 MR	Front	
		11.5/80 - 15.3 139 A8 14 PR	AW 702

TRAILER




		MODEL	FITMENT	
	CLAUT 50 MR	Rear		
		15.0/55 - 17 141 A8 14 PR	AW 705	
	CLAUT 60 MR	Front		
		15.0/55 - 17 155 A8 26 PR	AW 705	


TRAILED SPRAYER




		MODEL	FITMENT	
	APOLLO 1000	Rear		
	APOLLO 2000	10.0/75 R 15.3 123 A8	AW 909	
	Enea TR 1000	Front		
		10.0/75 R 15.3 123 A8	AW 909	


HOW TO READ DATA









MODEL	TIRE POSITION	
	TIRE SIZE (Version) L/USS PR	BKT Pattern

	MODEL	FITMENT		
	GIOVE 1000	Rear		
	GIOVE 1500	10.0/75 R 15.3 123 A8	AW 909	
	GIOVE 2000			

	NETTUNO 1000	Front		
	NETTUNO 1500	10.0/75 R 15.3 123 A8	AW 909	
	NETTUNO 2000			

	MODEL	FITMENT				
	SV4 400-9	Rear		Front		
		560/60 R 22.5 165 D	RIDEMAX FL 693 M	560/60 R 22.5 165 D	RIDEMAX FL 693 M	





	B4 350	Rear		Front	
		560/60 R 22.5 165 D	RIDEMAX FL 693 M	560/60 R 22.5 165 D	RIDEMAX FL 693 M

TRAILER		MODEL	FITMENT 			
		RA4 400-9	Rear		Front	
			600/55 R 26.5 165 D	RIDEMAX FL 693 M	600/55 R 26.5 165 D	RIDEMAX FL 693 M
MANURE SPREADER		MODEL	FITMENT 			
		150	Rear			
			500/60 R 22.5 155 D	FL 630 ULTRA		
		A25	Rear			
			13.0/55 - 16 133 A8	AW 702		
		A45	Rear			
13.0/55 - 16 133 A8			AW 702			

HOW TO READ DATA

MODEL	TIRE POSITION	
	TIRE SIZE (Version) L/USS PR	BKT Pattern



F.IIi ANNOVI	MODEL	FITMENT	
	A55	Rear	
		500/50 - 17 140 A8	AW 708
	A65	Rear	
		385/65 R 22.5 18 PR	FLOTATION 648
	A75	Rear	
		385/65 R 22.5 18 PR	FLOTATION 648
	RS180	Rear	
		500/60 R 22.5 155 D	FL 630 ULTRA

F.lli ANNOVI		MODEL	FITMENT			
MANURE SPREADER		RS200	Rear			
			560/60 R 22.5 161 D		FL 630 ULTRA	
COSTRUZIONI MECCANICHE Ferrari		MODEL	FITMENT			
AUTOMATIC TRANSPLANTER		FUTURA	Rear			
			26 X 12.00 - 12 14 PR		LG 306	
SELF-PROPELLED TRANSPLANTER		FASTBLOCK 4 FILE	Rear			
			250/85 R 20 116 A8/B		AGRIMAX RT 855	
TRANSPLANTER		FMAX 6 FILE TRAINATA	Rear		Front	
			18 X 9.50 - 8 4 PR	LG 306	23 X 10.50 - 12 8 PR	TR 315

HOW TO READ DATA

MODEL	TIRE POSITION	
	TIRE SIZE (Version) L/USS PR	BKT Pattern



MODEL

FITMENT



TANK TRAILER



GL120

Rear

Front

560/60 R 22.5
161 D

FL 630 ULTRA

550/60 R 22.5
6 PR

FLOTATION V LINE

DUMPER



DP3AF

Rear

Front

560/60 R 22.5
161 D

FL 630 ULTRA

560/60 R 22.5
161 D

FL 630 ULTRA

MANURE SPREADER
2-AXLE HORIZONTAL



SP20140

Rear

Front

550/60 R 22.5
16 PR

FLOTATION V LINE

550/60 R 22.5
16 PR

FLOTATION V LINE

MANURE SPREADER
2-AXLE VERTICAL



SP20200

Rear

Front

560/60 R 22.5
161 D

FL 630 ULTRA

560/60 R 22.5
161 D

FL 630 ULTRA

		MODEL	FITMENT	
DUMPER TRAILER		BS 340/3	Rear	
			560/60 R 22.5 165 D	RIDEMAX FL 693 M
SPREADER TRAILER		GENIUS	Rear	
			560/60 R 22.5 165 D	RIDEMAX FL 693 M
SLURRY TANK		EUROPA 340/3	Rear	
			550/60 R 22.5 16 PR	FLOTATION V LINE

HOW TO READ DATA

MODEL	TIRE POSITION	
	TIRE SIZE (Version) L/U/S/S PR	BKT Pattern

TRAILED GRAPE HARVESTER



MODEL

FITMENT



HS 10
HS 27
HS 30

Rear

400/70 R 20 (IND)
149 A8/B

MULTIMAX MP 522

BALE WRAPPER



MODEL

FITMENT



5100

Rear

13.0/55 - 16
14 PR

AW 702

ROUND BALER



CORSA 420

Rear

19.0/45 - 17
10 PR

AW 708









DIAVEL 630

Rear

500/50 - 17
10 PR

FLOTATION 648

IND: Industrial

	MASCAR	MODEL	FITMENT 	
SEED DRILL		ARIZONA	Front	
			10.0/80 - 12 10 PR	AW 909
	MASCHIO	MODEL	FITMENT 	
COMBINED CULTIVATOR		DRACULA	Left & Right	
			550/45 - 22.5 16 PR	FLOTATION 648
DIRECTA SEED DRILL		DIRETTA GIGANTE PRESSURE	Left & Right	
			400/60 - 15.5 18 PR	TR 882
DIRECTA SEED DRILL		GIGANTE PRESSURE	Left & Right	
			500/45 - 22.5 16 PR	FLOTATION 558

HOW TO READ DATA


MODEL	TIRE POSITION	
	TIRE SIZE (Version) L/USS PR	BKT Pattern





MODEL


FITMENT






	VELOCE	Left & Right	
		500/45 - 22.5 16 PR	FLOTATION 558


	UFO	Left & Right	
		400/60 - 15.4 18 PR	TR 882
		500/45 - 22.5 16 PR	FLOTATION 558


	ENTRY 120-150	Left & Right	
		400/60 - 15.5 18 PR	TR 882

	MONDIALE 110	Left & Right	
		15.0/55 - 17 14 PR	AW 909
		400/60 - 15.5 18 PR	TR 882


FIXED CHAMBER
ROUND BALER

	MODEL	FITMENT 	
	MONDIALE 120	Left & Right	
		400/60 - 15.5 18 PR	TR 882
		19.0/45 - 17 10 PR	AW 708
		550/45 - 22.5 16 PR	FLOTATION 648

	MONDIALE 120 COMBI	Left & Right	
		600/55 R 26.5 165 D	RIDEMAX FL 693 M

	TROTTER 125	Left & Right	
		400/60 - 15.5 18 PR	TR 882
		19.0/45 - 17 10 PR	AW 708






PRECISION
PLANTER

	JULIA CHRONO 916	Left & Right	
		520/85 R 42 167 A8/B	AGRIMAX RT 855

HOW TO READ DATA

MODEL	TIRE POSITION	
	TIRE SIZE (Version) L/U/S/ PR	BKT Pattern



	MODEL	FITMENT	
	MIRKA	Left & Right	
		26 X 12.00 - 12 8 PR	TR 319
	RENATA CHRONO 708	Left & Right	
		10.5/80 - 18 14 PR	AW 702
	PINA PINTA PINTA ISOTRONIC	Left & Right	
	26 X 12.00 - 12 8 PR	TR 319	
	CAMPO 15-20	Left & Right	
		230/95 R 36 130 A8/B	AGRIMAX RT 955
230/95 R 44 134 A8/B	AGRIMAX RT 955		

TRAILED SPRAYER

	MODEL	FITMENT	
	CAMPO 22-32	Left & Right	
		230/95 R 36 130 A8/B	AGRIMAX RT 955
		270/95 R 48 144 A8/B	AGRIMAX RT 955

	CAMPO 44-65	Left & Right	
		340/85 R 48 152 A8/B	AGRIMAX RT 955

VARIABLE CHAMBER
ROUND BALER

	EXTREME 1	Left & Right	
		400/60 - 15.5 18 PR	TR 882
		19.0/45 - 17 10 PR	AW 708

	EXTREME 2	Left & Right	
		400/60 - 15.5 18 PR	TR 882
		19.0/45 - 17 10 PR	AW 708
		550/45 - 22.5 16 PR	FLOTATION 648

HOW TO READ DATA

MODEL	TIRE POSITION	
	TIRE SIZE (Version) L/USS PR	BKT Pattern



MODEL

FITMENT



EXTREME 3

Left & Right

400/60 - 15.5
18 PR

TR 882

19.0/45 - 17
10 PR

AW 708

550/45 - 22.5
16 PR

FLOTATION 648



MODEL

FITMENT



6 G3

Rear

10.0/80 - 12
8 PR

AW 909



8 81 EV

Rear

26 X 12.00 - 12
8 PR

LG 306









10 V6R

Rear

23 X 10.50 - 12
8 PR




LG 306




SPRAYER


	MODEL	FITMENT 	
	10 81 VV	Rear	
		10.0/75 - 15.3 10 PR	AW 909
	15 91 VV	Rear	
		13.0/55 - 16 12 PR	AW 702
	15 UZZ	Rear	
		15.0/55 - 17 10 PR	AW 909
	30 42 H	Rear	
		400/60 - 15.5 14 PR	TR 882


HOW TO READ DATA

MODEL	TIRE POSITION	
	TIRE SIZE (Version) L/USS PR	BKT Pattern

	MODEL	FITMENT		
	40 42 H	Rear		
		500/45 - 22.5 16 PR	FLOTATION 558	

	MODEL	FITMENT		
	REN FRUT R302	Rear		
		400/60 - 15.5 145 A8 14 PR	RIB 900	

	R501	Rear		
		500/60 - 22.5 16 PR	FLOTATION V LINE	

	R141	Rear		
		500/60 R 22.5 155 D	FL 630 ULTRA	


MANURE SPREADER



MODEL

FITMENT



		Rear	
	RP80	650/65 R 30.5 176 D	FL 630 SUPER
		Rear	
	RP141	600/55 R 26.5 (SB) 165 D	RIDEMAX FL 693 M
		Rear	
	RP201	560/60 R 22.5 (SB) 165 D	RIDEMAX FL 693 M
		Rear	
	RP301	11.5/80 - 15.3 12 PR	AW 909
		Rear	





SB: Steel Belted

HOW TO READ DATA


MODEL	TIRE POSITION	
	TIRE SIZE (Version) L/U/S/PR	BKT Pattern






ATOMIZER

	MODEL	FITMENT 	
	EXTREME PLUS 2000 LT	Rear	
		13.0/55 - 16 133 A8 12 PR	AW 702
	RACING 1000 LT	Rear	
		10.0/80 - 12 121 A8 10 PR	AW 702

SPRAYER

	NIMBUS 4200 LT	Rear	
		300/95 R 52 151 A8/B	AGRIMAX RT 955

BACKHOE LOADER

	MODEL	FITMENT 	
	VF 8.23F	Rear	
		14.5 - 20 14 PR	MP 567
		Front	
		14.5 - 20 14 PR	MP 567

		MODEL	FITMENT			
			Rear		Front	
MINI BACKHOE LOADER		VF 1.33B	10.0/75 - 15.3 14 PR	MP 567	10.0/75 - 15.3 14 PR	MP 567
WHEEL LOADER		VF 18.63B	750/65 R 26 171 A8/B	AGRIMAX TERIS	750/65 R 26 171 A8/B	AGRIMAX TERIS
	VF 1.63C	31 X 15.5 - 15 10 PR	SKID POWER HD	31 X 15.5 - 15 10 PR	SKID POWER HD	
		420/55 R 17 145 A8	AS 504	420/55 R 17 145 A8	AS 504	

HOW TO READ DATA

MODEL	TIRE POSITION	
	TIRE SIZE (Version) L/U/S/S PR	BKT Pattern



MODEL

FITMENT



MULTIPURPOSE
AGGREGATE



GRIZZLY X4

Rear

500/50 - 17
14 PR

FLOTATION 648

REVERSIBLE
PLOW VARIO



POV 4

Rear

10.0/80 - 12
10 PR

AW 909

ROW SEED DRILL



SR 250

Rear

6.00 - 16
6 PR

AS 504

SMALL SINGLE
BEAM PLOUGH








PJM 3




Rear



200/60 - 14.5
10 PR

RIB 774

SUBSOILER		MODEL	FITMENT 	
		DURO 30	Rear	
			10.0/80 - 12 10 PR	AW 909

TRAILED DISC CULTIVATOR		MODEL	FITMENT 	
		ATO 30	Rear	
			185/65 - 15 4 PR	AS 507

SLURRY TANKERS		MODEL	FITMENT 	
		MAX - 8000	Rear	
			700/50 - 26.5 16 PR	FLOTATION 648

SLURRY TANKERS		MODEL	FITMENT 	
		MAX - 20000	Rear	
			710/50 R 26.5 170 D/181 A8	FL 630 ULTRA

HOW TO READ DATA

MODEL	TIRE POSITION	
	TIRE SIZE (Version) L/USS PR	BKT Pattern

SLURRY TANKERS



MODEL

FITMENT



MAX - 22000

Rear

850/50 R 30.5
182 D

RIDEMAX FL 693 M

BALL WRAPPER



MODEL

FITMENT



Z-598

Rear

400/60 - 15.5
14 PR

RIB 900

BEL-MIX
DOUBLE-AUGER
FEEDER WAGON



T-659

Rear

500/50 - 17
14 PR

AW 708

FIELD CULTIVATOR



U457

Rear

500/50 - 17
14 PR




FLOTATION 648

		MODEL	FITMENT	
MANURE SPREADER - ONE AXLE		FALCON	Rear	
			520/85 R 38 155 A8	AGRIMAX RT 855
MANURE SPREADER - TANDEM		VIKING	Rear	
			600/55 - 26.5 16 PR	FLOTATION 648
ROLLER BALER		Z-562	Rear	
			400/60 - 15.5 14 PR	RIB 900
TRAILER		T711/1	Rear	
			400/60 - 22.5 18 PR	FLOTATION 648




HOW TO READ DATA

MODEL	TIRE POSITION	
	TIRE SIZE (Version) L/USS PR	BKT Pattern


TRAILER - ONE AXLE

	MODEL	FITMENT 	
	T-703A	Rear	
		11.5/80 - 15.3 16 PR	AW 909

FERTILIZER SPREADER

	MODEL	FITMENT 	
	UPR-7	Rear	
		550/60 - 22.5 16 PR	FLOTATION V LINE

SLURRY TANKER

		Rear	
	T-522	600/50 - 22.5 16 PR	FLOTATION 648

		MODEL	FITMENT	
SLURRY TANKER		T-550	Rear	
			700/50 - 26.5 16 PR	FLOTATION 648
		MODEL	FITMENT	
2-AXLE TRAILERS		PRS-2 / W12 TON-LONG	Rear	
			550/45 - 22.5 20 PR	FLOTATION 648
BALE PLATFORMS		PRS-3S / S24	Rear	
			500/50 - 17 18 PR	AW 708

HOW TO READ DATA

MODEL	TIRE POSITION	
	TIRE SIZE (Version) L/U/S/S PR	BKT Pattern



MODEL

FITMENT



HALF-PIPES



PRC-2HP / W10
KONISH

650/55 R 26.5
169 D/180 A8

FL 630 ULTRA

Rear



PRC-2HP / W18
AGRICULTURAL

710/50 R 26.5
170 D/181 A8

FL 630 ULTRA

Rear



PRC-3HP / W25
TRIDEM

600/55 R 26.5
165 D/176 A8

FL 630 ULTRA

Rear

TANDEM TRAILERS








PRC-2 / W14D T

400/60 - 22.5
18 PR

FLOTATION 648






Rear





		MODEL	FITMENT 	
BALE PLATFORM		D-744-13	Rear	
			500/50 - 17 18 PR	AW 708
TANDEM TRAILER		D-762-10	Rear	
			550/60 - 22.5 16 PR	FLOTATION V LINE
		D-764-21 1R	Rear	
			710/50 R 26.5 170 D/181 A8	FL 630 ULTRA

HOW TO READ DATA

MODEL	TIRE POSITION	
	TIRE SIZE (Version) L/U/S/S PR	BKT Pattern






	MODEL	FITMENT			
	PRESTO	Rear			
		400/60 - 15.5 18 PR	TR 882		
	UFO	Rear			
		400/55 - 22.5 12 PR	FLOTATION 558		
	UFO TZAR	Rear			
		500/45 - 22.5 16 PR	FLOTATION 558		
400/60 - 15.5 18 PR	TR 882				
	VELOCE	Rear		Front	
		400/60 - 15.5 18 PR	TR 882	200/60 - 14.5 14 PR	SL 441

	MASCHIO	MODEL	FITMENT 			
FIXED CHAMBER ROUND BALER		ENTRY 120	Rear			
			11.5/80 - 15.3 10 PR		AW 909	
		ENTRY 150	Rear			
			400/60 - 15.5 14 PR		RIB 900	
HEAVY DUTY SPEED DISC		ADMIRAL	Rear		Front	
			550/45 - 22.5 20 PR	FLOTATION 648	13.0/65 - 18 16 PR	AW 702

HOW TO READ DATA

MODEL	TIRE POSITION	
	TIRE SIZE (Version) L/U/S/ PR	BKT Pattern




	MODEL	FITMENT			
		Rear		Front	
	GRATOR	500/45 - 22.5 16 PR	FLOTATION 558	10.0/80 - 12 10 PR	AW 909
	SANDOKAN	Rear			
		500/45 - 22.5 16 PR	FLOTATION 558		

		MODEL	FITMENT			
	STUBBLE CULTIVATOR		DRACULA 430	Rear		
550/45 - 22.5 20 PR				FLOTATION 648		
STUBBLE CULTIVATOR		DRACULA 630	Rear			
			700/40 - 22.5 16 PR		FLOTATION 648	
TRAILED SUBSOILER		DIABLO	Rear		Front	
			550/60 - 22.5 16 PR	FLOTATION V LINE	10.0/75 - 15.3 18 PR	AW 909

HOW TO READ DATA




MODEL	TIRE POSITION	
	TIRE SIZE (Version) L/U/S PR	BKT Pattern



	MODEL	FITMENT	
	CGKC 2200 V	Trailer	
		15.0/55 - 17 14 PR	AS 504
	CGKC 3200 V	Trailer	
		19.0/45 - 17 14 PR	AS 504
	CGKC 5300 V	Trailer	
		560/60 R 22.5 161 D/172 A8	FL 630 ULTRA
		560/60 R 22.5 165 D/162 E	RIDEMAX FL 693 M

FORESTRY TRAILER








KRPAN	MODEL	FITMENT	
	GP 8 D	Trailer	
		400/60 - 15.5 18 PR	TR 882
	GP 10 D	Trailer	
		500/50 - 17 18 PR	FLOTATION 648
	GP 12 D	Trailer	
		550/45 - 22.5 20 PR	FLOTATION 648 T

HOW TO READ DATA

MODEL	TIRE POSITION	
	TIRE SIZE (Version) L/U/S PR	BKT Pattern



	MODEL	FITMENT			
	PLATINUM SERIES 2120	Rear		Front	
		30.5L - 32 18 PR	TR317	18.4 - 30 12 PR	TR 135
	PLATINUM SERIES 2150	Rear		Front	
		900/60 R 32 185 A8/182 B	AGRIMAX TERIS	23.1 - 30 12 PR	TR 135
	PLATINUM SERIES 2170	Rear		Front	
		900/60 R 32 185 A8/182 B	AGRIMAX TERIS	23.1 - 30 12 PR	TR 135
	PLATINUM SERIES 2210	Rear		Front	
		900/60 R 32 185 A8/182 B	AGRIMAX TERIS	650/75 R 32 172 A8/B	AGRIMAX TERIS



Corporate Office

Balkrishna Industries Ltd.

BKT HOUSE, C/15, Trade World, Kamala Mills Compound, Senapati Bapat Marg, Lower Parel, Mumbai - 400013, India
Tel: (+91) 22-6666 3800 - Fax: (+91) 22-6666 3898/99 - e-mail: info@bkt-tires.com - bkt-tires.com

BKT Europe srl

Viale Della Repubblica, 133
20831 Seregno (MB), Italy
Tel: (+39) 0362 33 03 28
(+39) 0362 32 51 07
Fax: (+39) 0362 23 24 72

BKT USA Inc.

202 Montrose West Ave. Suite 240
Copley, Ohio 44321
Tel: (+1) 330 836 1090
Fax: (+1) 330 836 1091
Toll Free: (+1) 888 660 0662

BKT Tires (CANADA) Inc.

55 York Street, Suite 401
Toronto, Ontario M5J 1R7, Canada
Tel: AG/IND (+1) 905 641 5636
OTR (+1) 780 888 5667
Fax: (+1) 416 229 1711



bkt-tires.com