

**emXpress**

**2012**

III EDITION



Off-Highway Tyre Solutions



GROWING TOGETHER



# INDEX

## INDUSTRIAL & CONSTRUCTION EQUIPMENTS

 CUKUROVA.....	4
 JCB.....	4
 BOMAG GERMANY.....	5
 AMMANN.....	6
 MERLO.....	7
 HAMM.....	8
 OEM - PT SAKAI INDONESIA.....	9
 SHIN HEUNG ( KOREA ).....	9



Technology as a passion.

**JOHN DEERE**





MYUNGSUNG CO.,LTD.






NICHINOUKI SEIKO ( JAPAN )




# ÇUKUROVA

TYPE	MODEL	FITMENT	BKT TYRE SIZE			
BACKHOE LOADER 	883 - 885	FRONT	12.5/80-18	AT621	12PR	TL
		REAR	16.9-28	AT621	12PR	TL
	888	FRONT	16.9-28	AT621	12PR	TL
		REAR	16.9-28	AT621	12PR	TL
WHEEL LOADER 	940	FRONT	20.5-25	XL-GRIP	16PR	TL
		REAR	20.5-25	XL-GRIP	16PR	TL





TYPE	MODEL	FITMENT	BKT TYRE SIZE			
WHEEL LOADER 	456HT - 456eHT - 456ZX - 456eZX	FRONT	23.5-25	XL-GRIP	20PR	TL
		REAR	23.5-25	XL-GRIP	20PR	TL
	436HT - 436eHT 436ZX - 436eZX 426HT - 426ZX 426eZX	FRONT	20.5-25	XL-GRIP	16PR	TL
		REAR	20.5-25	XL-GRIP	16PR	TL
	416HT - 416S	REAR	17.5-25	XL-GRIP	16PR	TL
		FRONT	17.5-25	XL-GRIP	16PR	TL
LOADING SHOVEL 	403	FRONT	10.0/75-15.3	AS504	10PR	TL
		REAR	10.0/75-15.3	AS504	10PR	TL
AGRICULTURE TELESCOPIC HANDLER 	515-40	FRONT	10.0/75-15.3	AS504	10PR	TL
		REAR	10.0/75-15.3	AS504	10PR	TL

# BOMAG



TYPE	MODEL	FITMENT	BKT TYRE SIZE			
COMPACTOR PNEUMATIC ROLLER  	BW24RH - BW27RH	FRONT	11.00-20	PACMASTER	18PR	TT
		REAR	11.00-20	PACMASTER	18PR	TT
	BW 25RH	FRONT	11.00-20	PACMASTER	16PR	TT
		REAR	11.00-20	PACMASTER	16PR	TT
COMPACTOR SINGLE DRUM ROLLER  	BW211D-4 BW211PD-4 BW211D-40 BW211PD-40 BW212D-40 BW212PD-40 BW213D-4 BW213DH-4BVC BW213DH-4BVC/P BW213DI-4BVC BW226DI-4BVC BW213DH-4BVC BW213DH-4BVC/P	FRONT	DRUM			
	BW213D-40 BW213PD-40 BW214D-4 BW214DH-4 BW214PDH-4 BW216DH-4 BW216PDH-4 BW216D-4 BW216PD-4 BW219D-4 BW219PD-4 BW219DH-4 BW219PDH-4	REAR	23.1-26	TR387	12PR	TL

# AMMANN


TYPE	MODEL	FITMENT	BKT TYRE SIZE			
COMPACTOR PNEUMATIC ROLLER 	AP240 - AP240H	FRONT	11.00-20	PACMASTER	18PR	TT
		REAR	11.00-20	PACMASTER	18PR	TT
COMPACTOR SINGLE DRUM ROLLER 	ASC 110 HD ASC 110 HT ASC 110 PD ASC 110 HDPD ASC 110 HTPD ASC 130 D ASC 130 HT ASC 130 PD ASC 130 HDPD ASC 130 HTPD ASC 150 D ASC 150 HD ASC 150 PD ASC 150 HT ASC 150 HDPD ASC 150 HTPD	FRONT	DRUM			
	ASC 200 D ASC 200 HD ASC 200 HT ASC 200 PD ASC 200 HDPD ASC 200 HTPD ASC 250 D ASC 250 HD ASC 250 HT ASC 250 PD ASC 250 HDPD ASC 250 HTPD	REAR	23.1-26	TR387	12PR	TL

TYPE		MODEL	FITMENT	BKT TYRE SIZE			
	COMPACT LINE	P28.8L - P28.8L PLUS P28.8PLUS - P28.8TOP P32.6L - P32.6PLUS P32.6TOP	FRONT	16.0/70-20	AS504	14PR	TL
			REAR	16.0/70-20	AS504	14PR	TL
	PANORAMIC LINE	P34.7 - P34.10 - P36.7 P36.10 - P39.10 P40.16 - P40.17	FRONT	405/70-24 (16.0/70-24)	MP600	14PR	TL
			REAR	405/70-24 (16.0/70-24)	MP600	14PR	TL
		P37.12PLUS - P38.12 P38.12PLUS - P38.13 P38.13PLUS - P38.14 P38.14PLUS - P40.9 P40.9PLUS - P60.10	FRONT	16.0/70-20	AS504	14PR	TL
			REAR	16.0/70-20	AS504	14PR	TL
	TURBOFARMER LINE	P34.7PLUS - P34.7TOP P34.10PLUS P34.10TOP P36.7PLUS - P36.7TOP P36.10PLUS P36.10TOP - P37.10 P37.10TOP - P38.10 P38.10TOP - P40.7 P40.7TOP - P41.7 P41.7TOP	FRONT	405/70-24 (16.0/70-24)	MP600	14PR	TL
			REAR	405/70-24 (16.0/70-24)	MP600	14PR	TL
	MULTIFARMER LINE	27.8 - 29.6	FRONT	405/70-24 (16.0/70-24)	MP600	14PR	TL
			REAR	405/70-24 (16.0/70-24)	MP600	14PR	TL
	ROTO LINE	50.10S - 38.14 - 38.14S 38.16 - 38.16S	FRONT	16.0/70-20	AS504	14PR	TL
			REAR	16.0/70-20	AS504	14PR	TL
	DBM LINE	DBM2500EV	FRONT	16.0/70-20	AS504	14PR	TL
			REAR	16.0/70-20	AS504	14PR	TL



TYPE	MODEL	FITMENT	BKT TYRE SIZE			
COMPACTOR SINGLE DRUM ROLLER 	H20i - H20iP - H18i H18iP - 3410 - 3410P 3411 - 3411P - 3412 3412P - 3412HT 3412HT P - 3412VIO 3412HT VIO - 3414 3414P - 3414VIO 3414HT VIO - 3516 3516P - 3516HT 3516HT P - 3518 3518P - 3518HT 3518HT P - 3520 3520P - 3520HT 3520HT P	FRONT	DRUM			
		REAR	23.1-26	TR387	12PR	TL
	3307 - 3307P - 3307HT 3307HT P - 3307VIO 3307HT VIO	FRONT	DRUM			
		REAR	14.9-24	TR391	8PR	TL
COMPACTOR PNEUMATIC ROLLER 	HD14TT - HD14VT	FRONT	10.5/80-16	PACMASTER	6PR	TL
		REAR	10.5/80-16	PACMASTER	6PR	TL
	GRW10 - GRW15 - GRW18 - GRW21 - GRW24 - GRW280-10 GRW280-12 GRW280-16 GRW280-20 GRW280-24 GRW280-28 HD110K	FRONT	11.00-20	PACMASTER	18PR	TL
		REAR	11.00-20	PACMASTER	18PR	TL

# SAKAI®

TYPE	MODEL	FITMENT	BKT TYRE SIZE			
VIBRATING ROLLER 	SV512 series	REAR	23.1-26 8 PR TR390 TL			
	SV515 series	REAR	23.1-26 8 PR TR390 TL			



















APPLICATION		MODEL	FITMENT	BKT TYRE SIZE
	SKID STEER LOADER	SLL6000	FRONT	10-16.5 8 PR SP S/K TL
			REAR	10-16.5 8 PR SP S/K TL
	SKID STEER LOADER	SLL5000	FRONT	10-16.5 10 PR SP S/K TL
			REAR	10-16.5 10 PR SP S/K TL
	SKID STEER LOADER	SLL8700	FRONT	12-16.5 12PR SP S/K TL
			REAR	12-16.5 12PR SP S/K TL
	SKID STEER LOADER	SLL6700	FRONT	12-16.5 12PR SP S/K TL
			REAR	12-16.5 12PR SP S/K TL




# INDEX

## AGRICULTURE EQUIPMENTS

 CNH.....	11
 BCS.....	13
 FERRARI.....	15
 CLAAS.....	17
 GOLDONI.....	18
 JOHN DEERE.....	19
 AGRALE.....	21
 MYUNGSUNG ( KOREA ).....	22
 TYM ( KOREA ).....	23
 YANMAR ( JAPAN ).....	23
 YAMABIKO HOKKAIDO ( JAPAN ).....	24
 TOYO NOUKI ( JAPAN ).....	24
 NICHINOUKI SEIKO ( JAPAN ).....	24



TYPE	MODEL		FITMENT	BKT TYRE SIZE				
	TD90D - TD95D TD100D	4WD	FRONT	340/85R24	RT855	125A8/B	TL	
			REAR	460/85R34	RT855	147A8/B	TL	
	TD95D	4WD	FRONT	360/70R24	RT765	122A8/B	TL	
			REAR	480/70R34	RT765	149A8/B	TL	
	TD4020F	4WD	FRONT	280/70R16	RT765	112A8/B	TL	
			REAR	360/70R24	RT765	122A8/B	TL	
	TD4030F	4WD	FRONT	280/70R18	RT765	114A8/B	TL	
			REAR	380/70R24	RT765	125A8/B	TL	
	TD4040F	4WD	FRONT	280/70R20	RT765	116A8/B	TL	
			REAR	380/70R28	RT765	127A8/B	TL	
	T4020V - T4030V T4040V - 4050V	4WD	FRONT	200/70R16	RT765	94A8/B	TL	
			REAR	360/70R20	RT765	129A8/B	TL	
			FRONT	240/70R16	RT765	104A8/B	TL	
			REAR	360/70R24	RT765	122A8/B	TL	
					320/85R24	RT855	122A8/B	TL
	T4030N - T4030F T4040F - T4050F	4WD	FRONT	260/70R16	RT765	109A8/B	TL	
			REAR	380/70R24	RT765	125A8/B	TL	
	T4030F - T4040F T4050F	4WD	FRONT	280/70R16	RT765	109A8/B	TL	
REAR			380/70R24	RT765	125A8/B	TL		
T4030F - T4040F T4050F	4WD	FRONT	280/70R20	RT765	116A8/B	TL		
		REAR	380/85R28	RT855	133A8/B	TL		
TD5030 - TD5040 TD5050 -	4WD	FRONT	320/85R24	RT855	122A8/B	TL		
		REAR	340/85R28	RT855	127A8/B	TL		
			460/85R30	RT855	145A8/B	TL		
T5030	2WD	FRONT	7.50-16	TF9090	8PR	TT		
		REAR	420/85R30	RT855	140A8/B	TL		
	T5030 - T5040 - T5050 T5060 - T5070	4WD	FRONT	280/85R24	RT855	115A8/B	TL	
			REAR	420/85R30	RT855	140A8/B	TL	
			FRONT	280/85R28	RT855	118A8/B	TL	
			REAR	340/85R38	RT855	133A8/B	TL	
			FRONT	340/85R24	RT855	125A8/B	TL	
			REAR	420/85R34	RT855	142A8/B	TL	
			FRONT	380/70R24	RT765	125A8/B	TL	
REAR	480/70R34	RT765	149A8/B	TL				
TD5030 - TD5040 TD5050 - T5040 T5050 - T5060 TD5050	4WD	FRONT	340/85R24	RT855	125A8/B	TL		
		REAR	420/85R34	RT855	142A8/B	TL		
		REAR	460/85R34	RT855	147A8/B	TL		

TYPE	MODEL		FITMENT	BKT TYRE SIZE			
	T480	4WD	FRONT	280/70R18	RT765	114A8/B	TL
			REAR	340/85R28	RT855	127A8/B	TL
	T480	4WD	FRONT	240/70R16	RT765	104A8/B	TL
			REAR	320/85R24	RT855	122A8/B	TL
	TD3.5	4WD	FRONT				
			REAR				
	65/56S - 75/56S	2WD	FRONT	7.50-16	TF9090	8PR	TT
			REAR	16.9-30	TR136	10PR	TT
	TD60D - TD70D	4WD	FRONT	280/85R20	RT855	112A8/B	TL
			REAR	380/85R28	RT855	133A8/B	TL
FRONT			360/70R20	RT765	129A8/B	TL	
REAR			420/70R30	RT765	134A8/B	TL	
FRONT			320/85R20	RT855	116A8/B	TL	
REAR			380/85R30	RT855	135A8/B	TL	
FRONT			280/85R24	RT855	115A8/B	TL	
REAR			320/85R36	RT855	128A8/B	TL	
TD65B - TD75B - TD80B	4WD	FRONT	280/70R16	RT765	112A8/B	TL	
		REAR	360/70R24	RT765	122A8/B	TL	
TD65D - TD75D - TT55 TD65S	2WD	FRONT	7.50-16	TF9090	8PR	TT	
		REAR	16.9-30	TR136	10PR	TT	
TD65D - TD75D - TD65S TD75S - TD80S	4WD	FRONT	11.2-24	TR717	6PR	TT	
		REAR	16.9-30	TR136	10PR	TT	
TD80D	2WD	FRONT	7.50-16	TF9090	8PR	TT	
		REAR	380/85R30	RT855	135A8/B	TL	
	4WD	FRONT	280/85R24	RT855	115A8/B	TL	
		REAR	420/85R30	RT855	140A8/B	TL	
			340/85R36	RT855	132A8/B	TL	
		FRONT	320/85R24	RT855	122A8/B	TL	
		REAR	460/85R30	RT855	145A8/B	TL	
			340/85R38	RT855	133A8/B	TL	
		FRONT	360/70R24	RT765	122A8/B	TL	
		REAR	460/85R30	RT855	145A8/B	TL	
FRONT	340/85R24	RT855	125A8/B	TL			
REAR	420/85R34	RT855	142A8/B	TL			
TD90D	4WD	FRONT	320/85R24	RT855	122A8/B	TL	
		REAR	460/85R30	RT855	145A8/B	TL	
			340/85R38	RT855	133A8/B	TL	
		FRONT	360/70R24	RT765	122A8/B	TL	
		REAR	460/85R30	RT855	145A8/B	TL	
			480/70R34	RT765	149A8/B	TL	
FRONT	340/85R24	RT855	125A8/B	TL			
REAR	420/85R34	RT855	142A8/B	TL			

TYPE	MODEL		FITMENT	BKT TYRE SIZE			
 TRACTOR	VIVID300 / 400	4WD	FRONT	6.50/80-12	AS504	6PR	TT
			REAR	280/70R18	RT765	114A8/B	TL
				11.50/80-15.3	AS504	6PR	TT
			FRONT	23X8.50-12	TR315	6PR	TT
			REAR	280/70R18	RT765	114A8/B	TL
			FRONT	7.00-12	AS504	6PR	TT
	REAR	300/70R20	RT765	120A8/B	TL		
	VICTOR300AR / 400AR 300RS / 400RS	4WD	FRONT	260/70R16	RT765	109A8/B	TL
			REAR	260/70R16	RT765	109A8/B	TL
	 VALIANT400AR / 500AR 500RS / 550AR / 650AR 550RS / 650RS	4WD	FRONT	210/95R16	RT855	106A8/B	TL
			REAR	210/95R16	RT855	106A8/B	TL
			FRONT	11.50/80-15.3	AS504	6PR	TT
REAR			11.50/80-15.3	AS504	6PR	TT	
VALIANT 550AR / 650AR / 550RS / 650RS	4WD	FRONT	260/70R20	RT765	113A8/B	TL	
		REAR	260/70R20	RT765	113A8/B	TL	
VALIANT400AR / 500AR 500RS	4WD	FRONT	280/70R18	RT765	114A8/B	TL	
		REAR	280/70R18	RT765	114A8/B	TL	
		FRONT	320/65R18	RT657	109A8/B	TL	
		REAR	320/65R18	RT657	109A8/B	TL	
VALIANT 550MT / 650MT	4WD	FRONT	33X15.50-15	TRACMASTER	6PR	TL	
		REAR	33X15.50-15	TRACMASTER	6PR	TL	
 VITHAR650AR / 750AR 850AR / 950AR VOLCAN750AR / 850AR 950AR	4WD	FRONT	11.50/80-15.3	AS504	6PR	TT	
		REAR	11.50/80-15.3	AS504	6PR	TT	
		FRONT	320/65R18	RT657	109A8/B	TL	
		REAR	320/65R18	RT657	109A8/B	TL	
		FRONT	300/70R20	RT765	120A8/B	TL	
		REAR	300/70R20	RT765	120A8/B	TL	
		FRONT	280/70R18	RT765	114A8/B	TL	
		REAR	280/70R18	RT765	114A8/B	TL	










TYPE	MODEL		FITMENT	BKT TYRE SIZE				
	VITHAR650RS / 750RS 850RS / 950RS VOLCAN750RS / 850RS 950RS VOLCAN DUAL STEER	4WD	FRONT	280/85R20	RT855	112A8/B	TL	
			REAR	280/85R20	RT855	112A8/B	TL	
			FRONT	320/70R20	RT765	123A8/B	TL	
			REAR	320/70R20	RT765	123A8/B	TL	
	VOLCAN750AR / 850AR 950AR	4WD	FRONT	320/70R20	RT765	123A8/B	TL	
			REAR	320/70R20	RT765	123A8/B	TL	
	VOLCAN750RS / 850RS 950RS VOLCAN DUAL STEER	4WD	FRONT	320/65R18	RT657	109A8/B	TL	
			REAR	320/65R18	RT657	109A8/B	TL	
			FRONT	280/70R18	RT765	114A8/B	TL	
			REAR	280/70R18	RT765	114A8/B	TL	
	TRACTOR  	ORION SDT 8.75RS / 8.85RS / 8.95RS / 7.75DS / 7.85DS / 7.95DS	4WD	FRONT	260/70R16	RT765	109A8/B	TL
				REAR	300/70R20	RT765	120A8/B	TL
FRONT				280/70R18	RT765	114A8/B	TL	
REAR				320/70R24	RT765	116A8/B	TL	
INVICTUS K300AR / K400AR / K300RS / K400RS		4WD	FRONT	260/70R16	RT765	109A8/B	TL	
			REAR	260/70R16	RT765	109A8/B	TL	
			FRONT	210/95R16	RT2855	106A8/B	TL	
			REAR	210/95R16	RT2855	106A8/B	TL	


TYPE	MODEL		FITMENT	BKT TYRE SIZE			
 TRACTOR	RAPTOR30 / 40	4WD	FRONT	6.50/80-12	AS504	6PR	TT
			REAR	250/80-18	FARM 2000	8PR	TT
				280/70R18	RT765	114A8/B	TL
				11.50/80-15.3	AS504	6PR	TT
				320/65R18	RT657	109A8/B	TL
			FRONT	23X8.50-12	TR315	6PR	TT
			REAR	280/70R18	RT765	114A8/B	TL
			FRONT	7.00-12	AS504	6PR	TT
	REAR	300/70R20	RT765	120A8/B	TL		
	 CROMO K30AR / K40AR K30RS / K40RS	4WD	FRONT	260/70R16	RT765	109A8/B	TL
			REAR	260/70R16	RT765	109A8/B	TL
			FRONT	210/95R16	RT855	106A8/B	TL
			REAR	210/95R16	RT855	106A8/B	TL
	 COBRAM40AR / 50AR / 40RS / 50RS THOR AR65 / AR75 / AR85 / AR95	4WD	FRONT	11.50/80-15.3	AS504	6PR	TT
REAR			11.50/80-15.3	AS504	6PR	TT	
FRONT			280/70R18	RT765	114A8/B	TL	
REAR			280/70R18	RT765	114A8/B	TL	
FRONT			320/65R18	RT657	109A8/B	TL	
REAR			320/65R18	RT657	109A8/B	TL	
THOR AR65 / AR75 / AR85 / Ar95 VEGA AR75 / AR85 / AR95	4WD	FRONT	300/70R20	RT765	120A8/B	TL	
		REAR	300/70R20	RT765	120A8/B	TL	
 THOR SR65 / SR75 / SR85 / SR95 / FR65 FR75 / FR85 / FR95 VEGA AR75 / AR85 AR95 / RS75 / RS85 RS95	4WD	FRONT	320/70R20	RT765	123A8/B	TL	
		REAR	320/70R20	RT765	123A8/B	TL	



TYPE	MODEL		FITMENT	BKT TYRE SIZE			
	VEGA AR75 / AR85 / AR95	4WD	FRONT	11.50/80-15.3	AS504	6PR	TT
			REAR	11.50/80-15.3	AS504	6PR	TT
			FRONT	320/65R18	RT657	109A8/B	TL
			REAR	320/65R18	RT657	109A8/B	TL
			FRONT	280/70R18	RT765	114A8/B	TL
			REAR	280/70R18	RT765	114A8/B	TL
	VEGA RS75 / RS85 / RS95	4WD	FRONT	320/65R18	RT657	109A8/B	TL
			REAR	320/65R18	RT657	109A8/B	TL
			FRONT	280/70R18	RT765	114A8/B	TL
			REAR	280/70R18	RT765	114A8/B	TL
	VEGA STD RS75 / RS85 RS95 VEGA STD DS75 / DS85 DS95	4WD	FRONT	210/95R16	RT2855	106A8/B	TL
			REAR	210/95R16	RT2855	106A8/B	TL
FRONT			260/70R16	RT765	109A8/B	TL	
REAR			260/70R16	RT765	109A8/B	TL	

# CLAAS


TYPE	MODEL	FITMENT	BKT TYRE SIZE			
<b>HARVESTER COMBINES</b>   	DOMINATOR	FRONT	750/65R26	AGRIMAX TERIS	166A8/B	TL
		REAR	11.50/80-15.3	AS504	8PR	TL
	TUCANO	FRONT	800/65R32	AGRIMAX TERIS	178A8/175B	TL
		REAR	16.5/85-24	AS504	16PR	TL
		FRONT	900/60R32	AGRIMAX TERIS	181A8/178B	TL
		REAR	16.5/85-24	AS504	16PR	TL
	AVERO	FRONT	750/65R26	AGRIMAX TERIS	166A8/B	TL
		REAR	12.5/80-18 12PR	AS504	12PR	TL
	LEXION	FRONT	800/65R32	AGRIMAX TERIS	178A8/175B	TL
		REAR	600/55-26.5	FL648	16PR	TL
		FRONT	900/60R32	AGRIMAX TERIS	181A8/178B	TL
		REAR	600/55-26.5	FL648	16PR	TL
<b>SQUARE BALERS</b> 	QUADRANT	REAR	700/50-26.5	FL648	16PR	TL

TYPE	MODEL		FITMENT	BKT TYRE SIZE			
TRACTOR 	TRANSCAR 25 TRANSCAR 28 TRANSCAR 33 TRANSCAR 40 TRANSCAR 60 TRANSCAR 70	4WD	FRONT/REAR	10.0/75-15.3	AS504	10PR	TL
	MAXTER 60RS MAXTER 60SN MAXTER 60RS	2WD	FRONT/REAR	260/70R16	RT765	109A8/B	TL
			FRONT/REAR	280/70R18	RT765	114A8/B	TL
	ASTER 45		FRONT	240/70R16	RT765	104A8/B	TL
			REAR	320/70R24	RT765	116A8/B	TL
	STAR 60LE STAR 3050 STAR 3080 ENERGY 60 ENERGY 80 STAR 70 Basso/Alto STAR 90 Basso STAR 100 Basso	4WD	FRONT	240/70R16	RT765	104A8/B	TL
			REAR	320/70R24	RT765	116A8/B	TL
	STAR 50 Basso/Alto STAR 90 Basso STAR 100 Basso ENERGY 80	4WD	FRONT	260/70R16	RT765	109A8/B	TL
			REAR	360/70R24	RT765	122A8/B	TL






# JOHN DEERE

TYPE	MODEL		REAR				FRONT							
TRACTOR  	5070M	4WD	420/85R30	RT855	140A8/B	TL	280/85R24	RT855	115A8/B	TL				
			320/85R24	RT855	122A8/B	TL	320/85R24	RT855	122A8/B	TL				
			420/85R34	RT855	142A8/B	TL	320/85R24	RT855	122A8/B	TL				
			340/85R24	RT855	125A8/B	TL	280/85R24	RT855	115A8/B	TL				
			480/70R30	RT765	141A8/B	TL	320/70R24	RT765	116A8/B	TL				
	360/70R24	RT765	122A8/B	TL	480/70R34	RT765	146A8/B	TL	380/70R24	RT765	125A8/B	TL		
	5080R / 5090R / 5100R	4WD	420/85R30	RT855	140A8/B	TL	280/85R24	RT855	115A8/B	TL				
			320/85R24	RT855	122A8/B	TL	420/85R34	RT855	142A8/B	TL	320/85R24	RT855	122A8/B	TL
			340/85R24	RT855	125A8/B	TL	320/85R36	RT855	128A8/B	TL	280/85R20	RT855	112A8/B	TL
			280/85R24	RT855	115A8/B	TL	340/85R36	RT855	132A8/B	TL	280/85R20	RT855	112A8/B	TL
			280/85R28	RT855	118A8/B	TL	340/85R38	RT855	133A8/B	TL	280/85R24	RT855	125A8/B	TL
			340/85R24	RT855	125A8/B	TL	480/70R30	RT765	141A8/B	TL	320/70R24	RT765	116A8/B	TL
			360/70R24	RT765	122A8/B	TL	480/70R34	RT765	146A8/B	TL	380/70R24	RT765	125A8/B	TL
	6130	4WD	480/70R34	RT765	146A8/B	TL	380/70R24	RT765	125A8/B	TL				
			480/70R38	RT765	145A8/B	TL	380/70R28	RT765	127A8/B	TL				
			420/70R24	RT765	130A8/B	TL	520/70R34	RT765	148A8/B	TL	420/70R24	RT765	130A8/B	TL
			420/85R30	RT855	140A8/B	TL	320/85R24	RT855	122A8/B	TL	420/85R30	RT855	140A8/B	TL
			320/85R24	RT855	122A8/B	TL	460/85R30	RT855	145A8/B	TL	320/85R24	RT855	122A8/B	TL
			340/85R24	RT855	125A8/B	TL	420/85R34	RT855	142A8/B	TL	340/85R24	RT855	125A8/B	TL
			340/85R24	RT855	125A8/B	TL	460/85R34	RT855	147A8/B	TL	340/85R24	RT855	125A8/B	TL
			380/85R24	RT855	131A8/B	TL	340/85R38	RT855	133A8/B	TL	380/85R24	RT855	131A8/B	TL
			280/85R28	RT855	118A8/B	TL	420/85R38	RT855	144A8/B	TL	280/85R28	RT855	118A8/B	TL
			340/85R24	RT855	125A8/B	TL	340/85R28	RT855	127A8/B	TL	340/85R24	RT855	125A8/B	TL
			380/85R24	RT855	131A8/B	TL	380/85R28	RT855	127A8/B	TL	380/85R24	RT855	131A8/B	TL



# JOHN DEERE

TYPE	MODEL	REAR				FRONT				
	6225 / 6230 / 6325 / 6330 / 6425 / 6430	4WD	480/70R34	RT765	146A8/B	TL	380/70R24	RT765	125A8/B	TL
			520/70R34	RT765	148A8/B	TL	420/70R24	RT765	130A8/B	TL
			480/70R38	RT765	145A8/B	TL	380/70R28	RT765	127A8/B	TL
							420/70R24	RT765	130A8/B	TL
			520/70R38	RT765	150A8/B	TL	380/70R28	RT765	127A8/B	TL
							420/70R24	RT765	130A8/B	TL
							420/70R28	RT765	133A8/B	TL
							480/70R24	RT765	138A8/B	TL
			420/85R30	RT855	140A8/B	TL	320/85R24	RT855	122A8/B	TL
			460/85R30	RT855	145A8/B	TL	320/85R24	RT855	122A8/B	TL
							340/85R24	RT855	125A8/B	TL
			420/85R34	RT855	142A8/B	TL	340/85R24	RT855	125A8/B	TL
	460/85R34	RT855	147A8/B	TL	340/85R24	RT855	125A8/B	TL		
					380/85R24	RT855	131A8/B	TL		
	340/85R38	RT855	133A8/B	TL	280/85R28	RT855	118A8/B	TL		
					340/85R24	RT855	125A8/B	TL		
	420/85R38	RT855	144A8/B	TL	320/85R28	RT855	124A8/B	TL		
					340/85R28	RT855	127A8/B	TL		
					380/85R24	RT855	131A8/B	TL		
	460/85R38	RT855	149A8/B	TL	340/85R28	RT855	127A8/B	TL		
				380/85R24	RT855	131A8/B	TL			
				380/85R28	RT855	133A8/B	TL			
	6525 / 6530 / 6534	4WD	480/70R38	RT765	145A8/B	TL	380/70R28	RT765	127A8/B	TL
						420/70R24	RT765	130A8/B	TL	
520/70R38			RT765	150A8/B	TL	380/70R28	RT765	127A8/B	TL	
						420/70R24	RT765	130A8/B	TL	
						420/70R28	RT765	133A8/B	TL	
						480/70R24	RT765	138A8/B	TL	
580/70R38			RT765	155A8/B	TL	480/70R28	RT765	140A8/B	TL	
						540/65R28	RT657	149D/152A8	TL	
460/85R34	RT855	147A8/B	TL	340/85R24	RT855	125A8/B	TL			
				380/85R24	RT855	131A8/B	TL			
420/85R38	RT855	144A8/B	TL	320/85R28	RT855	124A8/B	TL			
				340/85R28	RT855	127A8/B	TL			
				380/85R24	RT855	131A8/B	TL			
460/85R38	RT855	149A8/B	TL	340/85R28	RT855	127A8/B	TL			
				380/85R24	RT855	131A8/B	TL			
				380/85R28	RT855	133A8/B	TL			
520/85R38	RT855	155A8/B	TL	420/85R28	RT855	139A8/B	TL			
				420/70R28	RT855	133A8/B	TL			
				480/70R28	RT855	140A8/B	TL			
650/65R38	RT765	163D/166A8	TL	540/65R28	RT765	149D/152A8	TL			





## JOHN DEERE

TYPE	MODEL	REAR				FRONT					
TRACTOR 	6830	4WD	580/70R38	RT765	155A8/B	TL	480/70R28	RT765	140A8/B	TL	
			540/65R28	RT657	149D/152A8	TL					
			460/85R38	RT855	149A8/B	TL	380/85R28	RT855	133A8/B	TL	
			520/85R38	RT855	155A8/B	TL	420/85R28	RT855	139A8/B	TL	
					480/70R28	RT765	140A8/B	TL			
	6925 / 6930	4WD	650/65R38	RT765	163D/166A8	TL	540/65R28	RT765	149D/152A8	TL	
			580/70R38	RT765	155A8/B	TL	480/70R28	RT765	140A8/B	TL	
							480/70R30	RT765	141A8/B	TL	
							540/65R28	RT657	149D/152A8	TL	
			460/85R38	RT855	149A8/B	TL	380/85R24	RT855	131A8/B	TL	
							380/85R28	RT855	133A8/B	TL	
			520/85R38	RT855	155A8/B	TL	420/85R28	RT855	139A8/B	TL	
							420/85R30	RT855	140A8/B	TL	
					480/70R28	RT765	140A8/B	TL			
				650/65R38	RT765	163D/166A8	TL	540/65R28	RT765	149D/152A8	TL



## AGRALE

APPLICATION	COUNTRY	MODEL	FITMENT	BKT TYRE SIZE
	BRAZIL	Model 5085	FRONT	12.4-24 8 PR BKT TR135 TT
			REAR	18.4-30 12 PR BKT TR135 TT
	BRAZIL	4230	FRONT	7.5L-15 8 PR BKT AS 504 TT
			REAR	9.5-24 8 PR BKT TR135 TT



MYUNGSUNG CO.,LTD.


APPLICATION	MODEL	FITMENT	BKT TYRE SIZE	
	BALERS FB	FB 2135	REAR	12.5/80-18 12 PR AS 504 TL 12.5/80-18 14 PR AW 702 TL 12.5/80-18 16 PR AW 702 TL
	BALERS VB	VB 2160	REAR	12.5/80-18 12 PR AS 504 TL 12.5/80-18 14 PR AW 702 TL 12.5/80-18 16 PR AW 702 TL
	BALERS	BIO	REAR	16.0/70-20 14 PR AS 504 TL
	BALERS		REAR	12.5/80-15.3 14 PR AW 702 TL
				15.0/70-18 14 PR AW705 TL
				11.5/80-15.3 12 PR AS 504 TL
				11.5/80-15.3 12 PR AW909 TL
				13.0/65-18 16 PR AW 702 TL
				15.0/55-17 10 PR AS 504 TL

APPLICATION	TYPE	MODEL	FITMENT	BKT TYRE SIZE
	TRACTOR	T903	FRONT	13.6-24 8PR TR 135 TT
			REAR	16.9-34 8PR TR 135 TT
	TRACTOR	T1003	FRONT	13.6-24 8PR TR 135 TT
			REAR	16.9-34 8PR TR 135 TT

APPLICATION	TYPE	MODEL	FITMENT	BKT TYRE SIZE
	TRACTOR	EG83	FRONT	360/70 R20 A'MAX RT765 (129A8/B) TL
			REAR	480/70 R30 A'MAX RT765 (141A8/B) TL
	TRACTOR	EG97	FRONT	320/70 R24 A'MAX RT765 (116A8/B) TL
			REAR	540/65 R34 A'MAX RT657(152D/155A8) TL
	TRACTOR	EG105	FRONT	320/70 R24 A'MAX RT765 (116A8/B) TL
			REAR	Rubber Crawler



# KIORITZ

APPLICATION	TYPE	MODEL	FITMENT	BKT TYRE SIZE
	SPRAYER	BSQ6000	FRONT	320/70 R24 A'MAX RT765 (116A8/B) TL 380/70 R20 A'MAX RT765 (132A8/B) TL 280/85 R24 A'MAX RT855 (115A8/B) TL 10.00-20 10 PR TR 135 TT
			REAR	320/70 R24 A'MAX RT765 (116A8/B) TL 380/70 R20 A'MAX RT765 (132A8/B) TL 280/85 R24 A'MAX RT855 (115A8/B) TL 10.00-20 10 PR TR 135 TT
		BSQ5000	FRONT	380/70 R20 A'MAX RT765 (132A8/B) TL 280/85 R24 A'MAX RT855 (115A8/B) TL
			REAR	380/70 R20 A'MAX RT765 (132A8/B) TL 280/85 R24 A'MAX RT855 (115A8/B) TL

APPLICATION	TYPE	MODEL	FITMENT	BKT TYRE SIZE
	SPRAYER	TTS6RP	FRONT	320/85 R24 A'MAX RT855 (122A8/B) TL
			REAR	320/85 R24 A'MAX RT855 (122A8/B) TL

## NICHINOUKI SEIKO ( JAPAN )

APPLICATION	TYPE	MODEL	FITMENT	BKT TYRE SIZE
	SUGAR BEET HARVESTER	430 TURBO	REAR	11.2-24 8 PR TR 135 TT